
(NSF_®)



- Winco[®] offers the most complete collection of steam table pans in the industry
- Anti-jamming pans available in all gauges; straight sided pans available in standard weight
- Every gauge weight is made of 18/8 stainless steel

TRUE 23 GAUGE



HEAVYWEIGHT

| HE | :AVYI | NEIG | HI | ANTI-JAMMING | ANTI-JAMMING | ANTI-JAMMING |
|------------------------------------|------------------------------|------------------------------|-------------------------|----------------------------------|----------------------------------|--|
| SIZE | DEPTH | UOM | CASE | ITEM | ITEM | ITEM |
| Full-Size 20-3/4" x 12-3/4" | 1-1/4" 2-1/2" 4" 6" | Each Each Each Each | 6/12 6/12 | SPJM-102 SPJM-104 SPJM-106 | SPJP-102 SPJP-104 SPJP-106 | SPJH-101 SPJH-102 SPJH-104 SPJH-106 |
| Half-Size 10-3/8" x 12-3/4" | 1-1/4" 2-1/2" 4" 6" | | | SPJM-202 SPJM-204 SPJM-206 | SPJP-202 SPJP-204 SPJP-206 | SPJH-201 SPJH-202 SPJH-204 SPJH-206 |
| Third-Size 6-7/8" x 12-3/4" | 2-1/2" 4" 6" | Each | 12/48 12/24 12/24 | SPJM-302 SPJM-304 SPJM-306 | SPJP-302 SPJP-304 SPJP-306 | SPJH-302 SPJH-304 SPJH-306 |
| Quarter-Size 10-5/6" x 6-5/16" | 2-1/2" 4" 6" | Each | 12/72 12/48 12/24 | SPJM-402 SPJM-404 SPJM-406 | SPJP-402 SPJP-404 SPJP-406 | SPJH-402 SPJH-404 SPJH-406 |
| Sixth-Size 6-7/8" x 6-5/16" | 2-1/2" 4" 6" | Each | 12/72 12/48 12/48 | SPJM-602 SPJM-604 SPJM-606 | SPJP-602 SPJP-604 SPJP-606 | SPJH-602 SPJH-604 SPJH-606 |
| Ninth-Size 6-3/4" x 4-1/4" | 2-1/2" 4" 6" | Each | 12/72 12/72 12/24 | SPJM-902 SPJM-904 | SPJP-902 SPJP-904 | SPJH-902 SPJH-904 SPJH-906GN |
| Eighteenth Size 4-1/4" x 3-1/2" | 2" | Each | 24/96 | | | SPJH-1802 |

TRUE 24 GAUGE

| A WINCO® EXCLUSIVE | 0 | STAN | IDARI | D WEI | GHT | 25 GAUGE STRAIGHT-SIDED | 25 GAUGE ANTI-JAMMING |
|-----------------------|----------------------|-----------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|----------------------------------|
| CITE | 00.00 | SIZE | DEPTH | UOM | CASE | ITEM | ITEM |
| Eighteenth x | SPJH-1802 2″ deep | Full-Size 20-3/4" x 12-3/4" | 1-1/4" 2-1/2" 4" 6" | Each Each Each Each | 6/12 6/12 6/12 6/12 | SPF1 SPF2 SPF4 SPF6 | SPJL-102 SPJL-104 SPJL-106 |
| | | Two-Third Size 14" x 12-7/8" | 2-1/2" 4" 6" | Each Each Each | 6/24 | SPTT2 SPTT4 SPTT6 | |
| T | | Half-Size 10-3/8" x 12-3/4" | 1-1/4" 2-1/2" 4" 6" | Each Each Each Each | 12/24 | SPH1 SPH2 SPH4 SPH6 | SPJL-202 SPJL-204 SPJL-206 |
| | | Third-Size 6-7/8" x 12-3/4" | 2-1/2" 4" 6" | | 12/48 12/24 12/24 | SPT2 SPT4 SPT6 | SPJL-302 SPJL-304 SPJL-306 |
| Anti-jamr | ming | Quarter-Size 10-5/6" x 6-5/16" | 2-1/2" 4" 6" | | 12/72 12/48 12/24 | SPQ2 SPQ4 SPQ6 | SPJL-402 SPJL-404 SPJL-406 |
| 1 | | Sixth-Size 6-7/8" x 6-5/16" | 2-1/2" 4" 6" | Each | 12/72 12/48 12/48 | SPS2 SPS4 SPS6 | SPJL-602 SPJL-604 SPJL-606 |
| | | Ninth-Size 6-3/4" x 4-1/4" | 2-1/2" 4" | | 12/72 12/72 | SPN2 SPN4 | SPJL-902 SPJL-904 |

Straight-sided



TRUE 22 GAUGE

New Item

STAINLESS STEEL SPECIALTY PANS

GET-A-GRIP[™] CHAFING DISH FOOD PAN

Patented pan and handle system prevents steam burns

| ITEM | DESCRIPTION | UOM | CASE |
|---------|---------------------|------|------|
| SPF2-HD | Full-Size w/Handles | Each | 6 |



22 GAUGE ANTI-JAMMING PERFORATED STEAM PANS

| ITEM | DESCRIPTION | DEPTH | UOM | CASE |
|------------|-------------------|--------|------|-------|
| SPJH-102PF | Full-Size, Perf'd | 2-1/2" | Each | 6/12 |
| SPJH-104PF | Full-Size, Perf'd | 4" | Each | 6/12 |
| SPJH-106PF | Full-Size, Perf'd | 6" | Each | 6/12 |
| SPJH-202PF | Half-Size, Perf'd | 2-1/2" | Each | 12/24 |
| SPJH-204PF | Half-Size, Perf'd | 4" | Each | 6/24 |
| SPJH-206PF | Half-Size, Perf'd | 6" | Each | 6/12 |

25 GAUGE PERFORATED STEAM PANS

| ITEM | DESCRIPTION | DEPTH | UOM | CASE |
|-------|-------------------|--------|------|------|
| SPFP2 | Full-Size, Perf'd | 2-1/2" | Each | 6/12 |
| SPFP4 | Full-Size, Perf'd | 4" | Each | 6/12 |
| SPFP6 | Full-Size, Perf'd | 6" | Each | 6/12 |
| SPHP2 | Half-Size, Perf'd | 2-1/2" | Each | 6/24 |
| SPHP4 | Half-Size, Perf'd | 4" | Each | 6/24 |
| SPHP6 | Half-Size, Perf'd | 6" | Each | 6/12 |

22 GAUGE ANTI-JAMMING HALF LONG STEAM PANS

| ITEM | DESCRIPTION | DEPTH | UOM | CASE |
|----------|---------------|--------|------|------|
| SPJH-2HL | Half Long Pan | 2-1/2" | Each | 6/24 |
| SPJH-4HL | Half Long Pan | 4" | Each | 6/24 |
| SPJH-6HL | Half Long Pan | 6" | Each | 6/12 |

25 GAUGE ANTI-JAMMING HALF LONG STEAM PANS

| ITEM | DESCRIPTION | DEPTH | UOM | CASE |
|----------|---------------|--------|------|------|
| SPJL-2HL | Half Long Pan | 2-1/2" | Each | 6/24 |
| SPJL-4HL | Half Long Pan | 4" | Each | 6/24 |
| SPJL-6HL | Half Long Pan | 6" | Each | 6/12 |

STAINLESS STEEL DIVIDED FOOD PANS

| ITEM | DESCRIPTION | DEPTH | UOM | CASE |
|---------|--|--------|------|------|
| SPFD2 | Full-Size, Two Sections, NSF | 2-1/2" | Each | 6/12 |
| SPFD-2R | 15-1/4"Dia Round, Two Sections, Fits 103A, 103B, 602 and 308A Chafers | 2-1/2" | Each | 10 |

STAINLESS STEEL WATER PANS FOR CHAFERS

STAINLESS STEEL SPILLAGE PANS FOR STEAM PANS

DEPTH

6"

6"

UOM

Each

Each

CASE

5/10

6/12

| ITEM | DESCRIPTION | DEPTH | UOM | CASE |
|-------|---------------------------------------|-------|------|------|
| C-WPF | Full-Size Water Pan, Dripless Edge | 4" | Each | 6 |







SPJH-104PF Anti-jamming



SPJH-2HL

25 gauge



C-WPF

SPFD2

SPFD-2R













Ample holes allow drainage, also great for

steaming

ITFM

C-WPF6

C-WPP

DESCRIPTION

Full-Size Spillage Pan, Upright Standing Edge, NSF

Full-Size Spillage Pan,

Flat Edge, NSF

BUTTER ROLLER



18/8 STAINLESS STEEL 1/6 SIZE BUTTER ROLLER

Fits into 7"L x 6-3/8"W size opening

Roller is removable for easy cleaning

| ITEM | DESCRIPTION | UOM | CASE |
|----------|---------------|------|------|
| SPBR-604 | 7"L x 6-3/8"W | Each | 1/6 |

SPBR-604

ROLL-TOP COVER



C-RCF

STEAM PAN COVERS









18/8 SATIN-FINISH STAINLESS STEEL ROLL-TOP COVER

- Fits full-size 12" x 20" food well opening
- Plastic handle is heat resistant up to 220°F (105°C)



18/8 STAINLESS STEEL FLAT COVERS

Center handle for easy-lift open/close

| | | <i>,</i> , | |
|----------|-------------------------------------|------------|-------|
| ITEM | DESCRIPTION | UOM | CASE |
| SPSCF | 1/1 Solid Cover | Each | 12/24 |
| SPSCH | 1/2 Solid Cover | Each | 12/48 |
| SPSCT | 1/3 Solid Cover | Each | 12/72 |
| SPSCQ | 1/4 Solid Cover | Each | 12/72 |
| SPSCS | 1/6 Solid Cover | Each | 12/72 |
| SPSCN | 1/9 Solid Cover | Each | 12/72 |
| SPSCN-GN | 1/9 Solid Cover for SPJH-906GN | Each | 10/40 |
| SPSCTT | 2/3 Solid Cover | Each | 12/24 |
| SPCF | 1/1 Slotted Cover | Each | 12/24 |
| SPCH | 1/2 Slotted Cover | Each | 12/48 |
| SPCT | 1/3 Slotted Cover | Each | 12/72 |
| SPCQ | 1/4 Slotted Cover | Each | 12/72 |
| SPCS | 1/6 Slotted Cover | Each | 12/72 |
| SPCN | 1/9 Slotted Cover | Each | 12/72 |
| SPCN-GN | 1/9 Slotted Cover for SPJH-906GN | Each | 10/40 |
| SPCTT | 2/3 Slotted Cover | Each | 12/24 |
| | | | |

STAINLESS STEEL HINGED COVERS WITH DUAL HANDLES

| ITEM | DESCRIPTION | UOM | CASE |
|--------|--------------------------------|------|------|
| C-HFC1 | Full-Size Hinged Flat Cover | Each | 6/12 |
| C-HDC | Full-Size Hinged Dome Cover | Each | 12 |

STAINLESS STEEL DOME COVERS WITH CENTER HANDLE

| ITEM | DESCRIPTION | UOM | CASE |
|-------|----------------------|------|------|
| C-DCF | Full-Size Dome Cover | Each | 12 |
| C-DCH | Half-Size Dome Cover | Each | 24 |

STAINLESS STEEL HALF LONG COVERS

| ITEM | DESCRIPTION | UOM | CASE |
|---------|-------------------------------|------|-------|
| SPJL-HC | N Half Long Cover, Notched | Each | 12/24 |
| SPJL-HC | S Half Long Cover, Solid | Each | 12/24 |



New Item



239



Step up to Winco[®] Prime – A Cut Above

Winco Prime products are made with industry approved materials that comply with or exceed accepted industry standards. All products in the Winco Prime family are NSF® listed to give a comfort level that every effort has been made to provide a safe and durable product at an affordable price. Winco Prime products are safe to be used and will hold up well in the most demanding food service environment!

INSETS

NSF®

NSE BAIN-MARIES



BAMN-6

BAMN-6C



INSN-7

INSC-7M

| ITEM | DESCRIPTION | SIZE | UOM | CASE |
|-----------|-------------|-----------------|------|------|
| BAMN-1.25 | 1.25 Qt | 5" x 6" | Each | 6/48 |
| BAMN-1.5 | 1.5 Qt | 5-1/2" x 5-1/4" | Each | 6/48 |
| BAMN-2 | 2 Qt | 5-3/4" x 7" | Each | 6/48 |
| BAMN-3.5 | 3.5 Qt | 7-1/4" x 7" | Each | 6/36 |
| BAMN-4.25 | 4.25 Q† | 7-1/4" x 7-3/4" | Each | 6/36 |
| BAMN-6 | 6 Qt | 8" x 8-3/4" | Each | 6/24 |
| BAMN-8.25 | 8.25 Q† | 9" x 9-3/4" | Each | 6/24 |
| BAMN-12 | 12 Q† | 10" x 10-1/2" | Each | 6/12 |

| ITEM | DESCRIPTION | UOM | CASE |
|------------|---------------------|------|--------|
| BAMN-1.25C | Cover for BAMN-1.25 | Each | 12/144 |
| BAMN-1.5C | Cover for BAMN-1.5 | Each | 12/144 |
| BAMN-2C | Cover for BAMN-2 | Each | 12/144 |
| BAMN-3.5C | Cover for BAMN-3.5 | Each | 12/144 |
| BAMN-4.25C | Cover for BAMN-4.25 | Each | 12/72 |
| BAMN-6C | Cover for BAMN-6 | Each | 12/72 |
| BAMN-8.25C | Cover for BAMN-8.25 | Each | 12/48 |
| BAMN-12C | Cover for BAMN-12 | Each | 12/24 |
| | | | |

₩INCO[®] PRIME STAINLESS STEEL INSET PANS
 ◆ Satin finish

| ITEM | DESCRIPTION | SIZE | UOM | CASE |
|----------|-------------|-----------------|------|------|
| INSN-2.5 | 2.5 Qt | 6" x 7-1/2" | Each | 6/36 |
| INSN-4 | 4 Qt | 7-1/2" x 7-1/2" | Each | 6/36 |
| INSN-7 | 7 Qt | 9-1/2" x 8" | Each | 6/24 |
| INSN-11 | 11 Qt | 11-1/2" x 9" | Each | 6/12 |

STAINLESS STEEL INSET COVERS (NON-NSF) Mirror finish

| ITEM | DESCRIPTION | UOM | CASE |
|----------|--------------------|------|------|
| INSC-2.5 | Cover for INSN-2.5 | Each | 6/72 |
| INSC-4 | Cover for INSN-4 | Each | 6/36 |
| INSC-7M | Cover for INSN-7 | Each | 6/48 |
| INSC-11M | Cover for INSN-11 | Each | 6/36 |





STAINLESS STEEL BAIN-MARIES

• Bent rim for ease of handling and lifting

| ITEM | DESCRIPTION | SIZE | UOM | CASE |
|----------|-------------|-----------------|------|------|
| BAM-1.25 | 1.25 Qt | 5" x 6" | Each | 6/48 |
| BAM-1.5 | 1.5 Qt | 5-1/2" x 5-1/4" | Each | 6/48 |
| BAM-2 | 2 Qt | 5-3/4" x 7" | Each | 6/48 |
| BAM-3.5 | 3.5 Qt | 7-1/4" x 7" | Each | 6/36 |
| BAM-4.25 | 4.25 Qt | 7-1/4" x 7-3/4" | Each | 6/36 |
| BAM-6 | 6 Qt | 8" x 8-3/4" | Each | 6/24 |
| BAM-8.25 | 8.25 Qt | 9" x 9-3/4" | Each | 6/24 |
| BAM-12 | 12 Qt | 10" x 10-1/2" | Each | 3/6 |

STAINLESS STEEL BAIN-MARIE COVERS Center handle for lifting cover off/on

| ITEM | DESCRIPTION | UOM | CASE | |
|-----------|------------------------|------|--------|--|
| BAMC-1.25 | For 1.25 Qt Bain Marie | Each | 12/144 | |
| BAMC-2 | For 2 Qt Bain Marie | Each | 12/144 | |
| BAMC-3.5 | For 3.5 Qt Bain Marie | Each | 12/144 | |
| BAMC-4.25 | For 4.25 Qt Bain Marie | Each | 12/72 | |
| BAMC-6 | For 6 Qt Bain Marie | Each | 12/72 | |
| BAMC-8.25 | For 8.25 Qt Bain Marie | Each | 12/48 | |
| BAMC-12 | For 12 Qt Bain Marie | Each | 12/24 | |

STAINLESS STEEL INSET PANS

| ITEM | DESCRIPTION | SIZE | UOM | CASE |
|-----------|--------------------|-----------------|------|------|
| INS-2.5 | 2.5 Qt | 6" x 7-1/2" | Each | 6/36 |
| INS-4.0 | 4 Qt | 7-1/2" x 7-1/2" | Each | 6/36 |
| INS-7.0M | 7 Qt, 24 gauge | 9-1/2" x 8" | Each | 6/24 |
| INS-11.0M | 11 Qt, 24 gauge | 11-1/2" x 9" | Each | 6/12 |

STAINLESS STEEL INSET COVERS

| ITEM | DESCRIPTION | UOM | CASE |
|----------|------------------|------|------|
| INSC-2.5 | For 2.5 Qt Inset | Each | 6/72 |
| INSC-4 | For 4 Qt Inset | Each | 6/36 |
| INSC-7M | For 7 Qt Inset | Each | 6/48 |
| INSC-11M | For 11 Qt Inset | Each | 6/36 |

STAINLESS STEEL HINGED COVERS

| ITEM | DESCRIPTION | UOM | CASE |
|---------|-----------------|------|------|
| INSH-7 | For 7 Qt Inset | Each | 6/24 |
| INSH-11 | For 11 Qt Inset | Each | 6/24 |

STAINLESS STEEL ADAPTOR PLATES

12" x 20" overall size

| ITEM | DESCRIPTION | SIZE | UOM | CASE |
|---------|--|------------------------|------|------|
| ADP-608 | 6-3/8" and 8-3/8" Inset Holes | Fits 4 Qt and 7 Qt | Each | 10 |
| ADP-610 | 6-3/8" and 10-3/8" Inset Holes | Fits 4 Qt and 11 Qt | Each | 10 |
| ADP-666 | Three 6-3/8" Inset Holes | Fits 4 Qt | Each | 10 |
| ADP-808 | Two 8-3/8" Inset Holes | Fits 7 Qt | Each | 10 |
| ADP-810 | 8-3/8" and 10-3/8" Inset Holes | Fits 7 Qt and 11 Qt | Each | 10 |
| ADP-444 | Adaptor Plate, Six 4-3/4" Inset Holes | Fits 2.5 Qt | Each | 10 |

MIRROR FINISH BAIN-MARIES & INSETS







BAMC-SERIES








INSH-7

ADAPTOR PLATES



ADP-810



STAINLESS STEEL STEAM TABLE PAN/ FOOD PAN RACKS

STEAM TABLE PANS



SRK-36 Fits a combination of full, half or third-size pans



- Customize with a variety of steam table pans and food pans for the best configuration
- Dual-ended locking bars prevent pans from sliding out
- Caster bumpers protect walls, doors and rack during minor collisions
- Channel ledges are tightly welded to rails providing better support for pans
- 4" dia double-bearing, full-swivel casters help stabilize weight capacity
- Capacities: up to 1,000 Lbs (SRK-36) or up to 500 lbs (SRK-12, SRK-12D)
- Ships knocked down
- ◆ 1-1/2" and 1-3/4" spacing between each tier

36-TIER FULL HEIGHT RACKS





Caster bumpers protect walls, doors and rack against minor collisions

Customize with a variety of steam table pans and food pans for the best configuration

12-TIER UNDER-COUNTER RACKS

| DESCRIPTION | SIZE | UOM | CASE |
|------------------------------|---|--|---|
| 12-Tier END-LOAD Rack | 15-1/8"L x 21-5/8"W x 31-1/2"H | Each | 1 |
| 12-Tier SIDE-LOAD Rack | 23-1/4"L x 26"W x 31-1/2"H | Each | 1 |
| | 12-Tier END-LOAD Rack 12-Tier SIDE-LOAD | 12-Tier 15-1/8"L x END-LOAD 21-5/8"W x Rack 31-1/2"H 12-Tier 23-1/4"L x SIDE-LOAD 26"W x | 12-Tier 15-1/8"L x Each END-LOAD 21-5/8"W x Fach Rack 31-1/2"H Fach 12-Tier 23-1/4"L x Each SIDE-LOAD 26"W x Fach |

REPLACEMENT CASTERS

| ITEM | DESCRIPTION | SIZE | UOM | CASE |
|---------|-----------------------|------------------|------|------|
| SRK-CT | Caster for SRK-Series | | Each | 4/16 |
| SRK-CTB | Caster w/Brak | e for SRK-Series | Each | 4/16 |





SRK-CT 4" caster



SRK-CTB 4" caster with brake



New Item