# WIRE SECURITY CAGES

- NSF listed for use in dry storage and heated environments
- Heavy-duty wire construction
- Mix-and-match the various sizes to suit any need
- Easy to assemble, no tools required
  Capacities:
- Under 48" long up to 850 lbs/shelf, Over 48" long - up to 600 lbs/shelf
- Includes 4 split-sleeve clips per shelf

# CHROME-PLATED WIRE SHELVES

Withstands temperatures from -100°F to 500°F
 Must buy full case quantity

	ITEM	DESCRIPTION - W x L	UOM	CASE
	VC-1424	14" x 24"	Each	2
	VC-1430	14" x 30"	Each	2
	VC-1436	14" x 36"	Each	2
•	VC-1448	14" x 48"	Each	2
	VC-1460	14" x 60"	Each	2
i i d	VC-1472	14" x 72"	Each	2
	VC-1824	18" x 24"	Each	2
	VC-1830	18" x 30"	Each	2
	VC-1836	18" x 36"	Each	2
	VC-1842	18" x 42"	Each	2
	VC-1848	18" x 48"	Each	2
	VC-1854	18" x 54"	Each	2
	VC-1860	18" x 60"	Each	2
	VC-1872	18" x 72"	Each	2
	VC-2124	21" x 24"	Each	2
	VC-2130	21" x 30"	Each	2
	VC-2136	21" x 36"	Each	2
	VC-2148	21" x 48"	Each	2
	VC-2160	21" x 60"	Each	2
	VC-2172	21" x 72"	Each	2
	VC-2424	24" x 24"	Each	2
	VC-2430	24" x 30"	Each	2
	VC-2436	24" x 36"	Each	2
	VC-2442	24" x 42"	Each	2
	VC-2448	24" x 48"	Each	2
	VC-2454	24" x 54"	Each	2
	VC-2460	24" x 60"	Each	2
	VC-2472	24" x 72"	Each	2

# Customize wire shelving to fit a variety of dry storage needs

## CHROME-PLATED POSTS

- For wire shelving
- Withstands temperatures from -100°F to 500°F

#### Must buy full case quantity

	ITEM	DESCRIPTION	UOM	CASE
	VC-8P	8"H	Each	4
	VC-34P	34"H	Each	4
	VC-48P	48"H	Each	4
	VC-54P	54"H	Each	4
⁰►	VC-63P	63"H	Each	4
<b>*</b>	VC-72P	72"H	Each	4
	VC-86P	86"H	Each	4

#### **CHROME-PLATED WALL MOUNT BRACKETS**

 A great option for mounting a single wire shelf to the wall with two brackets

# Must buy full case quantity

ITEM	DESCRIPTION	UOM	CASE
VCB-14	14"W	Pair	2
VCB-18	18"W	Pair	2
VCB-21	21"W	Pair	2
VCB-24	24"W	Pair	2

## S/N-STYLE HOOK FOR CHROME-PLATED SHELVING

#### Holds shelving units together when standing next to or behind each other

ITEM	DESCRIPTION	UOM	CASE
VC-HK	S/N Hook for VC-series Shelves	Each	20/200

$\bigcirc$
$\triangleleft$
$\underline{\mathcal{C}}$
$\infty$
()
Ζ
-
$\geq$
ш
Т
S

# NSF.



**VC-SERIES SHELVES** 







# **EPOXY-COATED WIRE SHELVES**

Withstands temperatures from -100°F to 500°F
 Must buy full case quantity

	ITEM	DESCRIPTION - W x L	UOM	CASE
	VEX-1424	14" x 24"	Each	2
	VEX-1430	14" x 30"	Each	2
	VEX-1436	14" x 36"	Each	2
<u>.</u>	VEX-1448	14" x 48"	Each	2
	VEX-1460	14" x 60"	Each	2
	VEX-1472	14" x 72"	Each	2
	VEX-1824	18" x 24"	Each	2
	VEX-1830	18" x 30"	Each	2
	VEX-1836	18" x 36"	Each	2
	VEX-1842	18" x 42"	Each	2
	VEX-1848	18" x 48"	Each	2
	VEX-1854	18" x 54"	Each	2
	VEX-1860	18" x 60"	Each	2
	VEX-1872	18" x 72"	Each	2
	VEX-2124	21" x 24"	Each	2
	VEX-2130	21" x 30"	Each	2
	VEX-2136	21" x 36"	Each	2
	VEX-2148	21" x 48"	Each	2
	VEX-2160	21" x 60"	Each	2
	VEX-2172	21" x 72"	Each	2
	VEX-2424	24" x 24"	Each	2
	VEX-2430	24" x 30"	Each	2
	VEX-2436	24" x 36"	Each	2
	VEX-2442	24" x 42"	Each	2
	VEX-2448	24" x 48"	Each	2
	VEX-2454	24" x 54"	Each	2
	VEX-2460	24" x 60"	Each	2
	VEX-2472	24" x 72"	Each	2

Epoxy shelving suitable for storage in dry as well as moist/humid areas

# EPOXY-COATED POSTS

- For wire shelving
- Withstands temperatures from -100°F to 500°F

#### Must buy full case quantity

ITEM	DESCRIPTION	UOM	CASE
VEX-8P	8"H	Each	4
VEX-34P	34"H	Each	4
VEX-48P	48"H	Each	4
VEX-54P	54"H	Each	4
VEX-63P	63"H	Each	4
VEX-72P	72"H	Each	4
VEX-86P	86"H	Each	4

## **EPOXY-COATED WALL MOUNT BRACKETS**

 A great option for mounting a single wire shelf to the wall with two brackets

# Must buy full case quantity

ITEM	DESCRIPTION	UOM	CASE
VEXB-14	14"W	Pair	2
VEXB-18	18"W	Pair	2
VEXB-21	21"W	Pair	2
VEXB-24	24"W	Pair	2

# S/N-STYLE HOOK FOR EPOXY-COATED SHELVING


 Holds shelving units together when standing next to or behind each other

ITEM	DESCRIPTION	UOM	CASE
VEX-HK	S/N Hook for VEX-series	Each	20/200

# WIRE SHELVES

- NSF listed for use in all environments, including humid areas
- Heavy-duty wire construction
- Mix-and-match the various sizes to suit any need
- Easy to assemble, no tools required
  Capacities:
- Under 48" long up to 850 lbs/shelf, Over 48" long - up to 600 lbs/shelf
- Includes 4 split-sleeve clips per shelf













# WIRE SECURITY CAGES

- NSF listed for use in dry storage and heated environments
- Withstands temperatures from -100°F to 500°F
- Heavy-gauge chrome-plated wire
- Reinforced wire ends and hinges, & continuous bar wraps corners and across sides for optimal strength and security
- Secure locking mechanisms
- Easy to assemble wider panels come pre-connected and ready to attach
- For use with casters: use with 63" high posts
- For non-mobile: use with 72" high posts
- Shelves, posts, casters sold separately



# CHROME-PLATED SECURITY CAGES

63" high panels at varying lengths and widths

	• • • • • • • • • • • • • • • • • • •			
Þ	ITEM	DESCRIPTION	UOM	CASE
	VCG-1836	18 x 36 x 63"H	Set	1
	VCG-1848	18 x 48 x 63"H,	Set	1
	VCG-1860	18 x 60 x 63"H	Set	1
	VCG-2436	24 x 36 x 63"H	Set	1
	VCG-2448	24 x 48 x 63"H	Set	1
	VCG-2460	24 x 60 x 63"H	Set	1

Sets include 2 doors, 2 side panels, & 2-piece hinged back panel





Wire hook-n-loop door and side panels for extra security.



Pin on door locks into top and bottom shelves

Triple-wire anti-prv reinforcement adjacent to thick locking bar.



Protective cover on exposed wire ends.



Panels pre-connected with heavy wire loops, no assembly required.



Panel clips into shelf for secure, tight fit.



- Shelving set includes (4) shelves and (4) 72" high posts
- Heavy-duty wire construction
- Easy to assemble, no tools required
- Withstands temperatures from -100°F to 500°F
- Capacity: up to 1,400lbs per set

# CHROME-PLATED WIRE SHELVING SET

NSF listed for use in dry storage and heated environments

ITEM	DESCRIPTION	UOM	CASE
VCS-1836	18"W x 36"L	Set	1
VCS-1848	18"W x 48"L	Set	1
VCS-2436	24"W x 36"L	Set	1
VCS-2448	24"W x 48"L	Set	1



WIRE SHELVING SETS



# EPOXY-COATED WIRE SHELVING SET

NSF listed for use in all environments, including humid areas

ITEM	DESCRIPTION	UOM	CASE
VEXS-1836	18"W x 36"L	Set	1
VEXS-1848	18"W x 48"L	Set	1
VEXS-2436	24"W x 36"L	Set	1
VEXS-2448	24"W x 48"L	Set	1



# **3-TIER WIRE SHELVING CARTS**

Customizable height to fit a variety of storage needs.

- Includes 3 adjustable-height wire shelves
- Capacity up to 800lbs
- Step-lock feature on two casters
- Ships knocked down

ITEM	DESCRIPTION	UOM	CASE
VCCD-1836B	18"W x 36"L x 42"H	Set	1
VCCD-2448B	24"W x 48"L x 42"H	Set	1

# WIRE SHELVING CARTS



## **MOBILE SHELVING EXTENSION HANDLES**

• Use extension handles on mobile units for easy transport

Includes 2 sleeve clips per handle

ITEM	DESCRIPTION	UOM	CASE
VCH-14	14"W	Each	2/12
VCH-18	18"W	Each	2/12
VCH-21	21"W	Each	12
VCH-24	24"W	Each	2/12







SHELVING PARTS & ACCESSORIES



VC-FP



# PARTS FOR WIRE SHELVING

Secure shelving to floors
 Each pack contains four (4) pieces

<ul> <li>Each pack contains tour (4) pieces</li> </ul>			
ITEM	DESCRIPTION	UOM	CASE
VC-LF	Shelf Leveling Foot	Pack	1/100

VC-LF	Shelf Leveling Foot	Pack	1/100
VC-SC2	Shelf Sleeve Clips	Pack	100

### SHELVING FOOT PLATE

Secure stationary shelving units to the floor

UOM

Each

Each

CASE

4/24

4/24

Each pack contains four (4) pieces

ITEM	DESCRIPTION	UOM	CASE
VC-FP	Foot Plate w/Screws	Pack	1/100





VC-CT

**CASTERS FOR WIRE SHELVING** 

Casters with Brake

DESCRIPTION

Caster

# **DUNNAGE RACKS**



ADRK-2060

ADRK-SERIES

# ALUMINUM DUNNAGE RACKS

- Elevate items off the floor
- ◆ 8" or 12" high

◆ 5" diameter

ITEM

VC-CT

VC-CTB

Sturdy square tube construction

	ITEM	DESCRIPTION	WxL	HT	UOM	CASE
	ASDR-1424	Holds up to 1200 Lbs	14" x 24"	8"	Each	8
	ASDR-1436	Holds up to 900 Lbs	14" x 36"	8"	Each	6
	ASDR-1448	Holds up to 900 Lbs	14" x 48"	8"	Each	6
◈►	ASDR-2036	Holds up to 1800 Lbs	20" x 36"	8"	Each	6
	ASDR-2048	Holds up to 1500 Lbs	20" x 48"	8"	Each	6
	ASDR-2060	Holds up to 1200 Lbs	20" x 60"	8"	Each	6
	ADRK-2036	Holds up to 1800 Lbs	20" x 36"	12"	Each	6
	ADRK-2048	Holds up to 1500 Lbs	20" x 48"	12"	Each	6
	ADRK-2060	Holds up to 1200 Lbs	20" x 60"	12"	Each	6



NSF.)

New Item

# HEAVY-DUTY ALUMINUM CAN STORAGE RACKS

The can racks are designed with angled shelves for first-in first-out stock rotation.

- Sturdy aluminum construction
- Designed to hold #10 or #5 cans
- First-in, first-out design for proper stock rotation
- Angled shelves with lifted front edges prevent cans from rolling out; loads from front or rear

# STATIONARY CAN STORAGE RACK

- 9-tier sturdy aluminum construction
- Holds up to (162) #10 cans or (216) #5 cans
- 7" spacing between each tier
- Ships knocked down
- Fully assembled dimensions: 26-3/8"L x 34-3/4"W x 82-1/8"H

ITEI		DESCRIPTION	UOM	CASE
🙈 AL	CR-9	9-Tier, Knocked Down	Each	1



Sturdy cross-braces



Reinforced frame, stainless steel levelers



Capacity up to

1,200 Lbs

Tiers slant forward and raised edges prevent cans from rolling out







## MOBILE UNDER-COUNTER CAN STORAGE RACK

- 3-tier sturdy aluminum construction
- Holds up to (36) #10 or (45) #5 cans
- Heavy gauge aluminum worktop
- 3" swivel casters for mobility, 2 with brake
- Fully assembled dimensions: 26-3/4"L x 25-1/2"D x 33-1/2"H

ITEM	DESCRIPTION	UOM	CASE
ALCR-3M	3-Tier	Each	1



Tiers slant forward and raised edges prevent cans from rolling out





