




Winco's exclusive Weld2 System features fail-safe rigidity through both bolting and welding at all critical joints to prevent warping with long term, high-traffic use.



Specialty bolts secure each joint



Bolt caps are welded over completely to form extra-strength juncture

HEAVY-DUTY ALUMINUM 20-TIER SHEET PAN RACK

Capacity up to 1,000 Lbs

Fully welded



Double crossbars for extra strength



NSF AWRK-20HBK

HEAVY DUTY 20-TIER END-LOAD SHEET PAN RACK, WITH BRAKES

Designed with heavy-duty welded construction and a reinforced base-frame to ensure stability and long-lasting performance.

- ◆ 20-tier sturdy aluminum construction
- ◆ Designed to hold and transport (20) full-size (18" x 26") sheet pans or 40 (13" x 18") half-size sheet pans
- ◆ 5" dia, full-swivel casters; two (2) with brake
- ◆ Capacity: up to 1,000 Lbs
- ◆ 3" spacing between each tier
- ◆ Fully assembled dimensions: 21-3/4"L x 26"W x 70-1/2"H

ITEM	DESCRIPTION	UOM	CASE
AWRK-20HBK	20-Tier, Welded	Each	1
AWRC-5H	Caster for AWRK-20HBK, Heavyweight	Each	12
AWRC-5HK	Caster w/Brake for AWRK-20HBK, Heavyweight	Each	12



AWRC-5HK 5" plate caster with brake

Refer to Bakeware for full range of sheet pans



UNIVERSAL CASTERS

Raises racks by 6"



CT-1



CT-1B



CT-23



CT-23B



CT-33



CT-33B



CT-44



CT-44B

UNIVERSAL CASTERS, EXTRA HEAVY-DUTY

- ◆ Use with most appliances including ranges or walk-in refrigerators
- ◆ Polyurethane, skid-free - will not mark floors
- ◆ High-quality grease-resistant wheel
- ◆ Temperature range from 14°F to 212°F
- ◆ Wheel capacity: 220 lbs each
- ◆ CT-1 and CT-1B fit standard 1-5/8" or 1-1/2" tubing
- ◆ 2 pieces per set

ITEM	DESCRIPTION	PLATE SIZE	UOM	CASE
CT-1	Worktable Stem Caster Set		Set	1/12
CT-1B	Worktable Stem Caster Set w/Brake		Set	1/12
CT-23	Universal Plate Caster Set	2-3/8" x 3-5/8"	Set	1/12
CT-23B	Universal Plate Caster Set w/ Brake	2-3/8" x 3-5/8"	Set	1/12
CT-33	Universal Plate Caster Set	3-1/2" x 3-1/2"	Set	1/12
CT-33B	Universal Plate Caster Set w/ Brake	3-1/2" x 3-1/2"	Set	1/12
CT-44	Universal Plate Caster Set	4" x 4"	Set	1/12
CT-44B	Universal Plate Caster Set w/Brake	4" x 4"	Set	1/12

Made for the most demanding restaurant kitchens, these aluminum sheet pan racks accommodate standard full-size 18" x 26" sheet pans, or twice the capacity with half-size 18" x 13" pans.

ALUMINUM SHEET PAN RACKS



10-TIER SHEET PAN RACKS

- ◆ Sturdy aluminum construction
- ◆ Hold and transport 10 full-size (18" x 26") sheet pans
- ◆ 5" dia, full-swivel casters; two (2) with brake
- ◆ Capacity: up to 400 Lbs
- ◆ 3" spacing between each tier
- ◆ Ships welded or knocked down
- ◆ Fully assembled dimensions: 21"L x 26-1/2"D x 39"H

ITEM	DESCRIPTION	UOM	CASE
AWRK-10	10-Tier, Welded	Each	1
ALRK-10BK	10-Tier, Knocked Down	Each	1
ALRK-10	10-Tier w/o Brakes, Knocked Down	Each	1
ALRC-5ST	Caster for ALRK and AWRK-series	Each	12
ALRC-5STK	Caster w/Brake for ALRK & AWRK-series	Each	12



20-TIER END-LOAD SHEET PAN RACKS

- ◆ Sturdy aluminum construction
- ◆ Hold and transport 20 full-size (18" x 26") sheet pans
- ◆ 5" dia, full-swivel casters; two (2) with brake
- ◆ Capacity (ALRK-20R): up to 500 Lbs
- ◆ Capacity (ALRK-20 & ALRK-20BK): up to 700 Lbs
- ◆ Capacity (AWRK-20): up to 800 Lbs
- ◆ 3" spacing between each tier
- ◆ Ships welded or knocked down
- ◆ Fully assembled dimensions (ALRK-20, -20BK, AWRK-20): 21"L x 26-1/2"W x 70"H
- ◆ Fully assembled (ALRK-20R): 20-1/4"L x 26"W x 69-1/4"H

ITEM	DESCRIPTION	UOM	CASE
AWRK-20	20-Tier, Welded	Each	1
ALRK-20BK	20-Tier, Knocked Down	Each	1
ALRK-20	20-Tier w/o Brakes, Knocked Down	Each	1
ALRK-20R	20-Tier, Knocked Down, ECONOMY	Each	1
ALRC-5ST	Caster for ALRK-20/-20BK & AWRK-20	Each	12
ALRC-5STK	Caster w/Brake for ALRK-20/-20BK & AWRK-20	Each	12
ALRC-5R	Caster for ALRK-20R	Each	12
ALRC-5RK	Caster w/Brake for ALRK-20R	Each	12



30-TIER END-LOAD SHEET PAN RACKS, WITH BRAKES

- ◆ Aluminum construction, 14 gauge
- ◆ Hold and transport 30 full-size (18" x 26") sheet pans
- ◆ 5" dia, heavyweight full-swivel casters; two (2) with brake
- ◆ Capacity: up to 700 Lbs
- ◆ 2" spacing between each tier
- ◆ Ships welded or knocked down
- ◆ Fully assembled dimensions: 21"L x 26-1/2"D x 70"H

ITEM	DESCRIPTION	UOM	CASE
AWRK-30	30-Tier, Welded	Each	1
ALRK-30BK	30-Tier, Knocked Down	Each	1
ALRC-5H	Caster for ALRK-30BK, Heavyweight	Each	12
ALRC-5HK	Caster w/Brake for ALRK-30BK, Heavyweight	Each	12




ALUMINUM NESTING SHEET PAN RACKS



AVAILABLE
KNOCKED
DOWN OR

WELD²
DUAL WELDMENT SYSTEM



Empty racks
nested together

NSF ALZK-20BK
AWZK-20

20-TIER NESTING RACK, WITH BRAKES

Designed with space-saving in mind, the Z-rack fits snugly with nesting racks to conserve floor space while in storage. The Z-rack accommodates standard full-size sheet pans, or double up with half-size pans.

- ◆ 20-tier sturdy aluminum construction
- ◆ Z-frame nesting design for compact storage
- ◆ Capacity: up to 650 lbs & 20 full-size (18" x 26") sheet pans
- ◆ Full-swivel casters; two (2) with brake
- ◆ 3" spacing between each tier
- ◆ Fully assembled: 22" L x 27-1/2"W x 70"H

ITEM	DESCRIPTION	UOM	CASE
AWZK-20	20-Tier, Welded	Each	1
ALZK-20BK	20-Tier, Knocked Down	Each	1
ALRC-5ST	Caster for ALZK & AWZK-series	Each	12
ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12

ALUMINUM SIDE-LOAD SHEET PAN RACKS



AVAILABLE
KNOCKED
DOWN OR

WELD²
DUAL WELDMENT SYSTEM

20-TIER SIDE-LOAD RACK, WITH BRAKES

Designed with side-load access for alternative convenience in tight kitchen and bakery spaces.

- ◆ 20-tier sturdy aluminum construction
- ◆ Designed to hold and transport (20) full-size (18" x 26") sheet pans
- ◆ 5" dia, full-swivel casters; two (2) with brake
- ◆ Capacity: up to 650 Lbs
- ◆ 3" spacing between each tier
- ◆ Ships welded or knocked down
- ◆ Fully assembled dimensions: 29-1/2"L x 19-1/2"W x 70-3/8"H

ITEM	DESCRIPTION	UOM	CASE
AWRS-20BK	20-Tier, Welded	Each	1
ALRS-20BK	20-Tier, Knocked Down	Each	1
ALRC-5ST	Caster for ALZK & AWZK-series	Each	12
ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12

NSF ALRS-20BK
AWRS-20BK

26-TIER PIZZA PAN RACK, WITH BRAKES

Each tier features an extended ledge to accommodate round or square pizza pans.

- ◆ 26-tier sturdy aluminum construction
- ◆ Designed to hold and transport 17" & 19" dia round pizza pans and 16" & 17" square Sicilian pizza pans
- ◆ 5" dia, full-swivel casters; two (2) with brake
- ◆ Capacity: up to 800 Lbs
- ◆ 2" spacing between each tier
- ◆ 4-1/8" wide ledge for round or square pizza pans
- ◆ Ships welded or knocked down
- ◆ Fully assembled dimensions: 23"L x 21"W x 62-7/8"H

ITEM	DESCRIPTION	UOM	CASE
AWPR-26BK	26-Tier, Welded	Each	1
ALPR-26BK	26-Tier, Knocked Down	Each	1
ALRC-5ST	Caster for ALZK & AWZK-series	Each	12
ALRC-5STK	Caster w/Brake for ALZK & AWZK-series	Each	12



ALRC-5STK
5" caster with brake

ALUMINUM PIZZA PAN RACKS



ALPR-26BK
AWPR-26BK

ALUMINUM COUNTER-HEIGHT END-LOAD SHEET PAN RACK

- ◆ 15 plated steel wire slides at 1-3/4" spacing
- ◆ Stainless steel solid top is useful as a work surface, and can also help to transport bulky items
- ◆ 14 gauge 6063 aluminum with 1" extruded tube frame
- ◆ Full swivel casters, 5" diameter x 1-1/4"
- ◆ Holds 15 full-size (18" x 26") or 30 half-size (18" x 13") sheet pans (not included)
- ◆ Capacity: up to 400 lbs
- ◆ Ships knocked down
- ◆ Fully assembled: 20-7/8"L x 26-1/8"W x 31-5/8"H

ITEM	DESCRIPTION	UOM	CASE
ALRK-15	15-Tier	Each	1
ALRC-5ST	Caster for ALRK and AWRK-series	Each	12
ALRC-5STK	Caster w/Brake for ALRK & AWRK-series	Each	12

ALUMINUM SHEET PAN RACK & TRUCK



ALRK-15

ALUMINUM SHEET PAN TRUCK

- ◆ 14 gauge 6063 aluminum with 1" extruded aluminum tube frame
- ◆ Full swivel casters, 5" diameter x 1-1/4" width
- ◆ Holds 54 full-size (18" x 26") or 108 half-size (13" x 18") sheet pans (not included)
- ◆ Ships knocked down
- ◆ Fully assembled: 28-7/8"L x 20-5/8"W x 33-3/8"H

ITEM	DESCRIPTION	UOM	CASE
ALRK-3	Sheet Pan Truck	Each	1
ALRC-5P	Replacement Caster for ALRK-3	Each	12



ALRK-3

**STAINLESS STEEL
STEAM TABLE PAN/
FOOD PAN RACKS**



Capacity up to 1,000 lbs

STAINLESS STEEL STEAM TABLE PAN/FOOD PAN RACKS

- ◆ Stainless steel construction
- ◆ Customize with a variety of steam table pans and food pans for the best configuration
- ◆ Dual-ended locking bars prevent pans from sliding out
- ◆ Caster bumpers protect walls, doors and rack during minor collisions
- ◆ Channel ledges are tightly welded to rails providing better support for pans
- ◆ 4" dia double-bearing, full-swivel casters help stabilize weight capacity
- ◆ Capacities: up to 1,000 Lbs (SRK-36) or up to 500 Lbs (SRK-12, SRK-12D)
- ◆ Ships knocked down
- ◆ 1-1/2" and 1-3/4" spacing between each tier

FULL HEIGHT RACKS - 36-TIER

ITEM	DESCRIPTION	SIZE	UOM	CASE
SRK-36	36-Tier END-LOAD Rack	15-1/8"L x 21-5/8"W x 63-1/4"H	Each	1



Caster bumpers protect walls, doors and rack against minor collisions



Customize with a variety of steam table pans and food pans for the best configuration

UNDER-COUNTER RACKS - 12-TIER

ITEM	DESCRIPTION	SIZE	UOM	CASE
SRK-12	12-Tier END-LOAD Rack	15-1/8"L x 21-5/8"W x 31-1/2"H	Each	1
SRK-12D	12-Tier SIDE-LOAD Rack	23-1/4"L x 26"W x 31-1/2"H	Each	1



SRK-12
Fits a combination of full, half or third-size pans



SRK-12D
Fits full length pans only, two per tier

Refer to Steam Table Pans for full range of food pans

REPLACEMENT CASTERS

ITEM	DESCRIPTION	UOM	CASE
SRK-CT	Caster for SRK-Series	Each	4/16
SRK-CTB	Caster w/Brake for SRK-Series	Each	4/16



SRK-CT
4" castor



SRK-CTB
4" castor with brake

SHEET PAN RACK COVERS

ITEM	DESCRIPTION	UOM	CASE
ALRK-10-CV	Cover for 10-Tier Rack, 25"W x 28"D x 33-1/2"H	Each	1/12
ALRK-20-CV	Cover for 20-Tier and 30-Tier Racks, 25"W x 28"D x 61-1/2"H	Each	1/12
ALRK-20-HC	Cover 23"W x 28"D x 62"H, Heavy-Duty, w/Window	Each	1/12



Clear-view vinyl, zipper closure

ALRK-10-CV



Opaque white vinyl, clear-view window, zipper closure



ALRK-20-HC

SHEET PAN RACK REPLACEMENT CASTERS

ITEM	DESCRIPTION	UOM	CASE
ALRC-5P	Caster for ALRK-3	Each	12
ALRC-5ST	Caster for ALRK & AWRK-series	Each	12
ALRC-5STK	Caster w/Brake for ALRK & AWRK-series	Each	12
ALRC-5R	Caster for ALRK-20R	Each	12
ALRC-5RK	Caster w/Brake for ALRK-20R	Each	12
ALRC-5H	Caster for ALRK-30BK, Heavyweight	Each	12
ALRC-5HK	Caster w/Brake for ALRK-30BK, Heavy-duty	Each	12
AWRC-5H	Caster for AWRK-20HBK, Heavy-duty	Each	12
AWRC-5HK	Caster w/Brake for AWRK-20HBK, Heavy-duty	Each	12
SRK-CT	Caster for SRK-36	Each	4/16
SRK-CTB	Caster w/ Brake for SRK-36	Each	4/16



ALRC-5P

ALRC-5ST

ALRC-5STK

ALRC-5H



ALRC-5RK

ALRC-5HK



AWRC-5HK

SRK-CTB

RACK ITEM NUMBER

	CASTER ITEM NUMBER												
	ALRC-5P	ALRC-5ST	ALRC-5STK	ALRC-5E	ALRC-5EK	ALRC-5H	ALRC-5HK	ALRC-5K	ALRC-5RK	AWRC-5H	AWRC-5HK	SRK-CT	SRK-CTB
ALPR-26BK		2	2										
ALRK-10/20		4											
ALRK-10BK/15/20BK		2	2										
ALRK-20R				2	2			2	2				
ALRK-3	4												
ALRK-30BK						2	2						
ALRS-20BK		2	2										
ALZK-20BK		2	2										
AWPR-26BK		2	2										
AWRK-10/20		2	2										
AWRK-20HBK									2	2			
AWRS-20BK		2	2										
AWZK-20		2	2										
SRK-12/12D/36												2	2

WINCO EXCLUSIVE WIRE DOUGH BOX DOLLY

Transport multiple dough boxes with ease using this wire dolly, currently the only one on the market!

- ◆ Capacity: up to 400 lbs
- ◆ 3-3/4" wheels

ITEM	DESCRIPTION	UOM	CASE
DWR-2617	27"L x 18-1/4"W x 2-1/2"H	Each	1
DWR-CT	Caster for DWR-2617	Each	4/24
DWR-CTB	Caster w/ Brake for DWR-2617	Each	4/24

Refer to Bakeware for dough boxes

WIRE DOLLY



DWR-2617



FLATWARE ORGANIZERS



FC-PL

Perforations promote air circulation



Notched lip to easily remove from holder



FC-SS



FC-SL

NSF FC-SERIES

FLATWARE/CUTLERY CYLINDERS & HOLDERS

◆ Items FC-PL / -SS / -SL fit into 4" diameter hole

ITEM	DESCRIPTION	UOM	CASE
FC-PL	Perforated, Plastic	Each	36/144
FC-SS	Perforated, S/S	Each	20/80
FC-SL	Solid, S/S	Each	20/80
FC-4H	4-Holes/2-Tier Holder, S/S	Each	1/4
FC-6H	6-Holes/2-Tier Holder, S/S	Each	1/2



FC-4H with FC-PL



FC-6H with FC-PL

FLATWARE/CUTLERY COMPARTMENT BINS

ITEM	DESCRIPTION	UOM	CASE
PL-4B	Plastic	Each	1/12
SCB-4	Stainless Steel	Each	1/8



BPA FREE PL-4B



SCB-4

FLATWARE/CUTLERY ORGANIZERS

ITEM	DESCRIPTION	UOM	CASE
OGZ-6	Organizer Bin Set	Set	1
OGZ-1B	Single Bin for OGZ-6	Each	6



OGZ-6



OGZ-1B

FLATWARE/CUTLERY DISHWASHER BASKET

◆ 8 compartments, molded-in handles

ITEM	DESCRIPTION	UOM	CASE
PCB-8	17" x 8" x 6"	Each	12




NSF PCB-8

GRAY POLYPROPYLENE LUG BOX

- ◆ Containers can nest together, stack across each other and stack with lids on

ITEM	DESCRIPTION	UOM	CASE
PL-8	24" x 15" x 8"	Each	1
PL-8C	Cover	Each	12



PL-8C

DISH/BUS BOXES

Conveniently nest together



Stackable



PL-8

PL-SERIES **NSF**

HEAVYWEIGHT POLYPROPYLENE DISH BOXES

- ◆ Larger, thicker and stronger than standard dish boxes
- ◆ Freezer safe

ITEM	DESCRIPTION	COLOR	UOM	CASE
PLW-7G	21" x 17" x 7"	Gray	Each	1
PLW-7K	21" x 17" x 7"	Black	Each	1
PLW-7W	21" x 17" x 7"	White	Each	1
PLW-CG	Cover	Gray	Each	12
PLW-CK	Cover	Black	Each	12
PLW-CW	Cover	White	Each	12



PLW-7W



PLW-7K



PLW-7G

PLW-SERIES **NSF**


HEAVYWEIGHT POLYPROPYLENE PERFORATED BUS BOXES

- ◆ Drains easily to eliminate excess water
- ◆ Ideal for thawing food

ITEM	DESCRIPTION	COLOR	UOM	CASE
PLP-5G	21-1/4" x 15-3/8" x 4-7/8"	Gray	Each	1
PLP-5W	21-1/4" x 15-3/8" x 4-7/8"	White	Each	1



PLP-5W



Perforated Base

PLP-SERIES **NSF**

STANDARD POLYPROPYLENE DISH BOXES

ITEM	DESCRIPTION	COLOR	UOM	CASE
PL-5G	20-1/4" x 15-1/2" x 5"	Gray	Each	1
PL-5K	20-1/4" x 15-1/2" x 5"	Black	Each	1
PL-5W	20-1/4" x 15-1/2" x 5"	White	Each	1
PL-7G	21-1/2" x 15" x 7"	Gray	Each	1
PL-7B	21-1/2" x 15" x 7"	Brown	Each	1
PL-7K	21-1/2" x 15" x 7"	Black	Each	1
PL-7W	21-1/2" x 15" x 7"	White	Each	1
PL-57C	Cover	Gray	Each	1/12
PL-57B	Cover	Brown	Each	1/12
PL-57K	Cover	Black	Each	1/12
PL-57W	Cover	White	Each	1/12



NSF

PL-SERIES **BPA FREE**

HEAVYWEIGHT POLYPROPYLENE DIVIDED BUS BOXES

- ◆ Two (2) compartments
- ◆ Economical storage for heavy loads
- ◆ Rounded corners for easy cleaning

ITEM	DESCRIPTION	COLOR	UOM	CASE
PLTC-7G	21" x 16-3/4" x 6-1/2"	Gray	Each	1
PLTC-7K	21" x 16-3/4" x 6-1/2"	Black	Each	1



PLTC-7K

PLTC-SERIES **BPA FREE**

WHITE POLYPROPYLENE MINI BIN

ITEM	DESCRIPTION	UOM	CASE
PL-MB	14-3/4" x 12-1/2" x 5-3/8"	Each	24
PL-MBC	Cover	Each	24



PL-MB-SERIES **BPA FREE**

UTILITY & BUS CARTS

4 swivel casters, 2 with brakes



UC-2415G



UC-3019K



3-TIER UTILITY CARTS WITH BRAKES

- ◆ Easy-clean polypropylene shelves
- ◆ UC-2415 series weighs 17.5 lbs
- ◆ UC-3019 series weighs 27 lbs
- ◆ Accessory bins sold separately
- ◆ Ships knocked down

ITEM	DESCRIPTION	CAPACITY	COLOR	UOM	CASE
UC-2415G	32"L x 16-1/8"W x 36-3/4"H	330 Lbs	Gray	Set	1
UC-2415K	32"L x 16-1/8"W x 36-3/4"H	330 Lbs	Black	Set	1
UC-3019G	40-3/4"L x 19-1/2"W x 37-3/8"H	400 Lbs	Gray	Set	1
UC-3019K	40-3/4"L x 19-1/2"W x 37-3/8"H	400 Lbs	Black	Set	1
UC-RB	Refuse Bin			Each	3
UC-SB	Silverware Bin			Each	6
UC-WH	Caster			Each	1/30
UC-WHB	Caster w/ Brake			Each	1/30



UC-SB



UC-RB



UC-2415G shown with accessory bins



3-TIER STAINLESS STEEL TROLLEYS

- ◆ Caster bumpers protect walls, doors, and the cart from minor collisions
- ◆ Ships knocked down



SUC-30

ITEM	DESCRIPTION (L X W X H)	UOM	CASE
SUC-30	30" x 16" x 33" (w/Casters)	Set	1
SUC-40	33" x 17" x 35" (w/Casters)	Set	1
SUC-50	37" x 19" x 37" (w/Casters)	Set	1
SUC-CT	Caster for SUC-Series	Each	4/16
SUC-CTB	Caster w/Brake for SUC-Series	Each	4/16



Caster with brake

LUG BOX/BUS BOX CARTS

ALUMINUM END-LOAD 6-TIER BUS BOX CART

- ◆ 14 gauge aluminum with a 1" extruded aluminum tube frame
- ◆ 5" Dia x 1-1/4" W, full swivel casters
- ◆ Ships knocked down
- ◆ Capacity: 6 (or more when stacked) bus or lug boxes

ITEM	DESCRIPTION	UOM	CASE
ABBC-6	18-5/8" x 26" x 70-1/4", Fits PL-5G, PL-5K, PL-5W, PL-7G, PL-7K, PL-7W, PL-8 Winco® Bus Boxes	Set	1
ALRC-5ST	Caster for ABBC-6	Each	12

Move more
at once



ABBC-6

ALUMINUM LUG BOX CART

- ◆ 14 gauge aluminum with a 1" extruded tube frame
- ◆ 5" Dia x 1-1/4" W, full swivel casters
- ◆ Ships knocked down
- ◆ Use with single or stacked lug boxes

ITEM	DESCRIPTION	UOM	CASE
ALBC-1	16-3/4" x 25-1/16" x 19", Fits PL-5, PL-7, PL-8 Winco® Lug Boxes	Set	1
ALRC-5ST	Caster for ALBC-1	Each	12



ALBC-1

DURABLE POLYPROPYLENE DRY INGREDIENT BINS

- ◆ Ideal mobile storage for dry bulk ingredients
- ◆ Space-efficient under-counter height
- ◆ Advanced super-clasp slanted lid design easily slides open to scoop ingredients; when closing, lid slides over the bin to reduce possible debris on the lid from falling in
- ◆ Quickly view contents through the clear cover
- ◆ Four 3" casters (2 fixed & 2 swivel w/brakes) for easy mobility
- ◆ Built-in storage holds the included scoop, effectively keeping the handle out of ingredients

DRY BULK INGREDIENT BINS

ITEM	DESCRIPTION	SIZE	UOM	CASE
IB-21	21 Gallon	13" x 29-1/4" x 28"	Set	1
IB-27	27 Gallon	15-1/2" x 29-1/2" x 28"	Set	1
IB-C3	Fixed Caster	3" Dia, Fits IB-21 and IB-27	Each	1
IB-C3B	Swivel Caster w/Brake	3" Dia, Fits IB-21 and IB-27	Each	6
IB-21-LE	Lid	Fits IB-21	Each	6
IB-27-LE	Lid	Fits IB-27	Each	6



Built-in scoop storage



IB-21



IB-C3B



IB-C3

ITEM	WEIGHT SUGAR	WEIGHT FLOUR
IB-21	159 lbs	124 lbs
IB-27	197 lbs	154 lbs

IB-SERIES

INSULATED ICE CADDY




NSF IIC-SERIES

IIC-29

INSULATED ICE CADDY

- ◆ Can be used inside or outdoors, in hot or humid conditions
- ◆ Drain shelf allows ice melt to flow away from ice cubes, greatly increasing storage time
- ◆ Polyethylene molded body is durable and light-weight, top lid slides open
- ◆ Polyurethane foam insulation effectively keeps ice cold for several days
- ◆ Recessed front handle for convenient pulling or lifting
- ◆ No assembly required
- ◆ 125 lb capacity

ITEM	DESCRIPTION	SIZE	UOM	CASE
 IIC-29	Ice Caddy w/Sliding Lid	Ext Dim: 23" x 31.5" x 29.25"	Set	1
IIC-C8	Caster for IIC-29	8"	Each	1
IIC-C5B	Brake Caster for IIC-29	5"	Each	6

HOT / COLD FOOD TRANSPORTERS



IFT-1



IFT-2
Built-in dolly with casters



IFT-1 & IFT-1D




INTERIOR VIEW IFT-1



IFT-1D (INCLUDES STRAP)
Can also be used with IFPC-series

FULL-SIZE HOT/COLD FOOD TRANSPORTERS

- ◆ Molded polypropylene and insulated with polyurethane foam to maintain safe food serving temperatures for hours without the use of electricity or sterno
- ◆ Adjustable vent cap equalizes outside and inside compartment pressure for easy lid opening
- ◆ Stackable and interlockable for easy storage, and space saving
- ◆ Standard food service pans are easy to load and remove
- ◆ Easy-clean holding compartments

ITEM	DESCRIPTION	UOM	CASE
IFT-1	Single Cabinet Insulated Food Pan Transporter	Set	1
 IFT-2	Double Cabinet Insulated Food Pan Transporter w/Built-In Dolly	Set	1
IFT-1D	Dolly w/Casters & Cargo Strap fits IFT-1	Set	1
IFT-C5	5" Caster for IFT-2 & IFT-1D	Each	1
IFT-C5B	5" Brake Caster for IFT-2 & IFT-1D	Each	1

ITEM	DIMENSIONS	COMPARTMENT CAPACITY	
IFT-1	Exterior Dimensions: 18-3/4"W x 26-3/4"D x 24-1/2"H Interior Dimensions: 13-1/4"W x 21"D x 19-5/16"H	6 Full-Size, 2.5" H 4 Full-Size, 4" H 3 Full-Size, 6" H 4 Half-Size, 6" H	8 Half-Size, 4" H 9 1/3 Size, 6" H 12 1/3 Size, 4" H 6 1/3 Size, 8" H
IFT-2	Exterior Dimensions: 20"W x 27-1/2"D x 47-1/4"H Interior Dimensions for Each Compartment: 13-1/4"W x 21"D x 17"H	Each of the two compartments: 4 Full-Size, 2-1/2" H 3 Full-Size, 4" H 2 Full-Size, 6" H 10 Half-Size, 2-1/2" H	Can hold the following pans: 6 Half-Size, 4" H 4 Half-Size 6" H 6 1/3rd Size, 6" H 9 1/3rd Size, 4" H
IFT-1D		Use with IFT-1	

HOT					
IFT	188°F	184°F	179°F	175.5°F	171.5°F
IFPC	188°F	184.5°F	181.5°F	179°F	176°F
Starting Temperature	1 hour	2 hours	3 hours	4 hours	
COLD					
IFT	33.8°F	34.6°F	35.4°F	36.3°F	37.1°F
IFPC	32°F	33°F	34°F	35.5°F	36.5°F
Starting Temperature	1 hour	2 hours	3 hours	4 hours	

NSF IFT-SERIES



WINGO BAG™ PREMIUM PIZZA BAGS

Constructed from sturdy 3-layer fabric, maintains food temperature for longer without condensation buildup.

- ◆ Breathable liner reduces condensation
- ◆ Insulated flaps help retain temperature
- ◆ Dual closure velcro and buckle to keep contents secure
- ◆ Multiple straps for secure hold and stability
- ◆ Hanging loop for storage/drying
- ◆ Clear pockets positioned for storing slips, menus, or to add custom branding
- ◆ Reflector strip for safety
- ◆ Pizza box capacities: (M) holds (4) 16" / (L) holds (3) 18"

ITEM	DESCRIPTION	UOM	CASE
BGPZ-1909	19"W x 19"D x 9"H (M)	Each	1/6
BGPZ-2109	21-1/2"W x 21-1/2"D x 9"H (L)	Each	1/6



Restaurant



Catering



Delivery



Strap on bottom, top and sides for easy transport

DELIVERY BAGS



Premium Pizza Delivery Bags

"The delivery solution engineered for savings and functionality."



BGPZ-1909 (M)

BGPZ-2109 (L)

PIZZA & MORE DELIVERY BAGS

From kitchen to table, our insulated delivery bags maintain temperature over standard delivery range.

- ◆ Outer shell / liner: polyester, Filling: EPE
- ◆ Insulated liner retains heat for 2 hours @ 167°F / for 4 hours @ 131° / for 6 hours @ 95°F

ITEM	DESCRIPTION	UOM	CASE
BGDV-12	12" x 12" x 12"	Each	6
BGDV-22	22" x 22" x 12"	Each	6
BGPZ-18	18" x 18" x 5" Pizza Bag	Each	6
BGPZ-20	20" x 20" x 5" Pizza Bag	Each	6
BGPZ-24	24" x 24" x 5" Pizza Bag	Each	6



BGPZ-SERIES



BGDV-22




BGDV-12

DELIVERY BAGS



Premium Food Delivery Bags

"The delivery solution engineered for savings and functionality."



BGCB-1212 worn cross-body



BGCB-1212 (S)



(M) Includes divider



BGCB-1709 (M)



BGCB-1709 using anchor straps

WINGO BAG™ PREMIUM CATERING BAGS

The delivery solution engineered for savings and functionality.

- ◆ High-performance insulation retains temperature
- ◆ Waterproof liner prevents leaking and is easy to clean
- ◆ Integrated reinforced bottom for stability
- ◆ Built-in rubber feet reduce wear and tear over time
- ◆ Moisture-resistant exterior prevents bacteria, mold, odors
- ◆ Clear pockets positioned for storing slips, menus, or to add custom branding
- ◆ Anchor strap to secure bag - ideal for bike and scooter delivery (cord not included)
- ◆ Reflector strip for safety
- ◆ Removable 12 compartment divider to keep beverages, soups and other liquids upright and organized (divider comes with BGCB-1709 only)

ITEM	DESCRIPTION	UOM	CASE
BGCB-1212	12"W x 12"D x 12"H (S)	Each	1/6
BGCB-1709	17"W x 13"D x 9"H (M), Beverage Divider	Each	1/6
BGCB-2314	23"W x 15"D x 14"H (L)	Each	1/4
BGCB-2212	22"W x 22"D x 12"H (XL)	Each	1/4



BGCB-2314 (L)



BGCB-2212 (XL)

WINGO BAG™ PREMIUM BACKPACK

Delivery on the GO with ease and comfort.

- ◆ High-performance insulation retains temperature
- ◆ Adjustable contoured straps and padded back, ideal for bike and scooter delivery
- ◆ Waterproof liner prevents leaking and is easy to clean
- ◆ Integrated reinforcements for lightweight bag stability
- ◆ Dual close zipper and buckle to keep contents secure
- ◆ Clear pocket with zipper closure for storing slips, menus, or to add custom branding
- ◆ Built-in rubber feet reduce wear and tear over time
- ◆ Moisture-resistant exterior prevents bacteria, mold, odors
- ◆ Reflector strip for safety
- ◆ Holds up to (8) medium-size containers



BGDB-1616



ITEM	DESCRIPTION	UOM	CASE
BGDB-1616	16"W x 13"D x 16"H	Each	1/4

