EQUIPMENT Clean, Prep, Cook, Hold & Merchandise

www.wincous.com

POWER

HEAT

HEAT

FRONT

MEC

BAC

6

SPECTRUM



- 🗹 SAVES TIME
- 🗹 SAVES LABOR
- 🗹 MORE VERSATILITY
- 🗹 MORE PROFIT

GLASS WASHERS

 Five spinning brushes (four 6" brushes and one 6-3/4" center brush) clean inside and out simultaneously for crystal clear glassware

BAR MAID® GLASS WASHERS

- Quiet, powerful 1/3 HP enclosed motor with sealed lower bearing and exclusive Splashguard canopy
- Automatic overload safety & ground fault protection plug
- Heavy bronze bearings and stainless steel construction

	ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)		POWER	2	PLUG	Ship Weight
	A-200	12 x 8 x 18	115V~60Hz, 440W, 4.3A,			NEMA 5-15P, G.F.C.I. included	27 lbs (12.2 kgs)
	A-205-P	(305 x 203 x 457)	*220-2	30V~ 50)/60Hz,	Type E, G.F.C.I. not included	23 lbs (10.4 kgs)
•	ITEM	DESCRIPTION		UOM	CASE		
	A-200	Upright Glass Washer, 11	5V	Box	1	_	
	A-205-P	Upright Glass Washer, 220V International	, ,	Box	1		







ΕV

CE

Intertek Intertek

A-200 & A-205-P



SS-100

A-200

BAR MAID® SUBMERSIBLE GLASS WASHER

- Compact design fits under bars even if space is tight
- Heavy-duty stainless steel construction and bronze bearings deliver outstanding performance and reliability
- Submersible 1/3 HP motor with automatic overload and ground fault protection plug

	ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	POWER	PLUG	Ship Weight
	SS-100	12 x 8 x 12 (305 x 203 x 305)	115V~60Hz, 440W, 4.3A,	NEMA 5-15P, G.F.C.I. included	27 lbs (12.2 kgs)
٠	ITEM	DESCRIPTION	UOM CASE		
	SS-100	Submersible Glass Washer,	115V Box 1		
		2 YEAR WARRANTY			

New Item

SS-100

CE

 (\mathbf{I})



NEW

NOTHING CLEANS GLASSWARE FASTER OR BETTER



GLASS WASHERS

 Five spinning brushes (four 6" brushes and one 6-3/4" center brush) clean inside and out simultaneously for crystal clear glassware

BAR MAID[®] GLASS PRO[™] GLASS WASHER

- Heavy duty stainless steel construction
- 1/3 HP motor with automatic overload and ground fault protection plug

	ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	POWER		PLUG	Ship Weight
	AA	12 x 8 x 17-3/4 (305 x 203 x 450)	115V~60 440W, 4.		NEMA 5-15P, G.F.C.I. included	27 lbs (12.2 kgs)
٠	ITEM	DESCRIPTION	UOM	CASE		
	AA	Upright Glass Washer, 115\	/ Box	1		



BAR MAID[®] GLASS PRO[™] SUBMERSIBLE GLASS WASHER

POWER

115V~60Hz, 440W, 4.3A

UOM


Box

CASE

1







Sparkling Clean

OVERALL DIMENSIONS

L" x D" x H" (mm)

12 x 8 x 11 (305 x 203 x 280)

Submersible Glass Pro

Glass Washer, 115V

DESCRIPTION

ITEM

AA-SUB

ITEM

AA-SUB



SHIP

WEIGHT

27 lbs

(12.2 kgs)

PLUG

NEMA 5-15P, G.F.C.I.

included



GENTLE, EFFECTIVE CLEANING

UOM

GLASS WASHER BRUSHES





BRS-980

BRS-732SG





BRS-922

BRS-920

BRS-975

ITEM DESCRIPTION TYPE CASE BRS-732SG Pinned 1/18 Shot Glass Brush Each 4" Scrub Brush, For BRS-980 Pinned 1/6 Each Muffin Pans BRS-917 6" Standard Brush 1/18 Pinned Each 6-3/4", For Slightly BRS-920 Pinned Each 1/18 Taller Glassware 7-1/2", For Taller BRS-922 Pinned Each 1/18 Glassware BRS-975 8-1/2", For Extra Tall 1/18 Pinned Each Glassware BRS-975S 8-1/2" Softie® Brush, 1/18 Pinned Each For Delicate Extra-Tall Glassware BRS-976 9" Pilsner Brush Pinned Each 1/18 Margarita & Martini Pinned BRS-950 Each 1/6 Glass Brush

Pinned

Each

Each

1/6

1/18

BAR MAID® GLASS WASHER BRUSHES

Narrow Top Coffee Pinned Measurement is the "usable" length of the brush

Wide Coffee Pot &

Pitcher Brush

Pot Brush

BRS-930

BRS-935



BRS-976



BRS-950

BRS-935



BRS-930

2.	BAR M	AID
e.	ITEM	DESCI
	BRS-1722	Repl Set Ir Stan (1) 7- Glas all Bo
	BRS-1720SL	Repl





٠	ITEM	DESCRIPTON	TYPE	UOM	CASE
	BRS-1722	Replacement Brush Set Includes (4) 6" Standard Brushes & (1) 7-1/2" For Taller Glassware Brush, Fits all Bar Maid models	Pinned	Box	1/6
	BRS-1720SL	Replacement Universal Brush Set Includes (4) 6" Standard Brushes & (1) 6-3/4" Brush for Slightly Taller Glassware	Slotted	Box	1/6



BRS-1722











ONE EMPLOYEE CAN POLISH HUNDREDS OF GLASSES PER HOUR

GLASS POLISHERS



GP-100

2 YEAR

WARRANTY

UP TO **350** PIECES PER HOUR

On-demand glassware polishing solution that saves on labor, replacement costs, and injury claims.

- Efficient: warm air flow dries just-washed glassware while polishing
- Sanitary: reduces unhygienic handling & lint-free
- Safe: low risk of breakage, reducing injury claims and glassware replacement costs
- Portable: lightweight and compact footprint with builtin handles for polishing options anywhere
- Polishing heads are soft and absorbent, removable, and washable

BAR MAID® GLASS POLISHER

- High-volume on-demand polishing
- 5 standard size polishing heads
- Ideal for caterers, restaurants, event halls, and more

ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	POWER	PLUG	Ship Weight
GP-100	12.8 x 11.8 x 19.7 (325 x 300 x 500)	120V~50/60Hz, 1350W, 12.5 A	NEMA 5-15P	38 lbs (17.3 kgs)





BAR MAID[®] COMPACT GLASS POLISHERS

- 3 standard size polishing heads
- Ideal for hotels, bars, tasting rooms, casinos, and more

KNEW	

CE

æ.

nterte



	UP TO
Salt and	290
Walks N	PIECES PER HOUR
A. A.	

	ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	POWER	PLUG	Ship Weight
	GP-3MINI	10.63 x 9.25 x 20.9	110V~50/60 Hz, 1300W, 12.5 A	NEMA 5-15P	33 lbs
	GP-3MINI-CE	(270 x 235 x 530)	220V~50/60 Hz	CEE 7/7	(14.8 kgs)
•	ITEM	DESCRIPTION	UOM CASE		
	GP-3MINI	Glass Polisher with 3 Polishing Heads 110V	Each 1	_	

	3 Polishing Heads, 110V		
P-3MINI-CE	Glass Polisher with 3 Polishing Heads, 220-240V	Each	1



New Item



GF

NEW

HIGH-VOLUME LOW-RISK CONSISTENTLY CLEAR RESULTS

BAR MAID® GLASS POLISHER BRUSHES

Soft, absorbent, and washable

6	ITEM	DESCRIPTION	TYPE	UOM	CASE
	GP-554	5" Polishing Head for Champagne Flutes	Slotted	Each	1/10
	PH-5C	6" Polishing Head for Center Slot	Slotted	Each	1/3
	PH-1	7" Standard Polishing Head	Slotted	Each	1
	PH-3S	3-Pc Set Polishing Heads for GP-3MINI	Slotted	Set	1/5
	PH-5S	5-Pc Set Polishing Heads for GP-100	Slotted	Set	1/3
	GP-552-LB	5-Pc Set: (1) 7" Standard & (4) 8" Carafe, Long Polishing Heads for GP-100	Slotted	Set	1/3
	GP-533-LB	Long Blower Tube, Use With GP-552-LB, for GP-100	Slotted	Each	1

Measurement is the "usable" length of the brush



GLASS POLISHER BRUSHES











PH-5S



PH-1

PH-5C

BAR MAID® GLASS POLISHING WAND

- Flexible wand tip contours to shape of glass for reduced stress and gentle polishing
- Included cloth sleeve is lint-free and washable

۲	ITEM	DESCRIPTION	UOM	CASE
	GP-1M	Manual Polishing Wand	Each	1/35
	GP-3MC	Polishing Wand Replacement Cloths, 3 per Pack	Pack	1/6







GAME CHIP CLEANERS

NEW



CP-3000-D-CC



CP-7000-CC



CP-7000-S-CC



New Item

A WIN FOR THE HOUSE AND THE PLAYERS

BAR MAID[®] CHIP CHAMPION™

Process thousands of game chips, dice, and tiles through the Chip Champion™ every hour for clean, germ-free dealing and playing.

- Step 1 Sanitize with quaternary tablet sanitizer solution (sold separately)
- Step 2 Process through the Chip Champion to scrub and dry
- Fast ROI: gain significant speed, efficiency, and cost savings, ensuring an enjoyable gaming experience
- Sanitary: reduces unhygienic handling, and UV-C light kills contaminants for safe service
- Portable: compact footprint fits most work tables for portable polishing options

ITEM	DESCRIPTION	UOM	CASE
CP-3000-D-CC	Game Chip Polisher 120V, 3,000-4,000 pcs/hour	Each	1
CP-7000-CC	Game Chip Polisher 120V, 7,000-9,000 pcs/hour	Each	1
CP-7000-S-CC	Game Chip Polisher 120V, 10,000 pcs/hour, With Feeder	Each	1
CP-REFILL	Granulate Refill, 12-1/2 lb Bag	Each	1



Clean and ready for game-play



NEW

NEW

CE

æ.

ntertek







Granulate



COMMERCIAL MANUAL CAN OPENERS



PREMIUM MANUAL CAN OPENERS

Our premium European-made heavy-duty stainless steel can opener is fitted with a removable clamp, ideal for on-the-go operations that require flexibility. The rust-resistant stainless steel gear and blade effectively opens various can sizes up to #10.

- Includes base, blade, gear and installation kit for mounting on wooden or stainless steel work tables
- Easily disassembles for cleaning/sanitizing
- Heavy-duty stainless steel construction
- Rigid universal mounting base for screw-down or clampon installation with wooden or stainless steel work tables
- 19" (482mm) long bar accommodates various sizes of cans up to 16" (406mm) tall
- Quick change dual-sided tempered knife blade and stainless steel gear

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
CO-3N	8-7/16 x 4 x 25-1/2 (214 x 102 x 648)	5.6 lbs (2.5 kg)
ITEM DESC	IPTION UOM CASE	







CO-3G

CO-3N portable clamp



Securely clamps

STANDARD #1 MANUAL CAN OPENER

The go-to industry standard, steel body can opener, made for heavy usage kitchen environments that require processing of up to 50 cans a day. Opens various can sizes up to #10.

- Includes base, blade, gear and installation kit
- Rigid universal mounting base for screw-down to a wooden or stainless steel work table
- 13" (330mm) long bar accommodates any size can up to 10" (254mm) tall
- Extra-durable dual-sided knife blade and gear are interchangeable with most other can opener brands

22-	ITEM	DESCRIPTION	UOM	CASE
	CO-1	Cast Iron Body	Set	1
	CO-1B	2-Pc Replacement Blade Set for CO-1	Set	24/288
	CO-1G 1-Pc Replacement Gear Set for CO-1			12/144

CO-1B CO-1G



Easy operation

New Item



HEAVY-DUTY CAST IRON MEAT GRINDER

The Winco manual meat grinder is an economical and reliable tool for all your meat processing needs. With interchangeable plates, make your own sausages, burgers and more.

- Large 3" by 4" (76 x102 mm) hopper opening
- Heavy-duty cast iron construction with food-safe tinned coating
- Durable cast iron grinding knife

ITEN A

- Easy to crank handle with heavy-duty nylon bearing for long life
- Two (2) grinding plates: medium grind 3/16"(4mm), coarse grind 5/16"(8mm)
- Sausage stuffing kit with three (3) stuffing tubes: 9/16"(14) mm), 3/4"(19 mm), & 15/16"(24 mm), stuffing star, and flange

SHIP WEIGHT

5.5 lbs (2.5 kg)

 Clamp base easily secures to countertop or work surface

IIEM		OVERALL DIMENSIONS L'' X D'' X H'' (mm)				
MG-1	0	10 x 4	l-1/4 x 8-7/	8 (254 x	108 x 226)	
ITEM	DESCRIP	TION		UOM	CASE	
MG-10	Meat G	Frinder with Clam	p Base	Set	1/10	
MG-1018	Grinde	r Plate, 1/8″ (3mm	1)	Each	100	
MG-10316	Grinde	r Plate, 3/16" (4mi	m)	Each	100	
MG-1014	Grinde	r Plate, 1/4″ (6mm	1)	Each	100	
MG-10516	Grinde	r Plate, 5/16" (8m	m)	Each	100	
MG-1038	Grinde	r Plate, 3/8″ (10m	m)	Each	100	
MG-10K	Grinde	r Knife		Each	100	
MG-10SSK		ge Stuffing Kit je & 3 Tubes		Each	100	

KATTEX **MEAT GRINDER**



MG-10



HEAVY-DUTY BURGER PATTY PRESS WITH INTERCHANGEABLE PLATES

Effortlessly make uniform burgers with this time-saving portion control molding press. Interchangeable plates make either 4" (1/4 lb) or 5" (1/2 lb) round patties.

- Heavy-duty anodized aluminum construction with stainless steel press bowls and press plates
- Manual single-lever operation for quick, easy press-andrelease uniform patties
- Interchangeable 4" (100mm) and 5" (130mm) press plates & bowls; removal tool included
- Built-in patty paper holder, and includes 500 each of both 4" and 5" diameter patty paper

	ITEM		OVERALL DIMENSIONS L" X D" X H" (mm)			SHIP WEIGHT	
	HBP-3		10 x 9-1/2 x 12-3/4 (254 x 241 x 324)		18.1 lbs (8.2 kg)		
<u> </u>		DESCRIPT		UOM	CASE		
	HBP-3	Hambu	urger Patty Press	Set	1		
			mm) Perforated Round aper, Case of 5000	Case	1/10		
	HBP-PR130 5" (130mm) Perforated Round Patty Paper, Case of 5000			Case	1/10		



KATTEX BURGER PATTY PRESS









QUICK-SLICE FRUIT & VEGETABLE SLICER

Save on time and labor - simply place produce in the holder to turn out uniform slices in seconds.

- Aluminum construction with 9-1/4" stainless steel adjustable blade
- Adjustable thickness gauge select from 1/16" (1mm) up to 1/2"(12mm) thick slicing
- Accommodates fruits/vegetables up to 4" diameter and 5-1/2" in length
- Mounting bracket included mounts directly to work surface, or on the cutting board mount (CBM-1218)

112141	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
FVS-1	16 x 8-11/16 x 16 (406 x 220 x406)	12.1 lbs (5.5 kgs)

-	ITEM	DESCRIPTION	UOM	CASE
	FVS-1	21"L x 10-3/4"W x 16"H	Each	1/2
	FVS-1B	2-Pc Replacement Blades	Set	1/10
	FVS-1SB	Replacement Shaft and Blade Turntable Assembly	Each	1/6





Thickness gauge

Replacement blade



FVS-1 mounted and ready



Add portability to Kattex FVS-1 Slicer with this customized STATIKBOARD™ cutting board mount. The molded-through, non-slip feet prevent slipping & sliding, even on wet countertops, and the fully-rubberized hook provides easy storage.

- Board size: 12" (30.5mm) x 18" (45.7mm) x 1/2" (1.3mm)
- Built-in hook for easy transport and hygienic storage
- Dishwasher safe tough durable copolymer board construction
- Stainless steel flush mounting hardware included (mounting bracket sold separately or comes with FVS-1)

-02	ITEM	DESCRIPTION	UOM	CASE
	CBM-1218	Cutting Board Mount for FVS-1	Each	1







PRECISE-SLICE TOMATO SLICERS

Razor sharp stainless steel blades cradle delicate tomatoes, while smoothly and swiftly producing clean, uniform slices.

- Cast aluminum frame with stainless steel blades for even, clean cuts; blades are replaceable
- Ergonomic vertical handle provides smooth, effortless slicing
- Cuts 2 dozen tomatoes into 3/16" or 1/4" thick slices in only 1 minute!
- HDPE slicing surface for safe & durable food processing
- Rubber non-slip feet ensure maximum stability
- Slicers come standard with a stop/hold bracket

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
TTS-188		
TTS-188S		
TTS-250	16-½ x 8-¼ x 9-½ (420 x 210 x 240)	9.3 lbs (4.2 kgs)
TTS-250S		

ITEM	DESCRIPTION	UOM	CASE
TTS-188	3/16" Cut w/Straight Blade	Set	1/4
TTS-188S	3/16" Cut w/Serrated Blade	Set	1/4
TTS-250	1/4" Cut w/Straight Blade	Set	1/4
TTS-250S	1/4" Cut w/Serrated Blade	Set	1/4

TOMATO SLICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
TTS-188-B	3/16" Straight Blade Assembly for TTS-188	Set	1/12
TTS-188S-B	3/16" Serrated Blade Assembly for TTS-188	Set	1/12
TTS-250-B	1/4" Straight Blade Assembly for TTS-250	Set	1/12
TTS-250S-B	1/4" Serrated Blade Assembly for TTS-250	Set	1/12
KAT-FT	4-Pc Replacement Feet Set	Set	1
KAT-WR	Dual-End Wrench	Each	1/25

QUICK-SLICE CHEESE SLICERS

Make light work of slicing a variety of semi-soft cheeses, with uniform, consistent results. Ideal for portion control and faster food prep.

- Cast aluminum construction with stainless steel wires
- Cutting area accommodates 1/3 of a 5 lb cheese block
- Cut 3/8" or 3/4" cheese sticks, cubes or slices
- Cleaning brush included

ITEM OVERALL			ALL DIMENSI	ONS L")	K D" X H"	(mm)	SHIP WEIGHT
TCT-375			13¼ x 6¾ x 4½ (335 x 170 x 115)		4.2 lbs (1.9 kgs)		
TCT-75	50		1374 X 074 X 472 (335 X 170 X 115)			4.2 ID3 (1.7 Kg3)	
ITEM	DESCI	RIPTION		UOM	CASE		
TCT-375	3/8" (Cut		Each	1/4		
TCT-750	3/4" (Cut		Each	1/4		

CHEESE SLICER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
TCT-375B	Replacement Bow for TCT-375	Set	1/10
TCT-750B	Replacement Bow for TCT-750	Set	1/10





TCT-375B 3/8" wide cuts

www.wincous.com

TCT-750B 3/4" wide cuts



Uniformly slice cheese blocks





KATTEX TOMATO SLICERS








Includes blade replacement wrench

> Stop/hold bracket included





TTS-SERIES



KATTEX^T ONION SLICERS



OS-250

OS-250B

Blade set assembly

QUICK-SLICE ONION/FRUIT/VEGETABLE SLICERS

Quickly produce evenly sliced coins of fruits and vegetables in a single smooth stroke.

- Aluminum construction with stainless steel blades
- Unique lever-handle allows for quick and easy operation
- Sturdy base with non-skid feet

Two blades included can be stacked to create a finer cut

◆ 4-1/2" x 3-3/4" cutting area

ITEM OVERALL DIMENSIONS L" X D" X H" (mm)				(mm)	SHIP WEIGHT	
OS-188 OS-250			19 x 10 x 19 (483x 254 x 483)			17.8 lbs (8.1 kgs
03-200						
ITEM	DESCI	RIPTION	UOM	CASE		
OS-188	3/16"	Cut	Each	1/2	-	
OS-250	1/4" (Cut	Each	1/2		

ONION/FRUIT/VEGETABLE SLICER ACCESSORIES

Cut multiple heads of crisp, fresh lettuce in seconds. The

interlocking scalloped, pretensioned blades are sized to cut 1 inch squares of cored lettuce, without bruising or

Rubber feet prevent slipping/scratching on work surface

OVERALL DIMENSIONS L" X D" X H" (mm)

13 x 18 x 20 (330 x 457 x 508)

UOM

Each

UOM

Each

Set

Set

Each

CASE

1/2

CASE

1/10

1

1

1/25

ITEM	DESCRIPTION	UOM	CASE
OS-188B	3/16" Blade Set Assembly for OS-series, 2-Ps/Set	Set	1/10
OS-250B	1/4" Blade Set Assembly for OS-series, 2-Pcs/Set	Set	1/10
KAT-FT	4-Pc Replacement Feet Set	Set	1
KAT-BS-OT	4-Pc Replacement Bushings	Set	1
KAT-WR	Dual-End Wrench	Each	1/25

Aluminum frame with easy-grip handle
Stainless steel blade with 49 square cuts

Cuts lettuce into 1" x 1" slices in less than 1 minute

QUICK-SLICE LETTUCE CUTTER

browning.

ITEM TLC-1

ITEM

TLC-1

7" x 7" cutting area

DESCRIPTION

1" x 1" Cut

DESCRIPTION

LETTUCE CUTTER ACCESSORIES

Replacement Blade for TLC-1

4-Pc Replacement Feet Set

4-Pc Replacement Bushings

Dual-End Wrench

NSE OS-SERIES



LETTUCE CUTTER

Includes legmounting wrench





NSE TLC-SERIES



likan

ITEM

TLC-1-B

KAT-FT

KAT-WR

KAT-BS-OT



SHIP WEIGHT

17.8lbs (8.1 kgs)

New Item

QUICK-SLICE CHOPPERS/DICERS

For perfectly diced onions and tomatoes, and cucumbers too, turn to the Kattex Chopper/Dicer.

- Cast aluminum construction with stainless steel blades
- Sturdy base with non-skid feet
- 3-3/8" x 3-3/8" cutting area

HCD-500

1/2" Cut

ITEM		VERALL DIMENSIONS L" X D" X	SHIP WEIGHT		
HCD-250					
HCD-375		7-15/16 x 7-15/16 x 18-½ (200 x 200) x 470)	7.1 lbs (3.2 kgs)	
HCD-500					
ITEM / I	DESCRIPTION	UOM CASE			
HCD-250	1/4" Cut	Each 1/4			
HCD-375 3	3/8" Cut	Each 1/4			

Each

1/4

CHOPPER/DICER ACCESSORIES

	-		
jtem / /	DESCRIPTION	UOM	CASE
HCD-250BK	1/4" Replacement Blade & Block for HCD-series	Set	1/10
HCD-375BK	3/8" Replacement Blade & Block for HCD-series	Set	1/10
HCD-500BK	1/2" Replacement Blade & Block for HCD-series	Set	1/10
HCD-BR	2-Pc Black Rubber Ring	Set	1/50
KAT-FT	4-Pc Replacement Feet Set	Set	1
KAT-BS-FH	4-Pc Replacement Bushings	Set	1







Replacement blade and block

HCD-SERIES NSF

HCD-250

QUICK-SLICE FRUIT WEDGE SLICERS

Get quick and uniform wedges of fruit with a push of the handle. Ideal for coring and sectioning apples, lemons, limes, oranges, and tomatoes.

- Aluminum construction with sharp stainless steel blades that minimize squeezing and bruising
- Sturdy base with non-skid feet
- ◆ 3-1/2" diameter cutting area

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
FWS-6	7-15/16 x 7-15/16 x 18-½ (200 x 200 x 470)	5.7 lbs (2.6 kgs)
FWS-8	7-13/10 x 7-13/10 x 10-12 (200 x 200 x 4/0)	0.7 IDS (2.0 KgS)

UOM

Set

Set

Each

Each

Set

Set

CASE

1/10

1/10

10

10

1

1

ITEM	DESCRIPTION	UOM	CASE
FWS-6	6-Wedge	Each	1/4
FWS-8	8-Wedge	Each	1/4

FRUIT WEDGE SLICER ACCESSORIES

6-Section Wedger & Blade

8-Section Wedger & Blade

6-Slice Apple Corer Blade

8-Slice Apple Corer Blade

4-Pc Replacement Feet Set

4-Pc Replacement Bushings

DESCRIPTION

Replacement

Replacement

ITEM

FWS-6BK

FWS-8BK

FWS-6BC

FWS-8BC

KAT-BS-FH

KAT-FT

KATTEX FRUIT WEDGE SLICERS





FWS-6BC Apple corer blade



FWS-6BK

FWS-SERIES Replacement wedger and blade for citrus fruits

www.wincous.com



FWS-8

NSF

KATTEX FRENCH FRY CUTTERS -**HFAVY-DUTY**





Wall mounted with HFC-BK

HFC-375



Replacement block and cut blade assembly

NSE HFC-SERIES

FRENCH FRY CUTTERS -MEDIUM-DUTY





FFC-250B

FFC-250K



FFC-6B



QUICK-SLICE FRENCH FRY CUTTERS - HEAVY-DUTY

Add speed and efficiency to slicing potatoes, and fruits & vegetables. The durable cast iron body construction with stainless steel components ensures the cutter will withstand years of high-volume, heavy-duty use.

- Press down on the short throw handle with comfortable grip for uniform cuts in one smooth stroke
- Extremely durable cast iron body with stainless steel components
- Affix to counter or wall mount; wall bracket sold separately
- 3-3/8" x 3-3/8" cutting area
- Accessories to modify cut sizes and styles sold separately

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	SHIP WEIGHT
HFC-250		12.7 lbs (5.8 kgs)
HFC-375	8 x 14 x 16¾ (203 x 356 x 426)	13.6 lbs (6.2 kgs)
HFC-500		13.3 lbs (6 kgs)

ITEM	DESCRIPTION	UOM	CASE
HFC-250	1/4" Cut	Set	1
HFC-375	3/8" Cut	Set	1
HFC-500	1/2" Cut	Set	1

FRENCH FRY CUTTER ACCESSORIES					
ITEM	DESCRIPTION	UOM	CASE		
HFC-250R	1/4" Cut Replacement Blade	Set	1/48		
HFC-375R	3/8" Cut Replacement Blade	Set	1/48		
HFC-500R	1/2" Cut Replacement Blade	Set	1/48		
HFC-250B	1/4" Cut Blade Assembly	Set	1/24		
HFC-375B	3/8" Cut Blade Assembly	Set	1/24		
HFC-500B	1/2" Cut Blade Assembly	Set	1/24		
HFC-250K	Pusher Block for 1/4" and 1/2" Cut Blade	Each	1/24		

HFC-375K Pusher Block for 3/8" Cut Blade Each

Wall Bracket for HFC series

HFC-BK

FRENCH FRY CUTTERS - MEDIUM-DUTY

- Made of heavy-duty cast iron and fitted with sharp stainless steel blades for even slicing
- Ergonomic handle for easy operation, and sturdy legs for stability on countertop/work surfaces

Each

1/24

1/12

ITEM		OVER/	OVERALL DIMENSIONS L" X D" X H" (mm)			SHIP WEIGHT	
FFC-250							
FFC-375			8 x 14 x 16-¾ (203 x 356 x 426)		11.6 lbs (5.3 kg)		
FFC-500							
ITEM	DESCR	RIPTION		UOM	CASE	_	
FFC-250	1/4" (Cut		Each	1		
FFC-375	3/8" (Cut		Each	1		
FFC-500	1/2" (Cut		Each	1		

MEDIUM-DUTY FRENCH FRY CUTTER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
FFC-250B	Blade Assembly for FFC-250	Each	24
FFC-250K	Pusher Block for FFC-250	Each	24
FFC-375B	Blade Assembly for FFC-375	Each	24
FFC-375K	Pusher Block for FFC-375	Each	24
FFC-500B	Blade Assembly for FFC-500	Each	24
FFC-500K	Pusher Block for FFC-500	Each	24
FFC-6B	6 Wedge Cut Blade Assembly	Each	1/24
FFC-6K	Pusher Block for FFC-6B	Each	1/24
FFC-8B	8 Wedge Cut Blade Assembly	Each	1/24
FFC-8K	Pusher Block for FFC-8B	Each	1/24
FFC-500P	Pusher Support for FFC-Series	Each	12
HFC-BK	Wall Bracket	Each	1/12



www.wincous.com

New Item

Concession Equipment and Supplies



The product & package images shown are for illustration purposes and may differ from actual. Products and specifications subject to change without notice.

BENCH **POPCORN MACHINES**





Attach decorative element to

front or back

STREET VENDOR™ POPCORN MACHINES

Take a walk down memory lane with "Street Vendor". Styled after old-time boardwalks of Coney Island and Palisades Park, they remind of an era when vendors sold popcorn on street corners all across America.

- Easy to use, simple two-switch operation
- Built-in heated warming deck and warmer light (bulb not included)
- Old maid drawer catches unpopped kernels
- Stainless steel food-zone
- Thick 20 mil non-stick coated popping kettle
- Tempered glass panels on front and side
- Clear plexiglass doors at rear

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
11040	01 10 04	120V~60Hz, 1040W, 8.6A		62 lbs (28.1 kgs)
11060	21 x 18 x 34 (534 x 457 x 864)	120V~60Hz, 1240W, 10.3A	NEMA 5-15P	64 lbs (29 kgs)
11080	(334 x 437 x 664)	120V~60Hz, 1490W, 12.4A		66 lbs (30 kgs)

ITEM	DESCRIPTION	UOM	CASE
11040	4 oz Kettle	Set	1
11060	6 oz Kettle	Set	1
11080	8 oz Kettle	Set	1



Simple two-switch

operation



Old maid drawer catches unpopped kernels

STREET VENDOR™ CART

Catch tray

- Spoked wheels and sturdy handle for easy transport
- Merchandising side shelf
- Operator-side storage & work space
- ITEM DESCRIPTION IIOM CASE 30010 Cart/Trolley for Street Vendor Set Popcorn Machines 38"w x 23"d x 33"h



Convenient storage compartment on service side

The product & package images shown are for illustration purposes and may differ from actual.



30010

(€.⊕.⊕



METROPOLITAN™ POPCORN MACHINES

The design of "Metropolitan", inspired by the Art Deco style of the 1930's, brings a unique, attractive appeal.


- Easy to use, simple two-switch operation
- Built-in heated warming deck and warmer light (bulb not included)
- Old maid drawer catches unpopped kernels
- Stainless steel food-zone
- Thick 20 mil non-stick coated popping kettle
- Tempered glass panels on front and side
- Clear plexiglass doors at rear

	ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
J	11045	18-½ x 14 x 30	120V~60Hz, 1040W, 8.6A	NEMA 5-15P	51 lbs (23.1 kgs)
/[11065	(470 x 356 x 762)	120V~60Hz, 1240W, 10.3A	INEIVIA 3-13P	52 lbs (23.6 kgs)
	/ / / /				

ITEM	DESCRIPTION	UOM	CASE
11045	4 oz Kettle	Set	1
11065	6 oz Kettle	Set	1







Catch tray

DESCRIPTION

ITEM

30050



UOM

Set

CASE

1

Simple two-switch operation

Storage compartment with interior shelf & door

METROPOLITAN™ PEDESTAL BASE
♦ 3" swivel casters for easy mobility

Pedestal Base for Metropolitan

Popcorn Machines 18-5/8"L x 14-1/4"D x 32-7/8"H



Old maid drawer catches unpopped kernels



Attach decorative element to front or back







30050



The product & package images shown are for illustration purposes and may differ from actual.

storage door handle



Convenient storage compartment on service side





BENCH MARK **POPCORN MACHINES**



DOOD

PREMIERE™ POPCORN MACHINES

"Premiere" flavorful popped corn in big-screen style.

- Easy to use, simple two-switch operation
- Warmer light (bulb not included)
- Old-maid drawer catches unpopped kernels
- Stainless steel food-zone for easy cleaning
- Thick 20 mil non-stick coated popping kettle
- Tempered glass panels on front and side
- Clear plexiglass doors at rear

	ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
ĺ	11048	18-½ x 14 x 26-1/2	120V~60Hz, 940W, 7.8A	NFMA 5-15P	49 lbs (22.3 kgs)
	11068	(470 x 356 x 673)	120V~60Hz, 1140W, 9.5A	INEIVIA 3-13P	50 lbs (22.7 kgs)

ITEM	DESCRIPTION	UOM	CASE
11048	4 oz Kettle	Set	1
11068	6 oz Kettle	Set	1



Catch tray







Old maid drawer catches unpopped kernels

PREMIERE™ PEDESTAL BASE

- 3" swivel casters for easy mobility
- Storage compartment with interior shelf

ITEM	DESCRIPTION	UOM	CASE
30080	Pedestal Base for Premiere Popcorn Machines 18-5/8"L x 14-1/4"D x 32-7/8"H	Set	1




Convenient storage compartment on service side





C € @. 🕕 Intertek Intertek 11048 & 11068



30080



New Item



SILVER SCREEN™ POPCORN MACHINES

"Silver Screen" is simple in looking and is technically savvy. A separate cabinet thermostat and temperature indicator accurately controls the heat, ensuring that your popcorn is always at the perfect serving temperature.

- Stainless steel cabinet and food-zone
- Thermostatically controlled serving temperature
- Four-switch configuration allows for
- any operating situation
- Built-in warmer light (bulb not included)
- Old maid drawer catches unpopped kernels
- Superior performance hard-coat anodized, high thermal popping kettle

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	SHIP WEIGHT
11087	20 x 17 x 30 (508 x 432 x 762)	120V~60Hz, 1490W, 12.4A	NEMA 5-15P	60 lb (27.2 kgs)
	24 x 19 x 36	120V~60Hz, 1740W, 14.5A	NEMA 5-15P	
11147	(610 x 483 x 915)		NEMA 5-20P (Canada)	95 lb (43.1 kgs)

ITEM	DESCRIPTION	UOM	CASE
11087	8 oz Kettle	Set	1
11147	14 oz Kettle	Set	1



PARCE MARKE



Catch tray

Four-switch operation



Old maid drawer catches unpopped kernels

SILVER SCREEN™ PEDESTAL BASE

- 3" locking swivel casters for easy mobility
- Storage compartment with interior shelf

ITEM	DESCRIPTION	UOM	CASE
30087	8 oz Pedestal Base 20"W x 17"D x 33"H	Set	1
30147	14 oz Pedestal Base 24"W x 20"D x 33"H	Set	1



Plenty of storage space



Convenient storage compartment on service side





11087



11147



CONCESSION EQUIPMENT & SUPPLIES







Show Tures

POPCORN POPPERS



Intertek Intertek

SHOWTIME!™ RED POPCORN MACHINE

It's ShowTime!™. Attractive, fun graphics and vibrant colors draw in popcorn profits.

- Removable non-stick 8 oz stainless steel kettle with twistlock disconnect
- Independent illuminated control switches for Light, and Heat, Turn (motor)
- Front & side tempered glass panels
- Rear clear plexiglass door(s)
- Mirror polished stainless steel fold-out tray for easy access
- Built in warmer light
- Under-deck warming element
- Removable unpopped kernel tray

	-	ALL DIMENSIONS D" X H" (mm)	F	POWER		PLUG	Ship Weight
	22 x 16-½ >	x 30 (559 x 420 x 762)	110V~60	Hz, 1320\	N, 12A	NEMA 5-15P	55.1 lbs (25 kgs)
22-	ITEM	DESCRIPTION		UOM	CASE		
	POP-8R	Red Popcorn Popper, Teflon® Coated Non-Stick Kettle		Set	1	_	
	POP8-P1	Replacement Non-stie	ck Kettle	Each	1		

Cart features same fun decal as POP-8R	
Cart features same fun decar as POP-8R	SHOWTIME!™ RED POPCORN MACHINE CART
	 Allows the (POP-8R) Popcorn Machine to be portable
	 Ideal where counterspace is limited
	 23-1/2" spoked wheels with inflatable rubber tires and
	 sturdy handle for easy transport Convenient compartment on operator-side for storage
Sister and a second	and additional work space
	 Overall Dimensions: 36-7/8"L x 22-3/4"D x 34-5/8"H
< BOKCOBNS	ITEM DESCRIPTION UOM CASE
	POP-8RC Red Cart for POP-8R Set 1
	POP-8RC-D Yellow "POPCORN" Decal Each 1
	Traditional shale
	Traditional-style decal option
	171
	17"
POP-8RC	3.5" POPCORN
	POP-8RC-D
Storage compartment	



SHOWTIME!^{IM} BLACK POPCORN MACHINE

It's ShowTime!™. Attractive, fun graphics and vibrant colors draw in popcorn profits.

- Removable 8 oz stainless steel kettle with twist-lock disconnect
- Independent illuminated control switches for Light, Heat, Turn (motor), and Power
- Front & side tempered glass panels
- Rear clear plexiglass door(s)
- Mirror polished stainless steel fold-out tray for easy access
- Built in warmer light
- Under-deck warming element
- Removable unpopped kernel tray

-	LL DIMENSIONS D" X H" (mm)	ĺ	POWER		PLUG	Ship Weight
17-¾ x 14-¾ >	(23-½ (450 x 375 x 597)	110V~60)Hz, 1150V	V, 9.5A	NEMA 5-15P	40.8 lbs (18.5 kgs)
ІТЕМ	DESCRIPTION		UOM	CASE		
POP-8B	Black Popcorn Poppe	r	Set	1		
POP8-P2	Replacement Kettle for POP-8B	or	Each	1		







ULTRA-BRIGHT "POPCORN" LED SIGN

Extremely bright and eye-catching in any environment, with simple, attractive, colorful graphics.

- 12V vivid LED back-light
- Durable extruded aluminum frame
- Hangs flat against the wall
- Environmentally friendly

ITEM	DESCRIPTION	UOM	CASE	
92001	UltraBright Sign - Popcorn 16"W x 1-%"D x 12"H	Each	5	-





POPCORN ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
MCP-4P	Measuring Cup Set, 4-pcs, Wire Handle, S/S	Set	12/48
PS-20	20 oz PC Scoop, Clear	Each	24/144
CR-890W	Bar Maid® Popcorn / Fry Scoop, White, PC	Each	1/12
42030	Aluminum Speed Scoop	Each	50
72301	loz Pump	Each	1

POPCORN SUPPLIES



The product & package images shown are for illustration purposes and may differ from actual.



BENCHI MARK POPCORN SUPPLIES





UNPOPPED TO POPPED KERNEL CONVERSION					
UNPOPPED KERNELS		POPPED POPCORN			
1 oz	2 Tbsp	1/8 cup	32 oz	1 Qt	4 cups
4 oz		1/2 cup	128 oz	4 Qts	16 cups
6 oz		3/4 cup	192 oz	6 Qts	24 cups
8 oz		1 cup	256 oz	8 Qts	32 cups

POPCORN PORTION PACKS

ITEM	DESCRIPTION	UOM	CASE
40004	4oz - 24 packs/case	Case	1
40006	6oz - 24 packs/case	Case	1
40008	8oz - 24 packs/case	Case	1

BULK UNPOPPED POPCORN KERNEL BAG

ITEM	DESCRIPTION	UOM	CASE
40507	12.5 lb Bag - 4 Bags/Case	Case	1



POPCORN POPPING OILS

ITEM	DESCRIPTION	UOM	CASE
40012	Canola Oil - Gallon	Each	4
40011	Coconut Oil - Gallon	Each	1
40015	Coconut Oil - 50 lb Pail	Each	1







POPCORN FLAVORINGS

ITEM	DESCRIPTION	UOM	CASE
40010	Buttery Salt - 35oz	Each	12
40017	Buttery Topping - 1 Gallon	Each	4
40021	Caramel Corn Glaze - 28oz	Each	12
40023	Cheddar Cheese Mix - 1 Gallon	Each	1





40010

40021

40017



40023

The product & package images shown are for illustration purposes and may differ from actual.







POPCORN PAPER BAGS

ITEM	DESCRIPTION	DIMENSIONS	PCS/CASE	UOM	CASE
41001	loz	2" x 3.5" x 8"	1,000	Case	1
41002	1.5oz	2.5" x 4" x 8.25"	1,000	Case	1
41003	2oz	5.25" x 12"	1,000	Case	1

POPCORN SUPPLIES





4100X SERIES

POPCORN BUTTER BAGS

ITEM	DESCRIPTION	DIMENSIONS	PCS/CASE	UOM	CASE
41232CS	32oz, Red	4.25"L x 2.5"W x 7"H	1,000	Case	1
41246CS	46oz, Orange	4.5"L x 2.5"W x 8.25"H	1,000	Case	1
41285CS	85oz, Blue	5"L x 3.5"W x 9.5"H	1,000	Case	1
41230CS	130oz, Green	6"L x 3.75"W x 10.5"H	500	Case	1
41270CS	170oz, Purple	7.5"L x 3.75"W x 10.75"H	500	Case	1



412XXCS SERIES

RELIGIOUS RELIGI

4104XCS SERIES



415XXCS SERIES



414XXCS SERIES

POPCORN TAPERED SCOOP BOXES

ITEM	DESCRIPTION	DIMENSIONS	PCS/CASE	UOM	CASE
41044CS	0.75oz	3.5"W x 3.5"D x 6"H	500	Case	1
41047CS	1.25oz	3.5"W x 3.5"D x 7.5"H	500	Case	1
41048CS	2.5oz	4"W x 4"D x 8"H	500	Case	1

CLOSED-TOP	POPCORN	BOXES
		DOMEO

ITEM	DESCRIPTION	DIMENSIONS	PCS/CASE	UOM	CASE
41549CS	0.75oz	4"W x 2"D x 6.5"H	500	Case	1
41557CS	0.95oz	4.25"W x 2"D x7"H	500	Case	1
41563CS	1.25oz	4.75"W x 2"D x7.5"H	500	Case	1
41569CS	2.0oz	5.75"W x 2"D x 8.5"H	500	Case	1
41574CS	2.5oz	5.75"W x 2.5"D x 8.5"H	250	Case	1

POPCORN TUBS

ITEM	DESCRIPTION	DIMENSIONS (W = AT TOP)	PCS/CASE	UOM	CASE
41432CS	32oz	4.5"W x 5.75"H	500	Case	1
41446CS	46oz	4.75"W x 7"H	600	Case	1
41485CS	85oz	7"W x 6.5"H	300	Case	1
41430CS	130oz	7.5"W x 8.25"H	300	Case	1
41470CS	170oz	7.5"W x 10"H	150	Case	1

The product & package images shown are for illustration purposes and may differ from actual.







The product & package images shown

are for illustration purposes and may differ from actual.

83001CS



Easy to operate and produce up to 60 cones per hour, great for "on demand" service.

- Lightweight design with two handles for easy transport
- Stainless steel 20-1/2" dia bowl locks securely onto base
- Spinner head easily removes for cleaning
- Low vibration 1.2hp heavy-duty belt drive motor and


ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
81011A	21 x 21 x 16 (534 x 534 x 406)	120V~60Hz, 1080W, 9A	NEMA 5-15P	28 lbs (12.7 kgs)

ITEM	DESCRIPTION	UOM	CASE
81011A	Zephyr Cotton Candy Machine	Set	1
CCM-28C	Clear Plastic Dome Cover 21"Dia x 14"H	Each	1/5

Includes floss sugar scooper

CASE

Set



COTTON CANDY PAPER CONES

ITEM	DESCRIPTION	UOM	CASE
83005	1,000 Cones/Pack	Pack	1

COTTON CANDY POLY BAGS

ITEM	DESCRIPTION	UOM	CASE
83001CS	Poly Bags -1,000 Bags/Case	Case	1



SHOWTIME!™ COTTON CANDY MACHINES

It's ShowTime!™. Attractive, fun graphics and vibrant colors draw in cotton candy profits.

- Simple, easy-to-use controls; makes 120 cones per hour
- Stainless steel 20-1/2" dia bowl locks securely onto base
- Large capacity built-in stainless steel supply drawer
- Spinner head holds 4oz of sugar and releases floss vertically, which prevents clogging
- Low vibration 1.5hp heavy-duty belt drive motor and two (2) replacement belts
- Easy access to voltage meter and fuse for use with generators and power supplies

SHOWTIME COTTON CANDY MACHINE

/		ALL DIMENSIONS X D" X H" (mm)	POWE	2	PLUG	SHIP WEIGHT
	20½ x 20½	x 18 ¹⁵ /16 (520 x 520 x 480)	110V~60Hz, 10	80W, 9A	NEMA 5-15P	33 lbs (15 kgs)
	item ///	DESCRIPTION	UOM	CASE		
	CCM-28	Cotton Candy Machir	ne Set	1		

Includes floss sugar scooper

SHOWTIME!™ COTTON CANDY MACHINE WITH CART

- High polished push handle and spoked wheels
- 13" inflatable rubber tires for easy transport
- Two (2) side shelves for merchandising product (each shelf measures 11" x 12-5/8"); one side with handle and other with slots to hold cones

OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	SHIP WEIGHT
37¾ x 20½ x 34½ (959 x 520 x 876)	110V~60Hz, 1080W, 9A	NEMA 5-15P	49.6 lbs (22.5 kgs)

ITEM	DESCRIPTION	UOM	CASE
CCM-28M	Cotton Candy Machine with Cart	Set	1

SHOWTIME!™ COTTON CANDY MACHINE ACCESSORIES

Optional clear cover protects the bowl from wind & debris

ITEM	DESCRIPTION	UOM	CASE
CCM-28C	Clear Plastic Dome Cover 21"Dia x 14"H	Each	1/5
CCM28-P3	Replacement Belt	Each	1
CCM28-P5	Sugar Spoon	Each	1

COTTON CANDY MACHINE FLOSS STABILIZER

• Optional floss stabilizer adds texture to the inside of the bowl and helps catch floss on its mesh surface

ITEM	DESCRIPTION	UOM	CASE
CCM28-P10	Floss Stabilizer	Each	1

ULTRA-BRIGHT "COTTON CANDY" LED SIGN

ITEM	DESCRIPTION	UOM	CASE
92005	Ultra-Brite Sign - Cotton Candy 12″L x 1-1/4"D x 21″H	Each	5



COTTON CANDY MACHINES

CCM-28C

Intertek Intertek



CCM28-P10 Shown in CCM-28M







71000

SNOW CONE MACHINES





30070

SNOW CONE MACHINES

Durable and efficient, the high-volume output keeps up with busy snack bars, convenience stores, and concession stands.

- Heavy-duty 1/3hp 1700RPM motor produces up to 500 lbs (227kg) of shaved ice per hour
- Accepts cubed or chunk ice
- Cast aluminum horn, cutting head, pusher
- Adjustable stainless steel cutting blades for fine or coarse shaved ice
- Pulse-type safety reset switch prevents accidental start-up

"SNOW BANK" SNOW CONE MACHINE

- Tinted tempered glass panels
- Stainless steel cabinet with tempered glass panels
- Built-in snow cone shaper for perfect snow cones
- Plexiglass service door and molded plastic drainage deck with drain hose

OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
16 x 16 x 24 (407 x 407 x 610)	120V~60Hz, 250W, 2.08A	NEMA 5-15P	62 lbs (28.1 kgs)

ITEM DESCRIPTION Snow Bank Professional Snow Cone

Machine

UOM CASE Set 1

"SNOW BANK" SNOW CONE CART

- Add mobility to "Snow Bank" snow cone machine
- Spoked wheels and sturdy handle for easy transport
- Shelf and operator side storage

ITEM	DESCRIPTION	UOM	CASE
30070	Cart for Snow Bank Snow Cone Machine 38"L x 23"D x 33"H	Set	1





74001

- "SNOW BLITZ" SNOW CONE MACHINE PORTABLE Compact heavy-duty stainless steel construction
- Integrated carry handles for easy transport
- Includes 1 freezer-safe ice tote

OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
22- ⁷ / ₈ x 18 x 18- ¹ / ₂ (580 x 456 x 470)	120V~60Hz, 250W, 2.08A	NEMA 5-15P	58 lb (26.3 kgs)

ITEM	DESCRIPTION	UOM	CASE
71050	Snow Blitz Portable Snow Cone Machine	Set	1
74001	lce Tote Box 20.5″L x 15.3″D x 7"H	Each	1

The product & package images shown are for illustration purposes and may differ from actual,

www.wincous.com



SNOW CONE SYRUPS - Y GALLON

◆ 4 gallons/case

~~~~			
ITEM	DESCRIPTION	UOM	CASE
72001CS	Blue Raspberry	Case	1
72002CS	Cherry	Case	1
72003CS	Grape	Case	1
72004CS	Lemon	Case	1
72005CS	Líme	Case	1
72006CS	Strawberry	Case	1
72007CS	Red Raspberry	Case	1
72008CS	Bubblegum	Case	1
72009CS	Green Apple	Case	1
72010CS	Root Beer	Case	1
72011CS	Orange	Case	1
72012CS	Fuzzy Navel	Case	1
72301	1 oz Pump for Syrup	Each	1

SNOW CONE SUPPLIES



### **SNOW CONE ACCESSORIES**

ITEM	DESCRIPTION	UOM	CASE
72305	Snow Cone Scoop, S/S	Each	1
72401CS	Snow Cone Spoon Straws (assorted colors), 10,000 pcs/case	Case	1
72501	6 oz Paper Snow Cone Cups 1,000 pcs/pack	Pack	1
72701	Snow Cone Paper Cup Dispenser	Each	1






### **ULTRA-BRIGHT "SNOWCONES" LED SIGN**

ITEM	DESCRIPTION	UOM	CASE	
92003	Ultra-Brite Sign - Snowcones 17″L x 1-1/4"D x 13″H	Each	5	-



92003

The product & package images shown are for illustration purposes and may differ from actual.





### SPECTRUM HOT DOG ROLLER GRILLS & SNEEZE GUARDS





EHDG-11R



EHDG-7R & EHDG-7SG





EHDG-5SG

### **ROLLSRIGHT™ COUNTERTOP HOT DOG ROLLER GRILLS**

A great addition to any quick service establishment. Dual temperature controls allow for both cooking and holding areas to operate independently, reducing waste and spoilage due to excessive overheating. The RollsRight[™] non-stick roller surfaces stand up to continual use and are easy to clean. This versatile machine is also great for egg rolls, taquitos, sausages, and more!

- Easy-to-clean non-stick rollers; sealed ends protect internal parts
- Heavy-duty sealed motor
- Bike chain and sprocket drive assembly
- Two independent thermostatic heat controls (front & rear)
- Individual heating element in each roller for end to end temperature consistency
- Heavy duty stainless steel body and drip pan
- Re-settable fuse for safety
- Non-skid rubber feet
- Cooking surface holds up to 12 hot dogs (-5R), 18 hot dogs (-7R) and 30 hot dogs (-11R)

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
EHDG-5R	23 x 10-1/2 x 7 (585 x 270 x 180)	110V~60Hz, 700W, 6.3A		17.2 lbs (7.8 kgs)
EHDG-7R	23 x 13-1/2 x 7 (585 x 345 x 180)	110V~60Hz, 900W, 8.1A	NEMA 5-15P	20.9 lbs (9.5 kgs)
EHDG-11R	23 x 19-¾ x 7 (585 x 505 x 180)	110V~60Hz, 1400W, 12.7A		29.7 lbs (13.5 kgs)

ITEM	DESCRIPTION	UOM	CASE
EHDG-5R	Hot Dog Roller, 5 Rollers	Set	1
EHDG-7R	Hot Dog Roller, 7 Rollers	Set	1
EHDG-11R	Hot Dog Roller, 11 Rollers	Set	1
EHDG-P10	Replacement Knob for EHDG-Series	Each	1



EHDG-11R & EHDG-11SG

### SNEEZE GUARDS FOR HOT DOG ROLLER GRILLS

- Increase sanitation and protect food from airborne contaminants with customer-facing sneeze guards
- Durable, curved tempered glass allows customers a direct view of available food options

ITEM	DESCRIPTION	UOM	CASE
EHDG-5SG	Fits EHDG-5R	Each	1
EHDG-7SG	Fits EHDG-7R	Each	1
EHDG-11SG	Fits EHDG-11R	Each	1



www.wincous.com

New Item

#### BENCHMARK HOT DOG ROLLER GRILLS

These high quality roller grills are available in 10, 20 & 30 hot dog capacities to meet any application. Stainless steel construction, removable drip trays and non-stick rollers ensure ease of cleaning. All of these grills feature a high-torque motor. 360 degree roller rotation insures evenly cooked hotdogs.

- Heavy-duty stainless steel body and removable drip tray for easy cleaning
- Heavy-duty sealed high-torque motor with bicycle chain drive
- Stainless steel non-stick rollers with sealed ends and continuous 360 degree rotation for even cooking
- Front and rear heat controllers (on 20 & 30 dog models) for cooking and holding options
- Accommodates any size hot dog, also sausage or breakfast links for expanded offerings

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
62010	16 x 13 x 8 (407 x 330 x 203)	120V~60Hz, 660W, 5.5A		22 lbs (10 kgs)
62020	22 x 16 x 8 (559 x 406 x 203)	120V~60Hz, 860W, 7.2A	NEMA 5-15P	29 lbs (13.2 kgs)
62030	22 x 20 x 8 (559 x 508 x 203)	120V~60Hz, 1160W, 9.7A		35 lbs (15.9 kgs)
ITEM	DESCRIPTION	UOM CASE		
62010	Holds 10 Dogs	Set 1		
62020	Holds 20 Dogs	Set 1		

Set



### HOT DOG ROLLER GRILLS & SNEEZE GUARDS





62020

( )


ONCESSION

EQUIPMENT

8

SUPPLIE

ഗ



62020, 64020, 65020





### **BENCHMARK HOT DOG ROLLER SNEEZE GUARDS**

ITEM	DESCRIPTION	UOM	CASE
64010	Sneeze Guard for 10 Dog Roller Grill	Set	10
64020	Sneeze Guard for 20 Dog Roller Grill	Set	10
64030	Sneeze Guard for 30 Dog Roller Grill	Set	10



64010

### BENCHMARK HOT DOG ROLLER BUN DRAWERS - UNHEATED

ITEM	DESCRIPTION	UOM	CASE
65010	Bun Box for 10 Dog Roller Grill	Set	1
65020	Bun Box for 20 Dog Roller Grill	Set	1
65030	Bun Box for 30 Dog Roller Grill	Set	1

The product & package images shown are for illustration purposes and may differ from actual.



www.wincous.com

62030

Holds 30 Dogs





BEN



## Intertek

60024

Holds 164

hot dogs and

36 buns





### THE DOG HOUSE HOT DOG COOKER & DISPENSER

Cooks, merchandises, and dispenses hot dogs in a space-efficient 15" footprint. The Doghouse minimizes product waste and is extremely easy to use and clean.

- Easy to follow Point-of-Sale graphic allows for full service or self service operation
- Steam cooks up to 24 hot dogs in 20-30 minutes
- Holds up to 24 hot dogs and 44 buns
- Compact all stainless steel construction requires only 15" of counter space
- No tools required for fast breakdown, easy to clean
- Adjustable thermostat for precise cooking.
- First-in first-out dispensing
- Large 10Qt (9.5L) water reservoir, with low-water indicator light and safety shutoff

-	'ERALL DIMENSIONS L" X D" X H" (mm)	POWER	2	PLUG	Ship Weight
15 x 2	23 x 26 (381 x 584 x 664)	20V~60Hz, 1000	W, 8.33A	NEMA 5-15P	43 lbs (19.5 kgs)
ITEM	DESCRIPTION	UOM	CASE		
60024	The Dog House Hot Dog Cooker & Dispens	Set ser	1	_	



Remove a bun from the bun drawer



Dispense a hot dog right into the bun!

Place the open bun in the bun tray





Gently pull lever to dispense a hot dog into the bun

### THE DOG POUND HOT DOG STEAMER

Ideal for convenience stores, concession stands, snack bars, and cafeterias.

- Steams and holds 164 hot dogs and 36 buns
- Graphics on each side allow for front or rear counter merchandising
- Adjustable thermostat accommodates a variety of products and cooking conditions
- 7Qt (6.6L) water reservoir, with low-water indicator light and safety shutoff
- Tempered glass doors and food trays are removable for easy cleaning

OVERALL DIMENSIONS L" X D" X H" (mm)		POWER		PLUG	Ship Weight
15 x	16 x 19 (381 x 407 x 483)	120V~60hz, 1000W, 8.33A		NEMA 5-15P	31 lbs (14.1 kgs)
ITEM	DESCRIPTION	UOM	CASE		
60048	Dog Pound Hot Dog Steamer	Set	1	_	





www.wincous.com

New Item

### MINI CART HOT DOG STEAMER, 120V

Guaranteed to grab your guests' attention, this unit features wheels and an umbrella that mimic the carts found along vibrant city streets.

- Holds 60 hot dogs and 30 buns
- Mirror finish 18/8 stainless steel body
- Adjustable thermostat for cooking and holding.
- Includes 1 solid half-size pan with domed lid for warming buns and 1 half-size perforated pan with flat lid for steaming hot dogs
- Outfitted with Point-of-Sale graphics, umbrella, wheels

1	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER		PLUG	Ship Weight
/	21-½ x 13-¼ x 16 (546 x 336 x 406) Umbrella: 35-3/4"H (908mm)	120V~60Hz, 1200W, 10A		NEMA 5-15P	33 lbs (15 kgs)
	ITEM DESCRIPTION	UOM	CASE		

60072	Mini Cart Hot Dog Steamer	Set







### STAINLESS STEEL CONDIMENT STATION / DISPENSER

- Insulated condiment rail and stay-open cover
- Pump wells fit #10 cans, 1.5 gallon containers, or 3qt jars
- Includes 2 ice packs, 2 pumps, & 3 ninth-size 4" deep pans

ITEM	DESCRIPTION	UOM	CASE	
52001	Benchmark Condiment Station / Dispenser 27"L x 8"D x 15"H	Set	1	

#### 18/8 STAINLESS STEEL CONDIMENT DISPENSER

- Two (2) 3-1/2 Qt plastic fountain jars included (7 Qt total)
- Each pump dispenses between 1 oz and 1-1/4 oz portions, depending on thickness of condiments
- Overall dimensions: 11"L x 8-3/4"W x 16"H (with pump)

2	ITEM	DESCRIPTION	UOM	CASE
	PKTS-2D	Condiment Dispenser with 2 Standard Pumps	Set	1
	PKTS-PT01	Individual Pump with Lid	Each	20
	PKTS-PT02	Replacement Plastic Fountain Jar	Each	6
	PKTS-PT03	Stainless Steel Casing	Each	1

### HOT DOG ACCESSORIES

ITEM	DESCRIPTION	PCS/CASE	UOM	CASE
PT-9	9" Pom Tongs, S/S		Doz	4/24
67002	Stainless Steel Tongs Holder		Each	50
68001CS	Paper Hot Dog Bags	5,000	Case	1
68002	Foil Hot Dog Bags	1,000	Case	1
68004CS	Fluted Paper Hotdog Trays	3,000	Case	1

### **ULTRA-BRIGHT "HOTDOGS" LED SIGN**

ITEM	DESCRIPTION	UOM	CASE
92002	Ultra-Brite Sign - Hotdogs 20"L x 1-1/4"D x 13"H	Each	5



52001



PKTS-2D

**BPA** PKTS-SERIES



68004CS







### ACHO WARMERS & **SUPPLIES**



ntertek Intertek 51000

(II)



Intertek Intertek 51026



47001 Note: serving tray style may vary from shown



92004

### 100 QUART FOOD WARMER / MERCHANDISER

#### Holds and warms nacho chips, peanuts, or popcorn

- 100 quart capacity for large or small batch use
- Merchandising signs include: "Nacho Chips", "Peanuts", and "Popcorn". Signs mount to front or back of unit
- Top-load door with a deflection board that prevents product breakage when refilling
- Built-in heating element in the base keeps contents warm and fresh
- Aluminum and tempered glass construction for durability and easy cleaning

		RALL DIMENSIONS ' X D" X H" (mm)	POWER		PLUG	Ship Weight
	15 x 15	x 30-1/2 (381 x 381 x 775)	120V~60Hz, 100W	, 0.83A	NEMA 5-15P	41 lbs. (18.6 kgs)
ITE	M	DESCRIPTION	UOM	CASE		
5	1000	100 Quart Food Warmer /	Set	1	- \\`	

Large 26 gallon (98L) capacity

Merchandiser with Three Signs

- Insulated stainless steel construction
- Adjustable thermostat with 90°-180°F (32°-82°C) temperature range
- Digital temperature indicator
- Convection heating fan
- Removable front access service door
- Top-load double hinged doors
- Adjustable 4" legs

0	VERALL DIMENSIONS L" X D" X H" (mm)	POWER		PLUG	Ship Weight
23 x	23 x 29 (584 x 584 x 734) 1	120V~60Hz, 755	W, 6.3A	NEMA 5-15P	77 lbs (35 kgs)
ITEM	DESCRIPTION	UOM	CASE		
51026	26 Gallon Tortilla Chip War	mer Set	1	_	

IIEM	DESCRIPTION	UOM	CASE
51026	26 Gallon Tortilla Chip Warmer	Set	1

#### NACHO ACCESSORIES

ITEM	DESCRIPTION	PCS/PACK	UOM	CASE
47001	Combo Serving Trays	250	Case	1
53021	Plastic Nacho Trays, 5″ x 6″	500	Case	1



### **ULTRA-BRIGHT "NACHOS" LED SIGN**

ITEM	DESCRIPTION	UOM	CASE
92004	Ultra-Brite Sign - Nachos 16"L x 1-1/4"D x 17"H	Set	5



New Item

#### PASS-THROUGH TWO-DOOR WARMERS/ MERCHANDISERS

These versatile 2-Door Warmers /Merchandisers are ideal for front or rear counter applications. The operator side has the controls and a door for easy loading. The customer side door makes it a self-serve unit.

- Two doors for front or rear counter applications
- Attractive graphics for point-of-sale merchandising

#### PASS-THROUGH ROTATING DISPLAY WARMERS/MERCHANDISERS

- Heated cabinet with passive humidity control
- Stainless steel and tempered glass
- Adjustable thermostat with cabinet temperature readout
- Dual fixture interior illumination (bulbs not included)
- Includes chrome-plated 5-tier round pan rack (pizza) and hook rack (pretzels, churros)
- Continuous rotating rack stops when either door opens
- Adjustable 4" legs

	ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	SHIP WEIGHT
	51012	18-1/8 x 22 x 33 (460 x 559 838)			86 lbs (39 kgs)
	51018	24-1/2 x 27 x 33 (622 x 686 x 838)	120V~60Hz, 1560W, 13A	NEMA 5-15P	117 lbs (53.1 kgs)
	ITEM	DESCRIPTION	UOM	CASE	
PROCEL SARANGE	51012	12" Warmer/Merchandiser	Set	1	
(all all all all all all all all all all	51018	18" Warmer/Merchandiser	Set	1	

#### PASS-THROUGH WARMERS/MERCHANDISERS

- Adjustable thermostat, 450 watt element
- Stainless steel and aluminum construction
- Tempered glass panels and doors
- Chrome-plated racks with adjustable installation either lay flat or slanted

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	SHIP WEIGHT
51040	16 x 16 x 23 (407 x 407 x 584)	120V~60hz, 600W, 5A		40 lbs (18.2 kgs)
51048	23 x 23 x 25½ (584 x 584 x 648)	120V~00112, 000W, 3A	INEIVIA 3-13P	62 lbs (28.1 kgs)

ITEM	DESCRIPTION	UOM	CASE
51040	12" Warmer/Merchandiser	Set	1
51048	18" Warmer/Merchandiser	Set	1



51048 Fits up to 18" diameter pizza

51040 Fits up to 12" diameter pizza



#### ULTRA-BRITE "PIZZA" LED SIGN

ITEM	DESCRIPTION	UOM	CASE
92006	Ultra-Brite Sign - Pizza	Each	5









### HEATED DISPLAY MERCHANDISERS



EDM-1K Matte Black (Single Door)



Control Panel



Red (Double Door)



2 pass-through swing doors



### HEATED & HUMIDIFIED HOLDING DISPLAY MERCHANDISERS

Keep hot foods fresher for longer with this heat and humidity controlled merchandiser. The airflow pattern is designed to maintain consistent temperature and humidity around foods and prevent drying, which also enables the unit to recover temperature quickly after doors are opened/closed.

- Powder-coated exterior, stainless steel interior
- Clear-view tempered glass on all sides, with server-side easy access swing door
- LED interior illumination provides optimal visibility
- Digital adjustable thermostat and humidity control
- Temperature range: 89°F to 194°F (30°C to 90°C)
- Optional pretzel rack insert available, sold separately

### EDM-1K MATTE BLACK

- Server-side easy access swing door
- 4-tier round rack continuously rotates rotation stops when door is opened
- Each shelf fits up to 18" diameter pan

#### EDM-1PT RED

- 2 pass-through swing doors
- Rotating motor to accept optional round rack
- 3 display shelves showcase food products

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	SHIP WEIGHT
EDM-1K	23-5/8 x 25-3/8 x 27-9/16 (600 x 643 x 700)	1001/ (011 15001/ 1014		85 lbs (38.6 kgs)
EDM-1PT	23-5/8 x 26 x 27-9/16 (600 x 660 x 700)	120V~60Hz, 1500W, 13.1A	INEIVIA 0-10P	00 IDS (00.0 KUS)

ITEM	DESCRIPTION	UOM	CASE
🗑 EDM-1K	Merchandiser, 1 Door, Black	Set	1
EDM-1PT	Merchandiser, 2 Doors, Red	Each	1
EDM-P39	4-Tier Round Rack, 18" Dia	Each	5
EDM-1PR	Pretzel Rack for EDM-1K	Each	1
EDM1-P36	Display Shelf Kit (3 Shelves & 12 Shelf Clips) fits EDM-1K or EDM-1PT	Pack	1



EDM-1PR Optional Pretzel Rack





#### ELECTRIC HEATED PIZZA/PRETZEL MERCHANDISERS

#### Passive humidity control with removable water tray.

- Interior wire shelves hold four (4) 14" pizzas
- Optional pretzel rack insert, sold separately
- Display tray/rack insert rotates when door is closed
- Lighted display panel for branding visuals
- Adjustable thermostat from 85°F to 195°F (30°C to 90°C)
- Removable crumb tray

1	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	SHIP WEIGHT
	18-3/8 x 17-5/8x 31 (466 x 447 x 785)	110-120V~60Hz, 786W, 7.2A	NEMA 5-15P	55.2 lbs (25 kgs)
			-	-

m.	ITEM	DESCRIPTION	UOM	CASE
	🛞 EDM-2	Heated Pizza/Pretzel Merchandiser	Set	1
	EDM-2PR	Optional Pretzel Rack Insert	Set	1
	EDM-2PRS	Pretzel Sign, 5-3/4"H x 16-1/8"W	Each	1
	EDM-2PZS	Pizza Sign, 5-3/4"H x 16-1/8"W	Each	1
	EDM-P58	4-Tier Round Rack, 14" Dia	Each	5

EDM-2PRS

EDM-2PZS

Translucent plastic display sign options





Optional Pretzel Rack

# HEATED DISPLAY

HEATED DISPLAY

**MERCHANDISERS** 

Back-lit display (signs

sold separately)



These merchandisers feature passive humidity control

- with a removable water tray. Removable water pan to add and control humidity
- Three (3) adjustable shelves inside, top of unit also functional as a shelf
- Lighted front display for branding visuals
- Visible thermometer gauge to ensure food keeps at proper temperatures
- Adjustable thermostat from 85°F to 195°F (30°C to 90°C)
- Customer-facing front service and rear access doors

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
HDM-13	13- ¹¹ / ₁₆ x 19- ⁹ / ₁₆ x 26- ¹ / ₈ (347 x 495 x 663)	110-120V~60Hz, 800W, 7.6A		50.7 lbs (23 kgs)
HDM-26	26- ¹¹ / ₁₆ x 19- ⁹ / ₁₆ x 26- ¹ / ₈ (677 x 495 x 663)	110-120V~60Hz, 1000W, 9.5A	NEMA 5-15P	79.4 lbs (36 kgs)

ITEM	DESCRIPTION	UOM	CASE
HDM-13	13-1/2"L	Set	1
HDM-26	26-1/2"L	Set	1

**Control Panel** 





HDM-26

. 🕕 🕪

ntertek Intertek HDM-SERIES

#### REFRIGERATED COLD BEVERAGE DISPLAY



CRD-1

CRD-Series uses environmentally friendly R290 refrigerant



CRD-1K



With its clear panels and 4 LED light strips, this countertop display can keep up to 100 standard 12 oz cans chilled. These units use R290 refrigerant making them an environmentally-responsible choice.

- Digital temperature display from 32°F to 42°F (0°C 6°C)
- R-290 environmentally safe refrigerant
- 360° view of refrigerated product
- 2 double, curved-glass doors for dual access and easy placement of inner contents
- 4 LED strips for effective product lighting
- Comfortably fits up to 100 cans (standard 12 oz) with 25 cans per shelf
- 4-level merchandising display; three (3) shelves are adjustable to fit multiple product heights
- Automatic defrost and ventilated cooling system

	OVERALL DIMENSIONS L" X D" X H" (mm)		POW	VER	PLUG	Ship Weight
	16¾ x 16	¹⁵ / ₁₆ x 38½ (425 x 429 x 978)				85.89 lbs
		MENSIONS L" X D" (mm)	110-120V~60Hz, 180W, 1 .7A		NEMA 5-15P	(39 kgs)
	14-3	/8 x 12-1/8 (365 x 307)				
	ITEM	DESCRIPTION	UOM	CASE		
-				ONUL		
	CRD-1	White	Set	I		
Non.	CRD-1K	Black	Set	1		

#### IMPORTANT

CRD-1 / -1K units are intended for use in commercial food-service operations, for display and cooling of sealed cold foods and cold beverages only.



Fits up to 100 cans



New Item



## POWER & PERFORMANCE



High-performance motor with impact-resistant stainless steel blades adds power and performance to your busy establishment.

#### 68 OZ (2 L) LARGE CAPACITY COMMERCIAL BLENDER

- ♦ 68 oz (2 L), break-resistant and BPA-free Tritan™ container
- High-performance 2 hp motor; unique high-impact blades
- Metal-to-metal coupling; easy to operate "PULSE"
- "ON /OFF" paddle controls & variable speed control dial
- Base footprint 9" x 10"
- Container/pitcher is heat-resistant up to 226°F (108°C); reduce pressure by removing cap in the lid
- Removable container cover and cap for adding/blending ingredients mid-cycle
- 11-1/2" tamper included fits through lid opening and reaches full length of container to blend/stir while mixing
- All parts (except bases & blade fixing block) are dishwasher safe

OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
8-11/16 x 9-13/16 x 19-15/16 (220 x 249 x 490)           CONTAINER DIMENSIONS           L" X D" X H" (mm)           6-11/16 x 6-11/16 x 12-3/6 (178 x 18 x 314)	120V~60Hz, 1450W, 12.1A	NEMA 5-15P	10.4 lbs (4.7 kgs)

2	ITEM	DESCRIPTION	UOM	CASE
	XLB-1000	68 Oz Blender	Set	1/4
	XLB1000P2	Pitcher Assembly	Each	1
	XLB1000P19	Blade Removal Tool	Each	1

## BLENDERS



#### 44 OZ (1.25 L) 2-SPEED QUIET BAR BLENDER

- ◆ 44 oz (1.25 L), break-resistant and BPA-free Tritan™ container
- Quiet, high-performance 1/2 hp self-lubricating motor; uniquely designed high-impact blades
- HIGH/LOW toggle switch for precise consistency control
- Base footprint 6-1/2" x 8"
- Blade is removable for easy cleaning
- Non-skid feet securely grip the surface for stable operation
- Removable container cover and cap for adding/blending ingredients mid-cycle

	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
	7 x 7-7/16 x 15-7/16 (178 x 189 x 392) CONTAINER DIMENSIONS L" X D" X H" (mm)	120V~60Hz, 400W, 3.5A	NEMA 5-15P	5.5 lbs (2.5 kgs)
J	7x 8-¹/₀ x 9-¹/₄ (178 x 130 x 235)			

ITEM	DESCRIPTION	UOM	CASE
XLB-44	44 Oz Blender	Set	1/4
XLB44-P10	Pitcher Assembly	Each	1





ntertek

**BPA** FREE

## **ELECTRIC COFFEE URNS**



CE ECU-100A-I

#### ELECTRIC STAINLESS STEEL COFFEE URNS

Brew consistent, quality coffee with these percolating coffee urns. Available in either 50 or 100 cup capacities, contents are maintained at the ideal serving temperature until the sight glass indicates when it's time to refill.

- Large capacity brews 50 or 100 cups of 5oz (148ml) coffee
- Polished #304 stainless steel construction
- Twist-locking lid design
- Cool touch handles
- Dripless faucet with protected level indicator
- Waterproof ON/OFF switch with protective cover
- Stainless steel percolator pipe and plastic filter basket
- Heating and holding indicator lights
- Automatic shut-off safety feature

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	SHIP WEIGHT
ECU-50A	12 x 8- ¹¹ / ₁₆ x 16- ³ / ₈ (304 x220 x 415)	110-120V~60Hz, 950W, 8A	NFMA 5-15P	7.1 lbs (3.2 kgs)
ECU-100A	13- ¹⁵ / ₁₆ x 10- ⁵ / ₈ x 19- ¹¹ / ₁₆ (353 x270 x 500)	110-120V~60Hz, 1500W, 12.5A	NEWA 5-15P	9.7 lbs (4.4 kgs)
ECU-100A-I		220-240V~50Hz, 1650W, 6.9-7.5A	VDE	9.7 lbs (4.4 kgs)

ITEM	DESCRIPTION	UOM	CASE
ECU-50A	50-Cup (8L)	Set	1/2
ECU-100A	100-Cup (16L)	Set	1/2
ECU-100A-I	100-Cup (16L), International	Set	1/2
EWCU-P3	Faucet Assembly	Each	1



Twist-locking lid



Cool-touch handles



Dripless faucet with clear-view level indicator







#### HOT BEVERAGE/TOPPING DISPENSER

This 5-quart capacity heated dispenser uses rotating paddles, making it perfect for nacho cheese, butter topping, hot chocolate, au jus, and more.

- 1.3 gallon (5L) capacity
- Removable, clear polycarbonate bowl, safe for refrigerated storage of unused product
- Easy-to-disassemble tap
- Adjustable thermostat up to 194°F (90°C)
- Rotating mixing paddles to prevent product separation
- Easy-to-clean removable drip tray
- Includes 2 replacement bowl sealing rings

/ / /						
OVERALL DIMENSIONS L" X D" X H" (mm)		POWER	POWER		Ship Weight	
10 x 13 x 20 (254 x 330 x 508)		120V~60Hz, 1100V	0Hz, 1100W, 9.2A NEMA 5-15P		15 lbs (6.8 kgs)	
ITEM	DESCRIPTION	UOM	CASE			
21011	Hot Beverage/ Topping Dispenser	Each	1/2	_		

## HOT BEVERAGE/ TOPPING DISPENSER



OUNTERTOP

EQUIPMENT


#### ELECTRIC STAINLESS STEEL WATER BOILERS

These water boilers are a great addition to any hot beverage service, heating and holding hot water ready to dispense as needed, until the sight glass indicates when it's time to refill.

- Large 2.1 gallon (8L) or 4.2 gallon (16L) capacities
- Polished #304 stainless steel construction
- Twist-locking lid design
- Cool touch handles
- Dripless faucet with protected level indicator
- Waterproof ON/OFF switch with protective cover
- Heating and holding indicator lights
- Automatic shut-off safety feature

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
EWB-50A	12 x 8-11/16 x 16-3/8 (304 x220 x 415)	110-120V~60Hz, 1300W, 10.8A	NEMA 5-15P	6 lbs (2.7 kgs)
EWB-100A	13-15/16 x 10-5/8 x 19-11/16	110-120V~60Hz, 1500W, 12.5A		8.4 lbs (3.8 kgs)
EWB-100A-I	(353 x270 x 500)	220-240V~50Hz, 2250W, 9.4A	VDE	8.4 lbs (3.8 kgs)

ITEM	DESCRIPTION	UOM	CASE
EWB-50A	2.1 Gallon (8L)	Set	1/2
EWB-100A	4.2 Gallon (16L)	Set	1/2
EWB-100A-I	4.2 Gallon (16L), International	Set	1/2
EWCU-P3	Faucet Assembly	Each	1



Dripless faucet with protected level indicator



Cool-touch handles



Twist-locking lid



EWB-100A EWB-100A-I







ntertek

ntertek

**ESW-SERIES** 

#### ELECTRIC KETTLE SOUP WARMERS



ESW-70



ESW-66

Extra large ladle slot

INSH-7

The extra large kettle-style soup warmers keep contents at safe serving temperatures for hours, great for serving all day long.

- Up to 10-quart capacity
- Adjustable heat control keeps contents at a safe serving temperature without overcooking
- Stainless steel hinged lid features extra-large ladle slot; hinges allow cover to remain attached while opened and closed when in service with no drips
- Sets include a removable stainless steel bain marie inner pot
- Double-wall insulated construction allows outer surface to stay cool-to-touch

ELECTRIC STAINLESS STEEL KETTLE SOUP WARMER

Includes suction-grip label holder

	OVERALL DIMENSIONS L" x D" x H" (mm)			POWER		PLUG	SHIP WEIGHT
	13-3/16 x 13-3	/16 x 15 (335 x 335 x 381)	110V~50	/60Hz, 400\	N, 3.6A	NEMA 5-15P	13.14 lbs (5.9 kgs)
	ITEM ESW-70	DESCRIPTION S/S Kettle Soup Warm	er Set	UOM Set	CASE	_	
÷.,	ESW70-INS	S/S Insert for ESW-70		Each	2		
	INSH-7	Hinged Cover for ESV	/70-INS	Each	6/24		
	ESW70-P6	Replacement Knob		Each	1		

#### ELECTRIC DELUXE BLACK KETTLE SOUP WARMER

 Includes customizable magnetic label holder, plus a variety of pre-printed soup name labels

ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	PO	VER	PLUG	Ship Weight
ESW-66	13- ³ / ₁₆ x 13- ³ / ₁₆ x 15 (335 x 335 x 381)			NEMA 5-15P	12.4 lbs (5.6 kgs)
ESW-66-I	13- ³ / ₁₆ x 13- ³ / ₁₆ x 15 (335 x 335 x 381)	220V~50/60 Hz, 500W, 2.5A		NEMA 5-15P	12.4 lbs (5.6 kgs)
ITEM	DESCRIPTION	UOM	CASE	_	
ESW-66	Black Kettle Soup Warmer Se	et Set	1	-	
ESW-66-I	Black Kettle Soup Warmer Se International	et, Set	1		
ESW-INS	S/S Insert Pot for ESW-66	Each	2		
INSH-7	Hinged Cover for ESW-INS	Each	6/24		
ESW66-P38	Replacement Knob	Each	1		
	ESW-66 ESW-66-I ITEM ESW-66	IIEM         L" x D" x H" (mm)           ESW-66         13-3/ ₁₆ x 13-3/ ₁₆ x 15 (335 x 335 x 381)           ESW-66-I         13-3/ ₁₆ x 13-3/ ₁₆ x 15 (335 x 335 x 381)           ITEM         DESCRIPTION           ESW-66-I         Black Kettle Soup Warmer Se International           ESW-66-I         Black Kettle Soup Warmer Se International           ESW-66-I         Black Kettle Soup Warmer Se International           ESW-1NS         S/S Insert Pot for ESW-66           INSH-7         Hinged Cover for ESW-INS	ITEM         L" x D" x H" (mm)         POV           ESW-66         13-3/ ₁₆ x 13-3/ ₁₆ x 15         110V-56           (335 x 335 x 381)         400W           ESW-66-I         (335 x 335 x 381)         400W           ESW-66-I         (335 x 335 x 381)         500W           ITEM         DESCRIPTION         UOM           ESW-66         Black Kettle Soup Warmer Set         Set           International         ESW-66-I         Black Kettle Soup Warmer Set, Set           INSH-7         Hinged Cover for ESW-INS         Each	ITEM         L" x D" x H" (mm)         POWER           ESW-66         13-3/ ₁₆ x 13-3/ ₁₆ x 15 (335 x 335 x 381)         110V-50/60Hz, 400W, 3.6A           ESW-66-I         13-3/ ₁₆ x 13-3/ ₁₆ x 15 (335 x 335 x 381)         220V-50/60 Hz, 500W, 2.5A           ITEM         DESCRIPTION         UOM         CASE           ESW-66         Black Kettle Soup Warmer Set         Set         1           ESW-66-I         Black Kettle Soup Warmer Set, International         Set         1           ESW-66-I         Black Kettle Soup Warmer Set, International         Set         1           ESW-1NS         S/S Insert Pot for ESW-66         Each         2           INSH-7         Hinged Cover for ESW-INS         Each         6/24	ITEM         L" x D" x H" (mm)         POWER         PLUG           ESW-66         13-³/ ₁₆ x 13-³/ ₁₆ x 15         1110V-50/60Hz, 400W, 3.6A         NEMA 5-15P           ESW-66-I         13-³/ ₁₆ x 13-³/ ₁₆ x 15         220V-50/60 Hz, 500W, 2.5A         NEMA 5-15P           ITEM         DESCRIPTION         UOM         CASE           ESW-66-I         Black Kettle Soup Warmer Set         Set         1           ESW-66-I         Black Kettle Soup Warmer Set, International         Set         1           ESW-1NS         S/S Insert Pot for ESW-66         Each         2           INSH-7         Hinged Cover for ESW-INS         Each         6/24

### **ELECTRIC WATER PAN**

**ESW-INS** 





#### 📁 ELECTRIC WATER PAN

Add ease and convenience with this versatile, energy efficient 120 Volt alternative to chafing fuels. It fits most full-size chafer stands or use as a freestanding unit.

- Stands alone or fits standard full-size chafer frames for an electric alternative (food pan sold separately)
- Accommodates full-size steam table pans
- Adjustable controls keep contents at safe serving temp
- Powerful, efficient 900W heating element heats up fast

-	RALL DIMENSIONS " x D" x H" (mm)	POWER		PLUG	SHIP WEIGHT
22- ⁵ /8 x	13-5/8 x 7 (575 x 346 x 178)	120V~60Hz, 900W	I, 7.5A	NEMA 5-15P	6 lbs (2.72 kgs)
ITEM	DESCRIPTION	UOM	CASE		/////
EWP-2	900W, Full-Size	Each	1	_////	/////

Holds a full-size steam table pan and fits in standard full-size chafers



www.wincous.com

New Item

#### **ELECTRIC 30-CUP RICE COOKER**

- Holds up to 30 cups of uncooked rice or up to 60 cups of cooked rice
- Removable inner pot seals in moisture
- Automatic warming up to 2 hours

OVERALL DIMENSIONS L" x D" x H" (mm)		POWER		PLUG	Ship Weight
19-7/8 x 17-1/2	x 13-3/8 (505 x 445 x 340)	110V~50/60Hz, 1550	W, 13A	NEMA 5-15P	18 lbs (8.2 kgs)
ITEM	DESCRIPTION	UOM	CASE	_	
RC-P301	Rice Cooker, 30-Cup	o Set	1		
RC-P301PN	Inner pot for RC-P30	1 Each	1		
Replaces Ro	C-P300			_	
	L" x 19-7/8 x 17-1/2 ITEM RC-P301 RC-P301PN	L" x D" x H" (mm) 19-7/8 x 17-1/2 x 13-3/8 (505 x 445 x 340) ITEM DESCRIPTION RC-P301 Rice Cooker, 30-Cup	L" x D" x H" (mm)         POWER           19-7/8 x 17-1/2 x 13-3/8 (505 x 445 x 340)         110V~50/60Hz, 1550           ITEM         DESCRIPTION         UOM           RC-P301         Rice Cooker, 30-Cup         Set           RC-P301PN         Inner pot for RC-P301         Each	L" x D" x H" (mm)         POWER           19-7/8 x 17-1/2 x 13-3/8 (505 x 445 x 340)         110V~50/60Hz, 1550W, 13A           ITEM         DESCRIPTION         UOM         CASE           RC-P301         Rice Cooker, 30-Cup         Set         1           RC-P301PN         Inner pot for RC-P301         Each         1	L" x D" x H" (mm)         POWER         PLUG           19-7/8 x 17-1/2 x 13-3/8 (505 x 445 x 340)         110V-50/60Hz, 1550W, 13A         NEMA 5-15P           ITEM DESCRIPTION UOM CASE           RC-P301         Rice Cooker, 30-Cup         Set         1           RC-P301PN         Inner pot for RC-P301         Each         1

## **RICE COOKERS & WARMERS**



ELECTRIC 30-CUP RICE COOKER & WARMER WITH HINGED LID

- Holds up to 30 cups of uncooked rice or up to 60 cups of cooked rice
- Fingerprint-proof satin finish; heavy-duty stainless steel body
- Removable non-stick inner pot seals in moisture
- Energy efficient heat absorption system
- Automatic warming up to 6 hours

OVERALL DIMENSIO L" x D" x H" (mm)			Ρ	OWER		PLUG	Ship Weight
	19 x 15-5/8 x	13- ³ / ₄ (483 x 397 x 350)	120V~60	Hz, 1550V	V, 13A	NEMA 5-15P	24 lbs (10.9 kgs)
	ITEM	DESCRIPTION		UOM	CASE		
	RC-S301	Rice Cooker/Warmer, Hinged Lid, 30-Cup		Set	1	_	
	RC-S301PN	Inner Pot for RC-S301		Each	1		

	RC-S301	Rice Cooker/Warmer, Hinged Lid, 30-Cup	Set	1
	RC-S301PN	Inner Pot for RC-S301	Each	1
	RCW-P1	Serving Paddle	Each	1
	RCS301-P1	Measuring Cup	Each	1
	RCS301-P8	Fuse for RC-S301	Each	1
	Replaces R	C-\$300		



- Holds up to 100 cups of cooked rice for warming
- Fingerprint-proof satin finish; heavy-duty stainless steel body
- Removable non-stick inner pot seals in moisture
- Energy efficient heat absorption system
- Warming up to 12 hours

OVERALL DIMENSIONS L" x D" x H" (mm)		POWER		PLUG	Ship Weight
19 x 14-7/8 x 17-7/8 (483 x 381 x 378)		120V~60Hz, 103W, 0.8A		NEMA 5-15P	20.7 lbs (9.4 kgs)
ITEM	DESCRIPTION	UOM	CASE		

RW-S451	Rice Warmer, Hinged Lid, 100-Cup	Set	1
RW-S451PN	Inner pot for RW-S451	Each	1
RCW-P1	Serving Paddle	Each	1
Replaces RV	V-S450		

#### PANASONIC ELECTRIC 23-CUP RICE COOKER

- Holds up to 23 cups of uncooked rice or up to 46 cups of cooked rice
- Removable Inner pot seals in moisture
- Warming up to 2 hours

OVERALL DIMENSIONS L" x D" x H" (mm)	POWER	PLUG	Ship Weight
16-7/8 x 14-7/8 x 11-7/8 (429 x 378 x 302)	120V~60Hz, 1550W, 13A	NEMA 5-15P	15.3 lbs (6.94 kgs)

ITEM	DESCRIPTION	UOM	CASE
SR-42HZP-D	Panasonic Commercial Rice Cooker, 23-Cup	Set	1



(EI)

ntertek Intertek RW-S451

Eb

(EI) Intertek Intertek RC-S301

### ELECTRIC ROUND FOOD COOKERS/WARMERS



FW-7R250



winco

With highly efficient heating distribution, Winco's durable and reliable food warmers & cookers/warmers are workhorses that can endure the harshest kitchen environments.

- Insulated heating compartment for maximum efficiency
- No-drip rim keeps serving area clean

#### ELECTRIC ROUND FOOD WARMERS (WET WELL USE ONLY)

3 settings: Low / Medium / High

ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	WELL OPENING L" x D" x H" (mm)	POW	ER	PLUG	Ship Weight
FW-11R250	12-½ x 12-½ x 9-5/8 (518 x 318 x 245)	10½ x 10½ x 6¼ (267 x 267 x160)	120V~50, 750\	,	NEMA 5-15P	13.5 lbs (6.1 kgs)
FW-7R250	11 x 11x 9-½ (280 x 280 x 241)	8¼ x 8¼ x 6 (210 x 210 x 153)	120V~50, 550\		NEMA 5-15P	9.48 lbs (4.3 kgs)
ITEM	DESCRIPTION	UOM	CASE			
FW-11R250	11 Qt Warmer	Set	1			11111
FW-7R250	7 Qt Warmer	Set	1			

## ELECTRIC ROUND FOOD COOKERS/WARMERS (WET WELL USE ONLY)

#### • Heats up to 212°F (100°C)

ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	WELL OPENING L" x D" x H" (mm)	POW	ER	PLUG	Ship Weight
FW-11R500	12-½ x 12-½ x 9-5/8 (518 x 318 x 245)	10-½ x 10-½ x 6-¼ (267 x 267 x160)	120V~50 1250		NEMA 5-15P	12.6 lbs (5.7 kgs)
FW-7R500	11 x 11x 9-½ (280 x 280 x 241)	8-¼ x 8-¼ x 6 (210 x 210 x 153)	120V~50 1050		NEMA 5-15P	9.lbs (4.3 kgs)
ITEM	DESCRIPTION	UOM	CASE			
FW-11R500	11 Qt Cooker/Warm	ner Set	1			
FW-7R500	7 Qt Cooker/Warme	er Set	1			



FW-7R-SERIES

FW-11R500



#### FOOD COOKERS/WARMERS ACCESSORIES

	ITEM	DESCRIPTION	UOM	CASE
	INS-11.0M	11Qt Inset Pan	Each	6/12
n	INS-7.0M	7 Qt Inset Pan	Each	6/24
	FW11R-ADP	Adaptor Ring	Each	1/6



Adaptor ring quickly converts 11qt food cookers/warmers to fit 7qt inset pan



www.wincous.com

New Item

#### ELECTRIC 4/3 SIZE FOOD WARMER, 1500W (WET WELL USE ONLY)

This commercial-grade food warmer fits four (4) 1/3-size food pans in the extended 27" long well opening, and allows for other pan configurations. Featuring a heavyduty stainless steel welded body, the energy efficient design heats quickly.

- Energy-efficient design for fast heating
- Heavy-duty stainless steel welded body
- Reliable temperature control for graduated heat settings
- Dedicated indicator light to easily monitor heating status

	-	DIMENSIONS (H" (mm)	WELL OPENING L" x D" x H" (mm)		POWER	PLUG	Ship Weight
		9-¾ x 10-⁵/8 755 x 270)	11- ¹³ / ₁₆ x 27 x 6- ⁵ / ₁₆ (300 x 658 x 160)		20V~50/60Hz, 500W, 12.5A	NEMA 5-15P	29.4 lbs (13.4 kgs)
	ITEM	DESCRIPTION		UOM	CASE		
Þ	FW-L600	4/3 Size Warm	er	Set	1		
	FWS600-P5	Power/Thermo	ostat Knob	Each	า 1		







(4) 1/3 SIZE PANS



ELECTRIC FULL-SIZE FOOD COOKERS/WARMERS

These commercial-grade units accommodate a fullsize food pan and allows for other pan configurations. Featuring a heavy-duty stainless steel welded body, the energy efficient design heats quickly.

- Energy-efficient design for fast heating
- Heavy-duty stainless steel welded body
- Reliable temperature control for graduated heat settings
- Dedicated indicator light to easily monitor heating status

#### ELECTRIC FULL-SIZE FOOD COOKER/WARMER, 1500W (WET WELL USE ONLY)

OVERALL DIMENSIONS L" x D" x H" (mm)	WELL OPENING L" x D" x H" (mm)	POWER	PLUG	Ship Weight
14- ⁵ /8 x 22-½ x 10- ⁵ /8 (370 x 572 x 270)	12 x 20 x 6 (305 x 508 x 153)	120V~50/60Hz, 1500W, 12.5A	NEMA 5-15P	25 lbs (11.4 kgs)

FW-S600 Cooker/Warmer Set 1 FWS600-P5 Power/Thermostat Knob Each 1	ρ.	ITEM	DESCRIPTION	UOM	CASE
FWS600-P5 Power/Thermostat Knob Each 1		FW-S600	Cooker/Warmer	Set	1
····· · · · · · · · · · · · · · · · ·		FWS600-P5	Power/Thermostat Knob	Each	1



#### ELECTRIC FULL-SIZE FOOD WARMER, 1200W (WET WELL USE ONLY)

		DIMENSIONS (H" (mm)			POWER	PLUG	Ship Weight
		22-1/2 x 9-3/8 572 x 238)	12 x 20 x 6 (305 x 508 x 153)		V~50/60Hz, 00W, 10A	NEMA 5-15P	23.2 lbs (10.52 kgs)
99	ITEM	DESCRIPTION		UOM	CASE		
	FW-\$500	Warmer		Set	1		
	FWS500-P11	Power/Thermo	ostat Knob	Each	1		



Intertek FW-S500



# FOOD WARMERS



#### STAINLESS STEEL ELECTRIC FOOD WARMER

This warmer accepts most popular warmer pans, adaptors and lids. The adjustable thermostat allows for virtually any type of cooking or holding condition.

- Mirror finish 18/8 stainless steel body
- Precise control adjustable thermostat
- Includes two-hole adaptor plate for 7Qt inserts
- Accepts all standard pans, adaptors and lids
- Water-resistant covered power switch
- 3-1/2" adjustable legs

ERALL DIMENSIONS POWER PLUG		SHIP WEIGHT
120V~60Hz, 1200W, 10A		22 lbs (10 kgs)
CASE		
1	_ \	
		/, 10A NEMA 5-15P



# SPHP4 SPJM-204 SPSCH C-DCH LDI-3 ADP-808

#### DUAL-WELL ELECTRIC FOOD WARMERS (PLAIN SIDES, NO GRAPHIC)

ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	POWER		PLUG	SHIP WEIGHT	
51072P	01 1/ 10 1/ 17					27 lbs (12.3 kgs)
51073P		120V~60Hz	, 1200W,	10A	NEMA 5-15P	28 lbs (12.7 kgs)
51074P	(040 x 000 x 402)				30 lbs (13.6 kgs)	
*Pump n	models 20" (508mm) he	ight				
IEM	DESCRIPTION		UOM	CASE		
51072P	Warmer with 2 Ladles/L	ids	Set	1		
51073P	Warmer with 1 Pump &	1 Ladle/Lid	Set	1		
0074P	Warmer with 2 Pumps		Set	1		
	51072P 51073P 51074P *Pump r EM 51072P 51073P	ITEM         DIMENSIONS           L" x D" x H" (mm)           51072P           51073P           21-½ x 13-¼ x 17           (546 x 336 x 432)*           *Pump models 20" (508mm) he           TEM           DESCRIPTION           51072P           Warmer with 2 Ladles/L           51073P           Warmer with 1 Pump &	ITEM         DIMENSIONS         PO           51072P         21-½ x 13-¼ x 17         120V-60Hz           51073P         21-½ x 13-¼ x 17         120V-60Hz           51074P         50074P         120V-60Hz           *Pump models 20" (508mm) height         120V-60Hz           16072P         Warmer with 2 Ladles/Lids           1073P         Warmer with 1 Pump & 1 Ladle/Lid	ITEM         DIMENSIONS L" x D" x H" (mm)         POWER           51072P 51073P         21-½ x 13-¼ x 17 (546 x 336 x 432)*         120V~60Hz, 1200W,           *Pump models 20" (508mm) height         120V~60Hz, 1200W,           FEM         DESCRIPTION         UOM           61073P         Warmer with 2 Ladles/Lids         Set	ITEM         DIMENSIONS L" x D" x H" (mm)         POWER           51072P 51073P         21-½ x 13-¼ x 17 (546 x 336 x 432)*         120V~60Hz, 1200W, 10A           *Pump models 20" (508mm) height         120V~70Hz         120W CASE           FEM         DESCRIPTION         UOM         CASE           61072P         Warmer with 1 Ladles/Lids         Set         1	ITEM         DIMENSIONS L" x D" x H" (mm)         POWER         PLUG           51072P 51073P 51073P         21-½ x 13-½ x 17 (546 x 336 x 432)*         120V~60Hz, 1200W, 10A         NEMA 5-15P           *Pump models 20" (508mm) height         120V~60Hz, 1200W, 10A         NEMA 5-15P           *Pump models 20" (508mm) height         120V~60Hz, 1200W, 10A         NEMA 5-15P           *Output         UOM         CASE           *1072P         Warmer with 2 Ladles/Lids         Set         1           *1073P         Warmer with 1 Pump & 1 Ladle/Lid         Set         1

#### FOOD WARMER ACCESSORIES

ITEM	DESCRIPTION	UOM	CASE
SPHP4	Half-Size Perforated Steam Pan, 4", 25 Ga S/S	Each	6/24
SPJM-204	Half-Size Anti-Jam Steam Pan, 4", 24 Ga S/S	Each	6/24
SPSCH	Half-Size Steam Pan Cover, Solid	Each	12/48
C-DCH	Half-Size Dome Cover, S/S	Each	24
LDI-3	3 oz Ladle, S/S	Each	12/120
ADP-808	Adaptor Plate w/ Two Holes (7qt), S/S	Each	10
INS-7.0M	7 Qt Inset Pan, S/S	Each	6/24
INSH-7	Hinged Inset Cover, S/S	Each	6/24
56752	Condiment Pump for 7 Quart Inset Pan, S/S	Each	1/10









56752



## Themed **Electric Food Warmers**

Themed warmers offer style and flexibility with attractive graphics for point-of-sale merchandising, and multiple insert configurations to meet operational needs.

#### "CHICKEN WINGS" WARMER

2 half size pans, 2 domed lids, tongs and tongs holder

POWER	PLUG	SHIP WEIGHT
6) 120V~60Hz, 1200W, 10A	NEMA 5-15P	27 lbs (12.3 kgs)
UOM CASI	E	
rmer Set 1		
	06) 120V~60Hz, 1200W, 10A UOM CAS	06) 120V~60Hz, 1200W, 10A NEMA 5-15P

#### "CHILI & CHEESE" WARMER

ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	POWER	PLUG	SHIP WEIGHT		
51072A	21-½ x 13-¼ x 17 (546 x 336 x 432)*			27 lbs (12.3 kgs)		
51073A		-····································	NEMA 5-15P	28 lbs (12.7 kgs)		
51074A				30 lbs (13.6 kgs)		
*Pump models 20" (509mm) boight						

*Pump models 20" (508mm) height

ITEM	DESCRIPTION	UOM	CASE
51072A	Warmer with 2 Ladles/Lids	Set	1
51073A	Warmer with 1 Pump & 1 Ladle/Lid	Set	1
51074A	Warmer with 2 Pumps	Set	1

	II and	1 30
П 🞽	Tresh & Tasky C	
	ULLES	100
$\bigcirc$	51072W	Γ

1



#### **"HOT FUDGE & CARAMEL" WARMER**

ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	POWER		PLUG	SHIP WEIGHT	
51072H	01 // 10 // 17					27 lbs (12.3 kgs)
51073H	21-½ x 13-¼ x 17 (546 x 336 x 432)*	120V~60Hz	, 1200W,	10A	NEMA 5-15P	28 lbs (12.7 kgs)
51074H	(040 x 000 x 402)				30 lbs (13.6 kgs)	
*Pump models 20" (508mm) height						
ITEM	DESCRIPTION		UOM	CASE		
51072H	Warmer with 2 Ladles/L	ids	Set	1		
51073H	Warmer with 1 Pump &	1 Ladle/Lid	Set	1		
51074H	Warmer with 2 Pumps		Set	1		



#### "DELICIOUS SOUPS" WARMER

	OVERALL DIMENSIONS L" x D" x H" (mm)	F	POWER		PLUG	SHIP WEIGHT
1	21-½ x 13-¼ x 17 (546 x 336 x 432)	120V~60I	Hz, 1200W,	10A	NEMA 5-15P	27 lbs (12.3 kgs)
	ITEM DESCRIPTION		UOM	CASE		
	51072S Soup Station, 2 Ladle	s & Lids	Set	1		



= Cash & Carry / Retail Packaging



## **STRIP HEATERS**



ESH-36 Shown with undermount bracket and hanging chain







toggle switch



Designed with a tubular sheath heating element, these premium quality electric strip heaters provide constant, even, and reliable infrared heating. Undermount and freestanding options available.

- Heavy-duty one piece extruded aluminum body for durability and cleanliness
- Aluminum heat reflectors with focused heat pattern to maximize holding times
- On/off toggle switch and 180° full view indicator light for easy operation

#### **UNDERMOUNT ELECTRIC STRIP HEATERS**

 Ideal for pass-through stations or under shelf installations Each unit includes undermount bracket set w/screws and

#### hanging chains

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG & CORD	Ship Weight
ESH-24	24 x 6 x 2-%/16 (610 x 153 x 67)	120V~50/60Hz, 500W, 4.2A		11 lbs (5 kgs)
ESH-36	36 x 6 x 2-%/16 (915x 153 x 67)	120V~50/60Hz, 750W, 6.3A	NEMA 5-15P	15.4 lbs (7 kgs)
ESH-48	48 x 6 x 2-9/16 (1220x 153 x 67)	120V~50/60Hz, 1000W, 8.3A	70" (178cm)	17.6 lbs (8 kgs)
ESH-60	60 x 6 x 2-9/16 (1524x 153 x 67)	120V~50/60Hz, 1400W, 12A	long cord	22 lbs (10 kgs)
ESH-72	72 x 6 x 2-9/16 (1829x 153 x 67)	120V~50/60Hz, 1800W, 15A	0.000	24.3 lbs (11 kgs)

ITEM	DESCRIPTION	UOM	CASE
ESH-24	24"L	Set	1
ESH-36	36"L	Set	1
ESH-48	48"L	Set	1
ESH-60	60"L	Set	1
ESH-72	72"L	Set	1

#### FREESTANDING ELECTRIC STRIP HEATER

- Heavy-duty steel stand with powder-coated painted exterior and rust resistant interior coating
- Stand adjusts to three heights above work surface to control heat intensity

	ITEM	OVERALL DIMENSIONS L" X D" (mm)	ADJUSTABLE HEIGHT" (mm)	F	POWER	PLUG & CORD	Ship Weight
		26-¹/₃ x 14-¼ (664 x 362)	18 (457mm) 20-⁵/₀ (524mm) 22-²/₀ (581mm)	n) n)		NEMA 5-15P	
	ESH-1	STRIP HEATER L" X D" X H" (	÷··-·	120V~50/60Hz, 500W, 4.2A	70" (178cm) Iong cord	6.61 lbs (3 kgs)	
			24-¼ x 6 x 2-%/16 (616 x 153 x 67)			long cold	
-	ITEM	DESCRIPTION		UOM	CASE		
	ESH-1	Electric Strip Heater, St	eel	Set	1		
	ESH-1-HB	Hanging Bracket for ES	H-1 E	ach	1		

#### .**((|))**...s ntertek ntertek ESH-1

UNIVERSAL DUMP STATION PAN HOLDERS



#### UNIVERSAL DUMP STATION PAN HOLDERS

- Utilize with heat lamps for cohesive presentation
- Accommodates 2-1/2" and 4" deep pans

ITEM	DESCRIPTION	UOM	CASE
EHL-PH-B	Black, Fits EHL-3C	Each	1/6
EHL-PH-G	Gray, Fits ESH-1, EHL-2 & EHL-2C	Each	1/6



www.wincous.com

New Item

Maintain ideal serving temperatures to keep prepared food warm and appetizing under these infrared, twinbulb heat lamps, featuring maximum adjustability, improved countertop stability and an easy-to-clean, scratch-resistant finish.

- Compatible with most standard-size food trays
- Heavy-duty frame with 13 gauge aluminum bulb hoods
- Two (2) clear, infrared shatter-resistant 250W/120V bulbs included

#### **3-POSITION ELECTRIC STEEL TUBING HEAT LAMPS**

- Easy-clean, durable, scratch-resistant electrostatic powder-coated finished hoods and frame
- 3-position adjustable height to control heat intensity

OVERALL DIMENSIONS L" X D" (mm)	ADJUSTABLE HEIGHT" (mm)		POWER	PLUG & CORD	Ship Weight
19-1/2 x 22-1/2 (495 x 571)	23-5/8 (600mm) 26-1/8 (664mm) 28-5/8 (727mm)		120V~50/60Hz,	NEMA 5-15P	6.6 lbs
BASE DIMENSIC	NS L" X D" (mm)		500W, 4.2A	70" (178cm) long cord	(3 kgs)
18 x 14 (4	157 x 356)			long cold	
ITEM DESCRIPTION		UOM	CASE		
EHL-3C 3-Position He	at Lamp, Black	Set	1		
EHL-2C 3-Position He	eat Lamp, Gray	Set	1		

Heat lamps include 2 clear, infrared shatter-resistant 250W/120V bulbs

#### 4-POSITION ELECTRIC ALUMINUM TUBING HEAT LAMP

- 14 gauge heavy-duty aluminum tubing frame
- Easy-clean brushed aluminum finish
- 4-position adjustable height to control heat intensity

-	ALL DIMENSIONS ." X D" (mm)	ADJUSTABLE HEIGHT" (mm)		POWER	PLUG & CORD	Ship Weight
	19-½ x 22-½ (495 x 571)	29-3/8 (746mm) 27-1/2 (699mm) 25-1/2 (648mm) 23-3/4 (603mm)		120V~50/60Hz, 500W, 4.2A	NEMA 5-15P 70" (178cm)	7.5 lbs (3.45 kgs)
BASE DIMENSIONS L" X D" (mm)					long cord	
	16-¼ x 14-¼	(413 x 362)				
ITEM	DESCRIPTION		UOM	CASE		
EHL-2	4-Position He	at Lamp, Aluminum	Set	1		



HEAT LAMPS

#### INFRARED SHATTER-RESISTANT BULBS FOR HEAT LAMPS INFRARED R40 BULBS

- Shatter-resistant infrared 250W/120V bulbs
- R40 bulb with medium E26 base
- Up to 6,000 hours burn time
- For commercial food-operations only

ITEM	DESCRIPTION	UOM	CASE
EHL-BR	Red	Each	1/12
EHL-BW	Clear	Each	1/12



Æŀ

(EI) Intertek Intertek EHL-3C

Intertek Intertek EHL-2C









**EICS-SERIES** 







COOKER

Low profile

ECONOMY INDUCTION

#### ECONOMY COUNTERTOP ELECTRIC INDUCTION COOKER

- Up to 1800 watts of continuous heat to cook everything from a low simmer to a rolling boil
- Easy-touch controls with adjustable power levels (1-10)
- Ceramic glass surface with small-article and pan detection, 4-3/4"-10-1/4" induction cookware
- Durable stainless steel and plastic body construction
- Timer up to 180 min. (3 Hours)

OVERALL DIMENSIONS L" x D" x H" (mm)		POWER			PLUG	SHIP WEIGHT
11-¾ x 15-¾	x 2-¾ (299 x 400 x 70)	120V~60Hz, 1800W, 15A		NEMA 1-15P	13.3 lbs (6 kgs)	
ITEM	DESCRIPTION		UOM	CASE		
EIC-400E	Induction Cooker		Each	1/4		




Minco

#### **COUNTERTOP ELECTRIC INDUCTION COOKERS**

Safer than traditional gas or electric resistance burners, induction cooktops use magnetism to rapidly heat up induction cookware, which in turn heats up food. The ideal choice for tableside, catering and buffetline cooking, induction cooktops are faster and more efficient than installed gas stovetops.

- Stainless steel body construction
- Compact, easy-to-clean, portable
- Easy to use digitally controlled wattage and temperature from warming to cooking for optimal cooking efficiency, control and speed
- High-impact and high-heat resistant 11-13/16" x 11-13/16" (299mm x 299mm) glass-ceramic cooking surface
- Accommodates pan sizes between 4-1/2" (114 mm) to 10-1/2" (267mm)
- Small-article and pan detection
- Timer up to 150 min (2-1/2 hours)
- Auto safety shut-off




ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
EICS-18	14.3/, 10.1/, 5.1/ 120V~60Hz, 1800W, 15A		NEMA 5-15P	07.5.16.5
EICS-18C	14- ³ / ₁₆ x 18- ¹ / ₈ x 5- ¹ / ₈ (360 x 460 x 129)	120V~60Hz, 1800W, 15A	NEMA 5-20P	37.5 lbs (17 kgs)
EICS-34	(000 x 400 x 127)	240V~60Hz, 3400W, 14A	NEMA 6-20P	(17 kg3)
ITEM	DESCRIPTION	UOM CASE		
EICS-18	US	Set 1/2	_	
EICS-18C	US and Canada	Set 1/2		
EICS-34	US and Canada	Set 1/2		

#### DROP-IN ELECTRIC INDUCTION COOKERS

Safer than traditional gas or electric resistance burners, induction cooktops use magnetism to rapidly heat up induction cookware, which in turn heats up food. The drop-in induction cookers install directly into the countertop for a built-in, streamlined presentation. Ideal for tableside, catering or buffet-line cooking.

- Powder-coated steel body construction
- Compact drop-in-counter design that can be flush, recessed, or mounted with optional trim ring
- Easy to use digital control with ten (10) power wattage levels from warming to cooking for optimal cooking efficiency, control and speed
- Remote control panel provided with 36" (915mm) quickconnect cord
- High-impact and high-heat resistant 11-13/16" x 11-13/16" (299mm x 299mm) glass-ceramic cooking surface
- Accommodates pan sizes between 4-1/2" (114 mm) to 10-1/2" (267mm)
- Small-article and pan detection
- Timer up to 150 min (2-1/2 hours)
- Auto safety shut-off





Control panel mounts to front of counter where drop-in cooker is installed

**winco**°

SPECTRUM

Drop-in induction cooker mounted in counter



ntertek

EIDS-18C

For U.S. and

EIDS-34

Canada



Intertel

### TRIM RING FOR DROP-IN INDUCTION COOKERS

For a sleek look, install the drop-in induction cookers with this additional trim ring to protect the glass edges and hide the countertop cutout.

ITEM	DESCRIPTION	UOM	CASE
EIDS-TR	Stainless Steel Trim Ring	Each	1



This portable and compact butane gas stove is great for camping, outdoor parties or catered events.

- Single, top-quality solid brass burner, built-in pot support and wide base for stability
- Manually adjustable heat range with up to 9,500 BTU of power
- Comes with a black impact-resistant hard plastic carrying case for easy transport
- Automatic gas shut-off safety feature
- Uses standard 8 oz Butane DOT-2P canister (sold) separately)

OVERALL DIMENSIONS L" x D" x H" (mm)	POWER	SHIP WEIGHT
13-3/8 x 10-3/4 x 4-1/4 (340 x 273 x 108)	9500 BTUs	5.2 lbs (2.4 kgs)

ITEM	DESCRIPTION	UOM	CASE
PGS-1K	Portable Gas Stove w/Case, Black, 9500 BTUs, Brass Burner	Each	1/6

## **BUTANE GAS STOVE**

EIDS-TR



Fits standard Butane canister







Intertek



ESVI-1800 **Refer to Food** 

Storage & Poly Pans for full range of containers

ntertek Intertel ESVI-1

**THERMAL** 

CIRCULATOR

SPECTRUM



Get cooking with the Spectrum line of sous vide
equipment. With precise temperature control and
by reducing heat fluctuations, food retains moisture,
nutrition, and flavor for perfect results every time.

- Precise temperature accuracy: +1°F (0.5°C)
- Temperature range: 41°F to 210°F (5°-99°C)
- Timer setting range: 5 minutes to 99 hours
- LED display: Optional °F / °C, with last temperature and time memory when turned on
- Maximum volume capacity: 7.9 gallons (30L)

#### HEAVY-DUTY ELECTRIC IMMERSION CIRCULATOR

- Stainless steel construction
- Easy to use solid state digital control panel
- IPX7 Waterproof up to -1 meter for 30 minutes
- High wattage for faster heating and recovery
- Low water level detection and alarm
- Quick release fastening screw for fast cleaning

	OVERALL DIMENSIONS L" X D" X H" (mm)		POWER		PLUG	SHIP WEIGHT
	8-²/≋ x 7-¹/₂ x 13(174 x 112 x 328)			NEMA 5-15P		7.28 lbs
			110-120V~60Hz, 1800W, 15A		NEMA 5-20P (Canada)	3.3 kgs
•	ITEM	DESCRIPTION	UOM	CASE		
	ESVI-1800	Heavy-Duty Immersion Circulator	Each	1		

#### **ELECTRIC IMMERSION CIRCULATOR**

Attached clamp adjusts to fit over container

	OVERALL DIMENSIONS L" X D" X H" (mm)		POWE	WER PLUG		SHIP WEIGHT	
[	3-11/16 x 6-9/16 x 12-7/8 (94 x 167 x 326)		110-120V~60Hz, 900W, 7.5A		NEMA 5-15P	4.4 lbs (2 kgs)	
	ITEM	DESCRIPTION	UOM	CASE			
	ESVI-1	Immersion Circulator	Set	1/6			

#### ELECTRIC THERMAL CIRCULATOR

- Wire clip on side conveniently holds lid when open
- Built-in faucet and drain for easy water removal
- Included tray with 8 slots for cooking multiple vacuumsealed portions
- Maximum volume capacity: 7.4 gallons (28L)

OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	SHIP WEIGHT
22-1/2x 17-7/16 x 12-3/16 (571 x 442 x 308)	110-120V~60Hz, 1800W, 15A	NEMA 5-15P	18.7 lbs (8.5 kgs)

ITEM	DESCRIPTION	UOM	CA
ESVC-28	Thermal Circulator	Set	1
ESVC-P17	NEMA 5-20P Cord/Plug (Canada)	Each	1



ESVC-28

New Item







Sectioned tray

ONSIST

MORE NUTRITION MORE FLAVOR

FSULT

#### ELECTRIC VACUUM SEALER

- Compact design with large 3-gallon capacity vacuum chamber
- Dry vacuum pump and easy-to-use touch controls with adjustable vacuum & seal times, or instant-seal function
- Stainless steel body construction
- Heavy-duty transparent lid; dome adds to inner chamber height allowing larger items to fit for sealing

	-	L DIMENSIONS )" X H" (mm)	CHAMBER DIMENSIONS L" X D" X H" (mm)	POW	ER	PLUG	SHIP WEIGHT
		x 16-¾ x 15-¼ x 425 x 388)	12 x 13-7/8 x 5-½ (300 x 350 x 133)	110-120~	60Hz.	NEMA 5-15P	59.7 lbs
	SEAL BAR 11-1/2" (295mm)		SEAL WIRE	630W, 5	630W, 5.25A		(27.1 kgs)
			⁰/64" (3.5mm)				
	ITEM	DESCRIPTION	UOM	CASE			
	EVPM-12	Vacuum Sealer	Set	1			
/	EVPM-P1	Seal Bar Asseml	oly Each	1			



#### **16" MANUAL IMPULSE BAG SEALER**

- Seals fast, in 0.2 to 3 seconds
- Compatible with rolled, embossed, flat or zipper vacuum bags with a thickness up to 1/32"(0.5mm)
- Adjustable timer with indicator light when seal is ready
- No warm-up time for on-demand sealing
- Durable aluminum and iron construction

ITEM OVERALL DIMENSIONS L" X D" X H" (mm)		POWE	ER	PLUG	Ship Weight	
EBS-400M 20-7/8 x 3 (530 x 9		3-⁵/≋ x 12 2 x 305)	120V~50/60Hz	, 480W, 4A	NEMA 5-15P	15.0
	SEAL BAR	SEAL WIRE				15 lbs (6.8 kgs)
EBS-400M-I	15-3/4" (400mm)	1/8" (3mm)	220V~50/60Hz, 480W, 2.2A		CEE 7/7	(0.0 kg3)
ITEM	DESCRIPTIO	N	UOM	CASE		
EBS-400M	Impulse B	ag Sealer	Set	1/10		
EBS-400M-I Impulse E Internatio		ag Sealer, nal	Set	1/10		
EBS-MP10	Seal Wire		Each	1		


#### SOUS VIDE ACCESSORIES

00-	ITEM	DESCRIPTION	UOM	CASE
	ESV-BH	Multi Ring Bag Stand	Each	1/4
	ESV-IB	Insulation Balls, 100-Pcs/Pk	Pack	1/48
		Vacuum Sealer Bags, 6" x 8"	Pack	12
Ĩ	EVPB-0812	Vacuum Sealer Bags, 8" x 12"	Pack	12









## SPECTRUM VACUUM SEALER











BOIL-IN VAGOOM SEALER BAGS 13"H <u>RING SIZES</u> Large: 7" dia Medium: 5-5/8" dia Small: 4-3/8" dia EVPB-0812 EVPB-0610 ESV-BH

www.wincous.com

ESVI-1 with ESV-IB

insulation balls, to

reduce evaporation

and hold heat in



## **BELGIAN WAFFLE MAKER**



#### **ELECTRIC BELGIAN WAFFLE MAKER**

#### Cook up thick, fluffy waffles with deep divots, perfect for cradling butter, syrup, fruit, and more.

- Produces up to 35, 1-inch thick waffles per hour
- Non-stick cooking plates for quick release, easy-to-clean
- Audible signal alerts when temperature reached, and again when waffle is ready
- Rotates 180° to evenly distribute batter for perfect waffles every time
- Space-saving, compact design

	OVERALL DIMENSIONS L" x D" x H" (mm)		POWER		PLUG	Ship Weight
	10" x 17-3/4" x 12" (255 x 450 x 305)		120V ~ 50/60Hz, 1000W		NEMA 5-15P	26 lbs (11.8kgs)
٠	ITEM	DESCRIPTION	UOM	CASE	_ \	
	BWM-07	Single Waffle Baker	Each	1		

#### **ELECTRIC CONVEYOR TOASTERS**

The ideal choice for serving perfectly toasted breads, bagels, small pizzas, and similar dough-based products. Easy-to-operate, conveyor toasters keep pace with the busiest kitchens and buffets.

- Heavy-duty all stainless steel "Cool-Touch" exterior
- Large 2-1/2" high feeder opening with a 10-3/8" (2 slice) wide conveyor accepts over-sized bagels and Texas toast
- Rounded, extra-wide curved return chute prevents larger foods items from getting caught
- Variable conveyor-speed dial control for optimal doneness
- Choose between independent or dual-heating elements for added flexibility
- Energy Saver hold mode saves up to 75 percent energy during slow periods when unit is not in use and allows quick recovery to temperature
- Removable crumb tray
- Adjustable legs with non-skid foot for stability

MODEL	-	OVERALL DIMENSIONS L" x D" x H" (mm)	POWER		PLUG	Ship Weight
ECT-300	14-5/ ₈ x 16-3/ ₁₆ x 16-3/ ₈ (370 x 420 x 415) 208/240V/~ 50/60Hz		120V~ 50/60Hz	z, 1700W, 14.16A	NEMA 5-15P NEMA 5-20P (Canada)	44.5 lbs (20.2 kgs)
ECT-700			NEMA 6-15P	(20.2 kgs)		
ITEM	DES	CRIPTION	UOM	CASE		
ECT-300	30	0 Slices per Hour	Set	1		
ECT-700 700 Slices per Hour		Set	1			
ECT300-P8	8 NE	MA 5-20P Cord for ECT-3	00 Each	1		

#### STACKING KIT FOR CONVEYOR TOASTERS

- Save on counter space while maximizing productivity
- Toast multiple varieties simultaneously
- Durable stainless steel construction
- Designed to vertically stack 2 ECT toasters

ITEM	DESCRIPTION	UOM	CASE
ECT-SK	Stacking Kit	Each	1/6



Stacking kit shown on conveyor toaster





2 vertically stacked conveyor toaster units



ntertek Intertek **BWM-07** 

ntertek Intertek **ECT-SERIES** 

ECT-SK

440

New Item

SPECTRUM

COUNTERTOP CONVEYOR TOASTERS





#### ELECTRIC COUNTERTOP CONVECTION OVENS

- Stainless steel construction
- Heat settings range from 150°F to 500°F (65°C to 260°C)
- Built-in 120 minute timer with "Stay On" feature
- Dual pane tempered glass door
- Spacious interior includes 3 chrome wire shelves
- Whisper quiet circulation for even heating

ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)		DIMENSIO ' x H" (mm		P	OWER	PLUG	Ship Weight
ECO-250	18-¾ x 19-7/₃ x 15 (477 x 505 x 381)		: 11 x 8-½ : 280 x 216	)		V~60Hz, 0W, 12A	NEMA	34.83 lbs (15.8 kgs)
ECO-500	22-½ x 22-¾ x 17-¾ (572 x 579 x 451)		x 15-½ x 10 394 x 254	-		V~60Hz, W, 13.3A	5-15P	39.68 lbs (18 kgs)
ITEM	DESCRIPTION		UOM	CA	SE			
ECO-250	Quarter-Size, 0.8 Cubi	c Ft	Set	1				
ECO-500	Half-Size, 1.5 Cubic Ft		Set	1				
ECO-P5-25	Wire Rack for ECO-250	)	Each	1				
ECO-P5-50	Wire Rack for ECO-500	)	Each	1				
ALXP-1310H	Aluminum 1/4-Size She for ECO-250	et Pan	Each	24	4			
ALXP-1813H	Aluminum 1/2-Size She for ECO-500	et Pan	Each	12	2			

COUNTERTOP CONVECTION OVENS



Intertek ECO-SERIES

#### MULTI-FUNCTION OVENS (SALAMANDER / BAKER / OVEN)

- Adjustable thermostat with wide temperature range of 90°F to 550°F
- Fully insulated stainless steel construction
- Independent top & bottom heater switches
- 60 minute timer with "Stay On" feature
- Adjustable 3" legs
- Fits 12" pizza (54012), or 16" pizza (54016)

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
54012	23 x 17 x 11-¼ (584 x 432 x 254)	120V~60Hz, 1750W, 14.6A		40 lbs (18.1 kgs)
54016	27 x 17 x 11-¼ (686 x 432 x 254)	120V~00HZ, 1730W, 14.0A	NEIVIA 5-15P	55 lbs (25 kgs)

ITEM	DESCRIPTION	UOM	CASE
54012	12"x 3" Opening	Set	1
54016	16"x 3" Opening	Set	1

#### ELECTRIC COUNTERTOP PIZZA OVEN

- Heats up to 600°F (315°C); dual independently controlled heating elements
- 60-minute timer with bell includes "Stay On" feature
- Pizza tray handle folds for storage
- Includes crumb tray
- Fits up to 12" diameter pizza

OVERALL DIMENSIONS L" x D" x H" (mm)			POWER		PLUG	Ship Weight
20- ⁷ /8 x 14-34 x 9-34 (530 x 375 x 235)			0/60Hz, 1 12.5A	500W,	NEMA 5-15P	26.9 lbs (12.2 kgs)
ITEM	DESCRIPTION		UOM	CASE		
EPO-1 Pizza Oven w/Bell Timer and "Stay On" Function		er and	Set	1	_	
EPO-P7	Crumb Tray Knob for E	PO-1	Each	1		

## PIZZA OVEN





MULTI-FUNCTION OVENS







BECTRAN

(EI)

EMW-1800AT EMW-2100BT

LISTED

The Winco commercial microwaves provide consistent results with frequent and repeated use, essential for quick-serve restaurants, concession stands, prep stations, and more. Attractive, fully stainless steel interior and exterior units are reliable, sturdy and easy-to-clean.

#### **ELECTRIC TOUCH CONTROL MICROWAVES -**1800 & 2100 WATTS

- Stainless steel with glass door and lighted interior provides visibility during operation
- Large capacity 1.2 cubic feet (34L) accommodates a 14" (356mm) platter
- 5 power levels for consistent, delicious results
- Manual time and power option, plus 2X quantity button for multiple portions
- 10 pre-programmed cooking options, storing up to 100 cooking programs
- 3-stage cooking with one-touch programming

ITEM	OVERALL DIMENSIONS L" x D" x H" (mm)	POWER	PLUG	Ship Weight
EMW-1800AT	22-5/8 x 20-3/4 x 14-1/2	208/230V~60Hz, 1800W, 8.6A	NFMA 6-20P	75.6 lbs
EMW-2100BT	(574 x 526 x 368)	208/230V~60Hz, 2100W, 10A	INEIVIA 0-20P	(34.3 kgs)

ITEM	DESCRIPTION	UOM	CASE
EMW-1800AT	1800 W	Set	1
EMW-2100BT	2100 W	Set	1

#### **ELECTRIC MICROWAVES - 1000 WATTS**

- 1,000 watts of cooking power for quick heating
- Motor driven bottom antenna for efficient energy distribution and consistent results
- Engineered for commercial kitchen use
- Stainless steel interior with bottom ceramic plate
- Ample 0.9 cubic feet (25 L) oven capacity
- Accommodates 12" (30.5 cm) diameter platter
- Backlit LED display
- Interior oven light

#### ELECTRIC TOUCH CONTROL MICROWAVE

3 customizable key-beep volumes

OVERALL DIMENSIONS L" x D" x H" (mm)			POWER		PLUG	Ship Weight
20 ¹ /8 x 17 x	120V~60	Hz, 1000	W, 12A	NEMA 5-15P	35.7 lbs (16.2 kgs)	
ITEM	DESCRIPTION		UOM	CASE		
EMW-1000ST	Spectrum Commerc Microwave, Touch, S Steel, 1,000 W		Set	1	_	



#### **ELECTRIC DIAL CONTROL MICROWAVE**

-	L DIMENSIONS )" x H" (mm)		POWER		PLUG	Ship Weight
20-½ x 18 x 12	2-5/16 (521 x 457 x 313)	120V~60	)Hz, 1000	W, 12A	NEMA 5-15P	44.1 lbs (20 kgs)
ITEM	DESCRIPTION		UOM	CASE		
EMW-1000SD	Spectrum Commer Microwave, Dial, Sto Steel, 1,000 W		Set	1		



New Item









#### **ELECTRIC COUNTERTOP DEEP FRYERS**

Countertop fryers are a great, easy addition to any food service operation. Great for chicken, fries, onion rings, tempura, shrimp, vegetables and more!

- Commercial fry basket(s) with safe and secure handle
- Expedient heat-up
- Removable stainless steel fry well(s) for easy cleaning; fry well cover(s) included
- Removable power head(s)





Cover(s) for well (s) included

#### ELECTRIC COUNTERTOP SINGLE WELL DEEP FRYER


- 16 lb oil capacity
- 8 lifers = 16 lbs = 2.11 gallons

OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	Ship Weight
11-3/4 x 16 x 13-5/8 (298 x 406 x 346)	120V~50/60Hz, 1750W, 14.6A	NEMA 5-15P	19.9 lbs (9.03 kgs)

ITEM	DESCRIPTION	UOM	CASE
EFS-16	Single Well Fryer	Set	1
EFST-P30	Fry Basket	Each	1



Intertek Intertek EFS-16





#### ELECTRIC COUNTERTOP TWIN WELL DEEP FRYER

32 lb oil capacity

2 x 8 liters (16 liters combined) = 32 lbs; total = 4.22 gallons

0'	/ERALL DIMENSIONS L" X D" X H" (mm)	POV	POWER		PLUG	Ship Weight
21-1/4 x 16 x 13-5/8 (616 x 406 x 346)		120V~50 1750W, 14			NEMA 5-15P (x2)	34.8 lbs (15.8 kgs)
ITEM	DESCRIPTION	UOM	CASE			
EFT-32	Double Well Fryer	Set	1			
FEST-P30	Fry Basket	Each	1			















ESG-1

#### **ELECTRIC COUNTERTOP SANDWICH GRILLS**

Flat-top grills are great for sandwiches, and widely used for breakfast eggs and meats, flat breads, quesadillas, and more.

- Stainless steel construction; flat cast iron grill surface
- Hinged balanced top plate adjusts to food thickness
- Removable crumb and grease tray
- Power and ready light(s)
- Includes steel-bristle brush w/wooden handle for cleaning
- Adjustable thermostat up to 600°F (315°C)

**ELECTRIC DOUBLE FLAT SANDWICH GRILL** 

**GRILL PLATES** 

L" x D" (mm)

9 x 9 (229 x 229)

Black Knob w/Red Ring

Grease Tray for ESG-2

Steel Bristle Brush

w/Wooden Handle

POWER

120V~50/60Hz,

1750W, 15A (x2)

UOM

Set

Each

Each

Each

Each

CASE

1

1

1

1

#### **ELECTRIC SINGLE FLAT SANDWICH GRILL**

÷ · -	RALL DIMENSIONS ' X D" X H" (mm)	POW	/ER		PLUG	Ship Weight
17 x 12	2 x 8 (432 x 305 x203)					
GRILL S	SURFACE L" x D" (mm)	120V~50/60Hz, 1750W, 15A		NEMA 5-15P	46.6 lbs (21.2) kgs)	
14	4 x 9 (356 x 229)					(21.2) kgo)
ITEM	DESCRIPTION	UOM	CASE			
ESG-1	Single Grill	Set	1			
EPSG-P52S	Handle for ESG-1	Each	1			
EPSG-P28	Black Knob w/Red Ring	Each	1			
EPSG-P53S	Grease Tray for ESG-1	Each	1			
EPSG-P56	Steel Bristle Brush w/Wooden Handle	Each	1			







ntertek Intertek ESG-2

New Item



**VV**inco[®]

OVERALL DIMENSIONS

L" X D" X H" (mm)

22-1/2 x 12 x 8 (572 x 305 x 203)

DESCRIPTION

Double Grill

EPSG-P52D Handle for ESG-2

**GRILL SURFACE** 

L" x D" (mm)

ITEM

ESG-2

EPSG-P28

EPSG-P53D

EPSG-P56

19 x 9 (483 x 229)

www.wincous.com

SHIP

WEIGHT

57 lbs

(25.9) kgs)

PLUG

NEMA 5-15P

(x2)

#### ELECTRIC COUNTERTOP PANINI GRILLS

This ribbed grill offers versatility and can be used in many types of food service operations, from paninis and wraps, to grilled vegetables or chicken.

- Stainless steel construction; ribbed cast iron grill surface
- Hinged balanced top plate adjusts to food thickness
- Removable crumb and grease tray
- Power and ready light(s)

#### 🛢 ELECTRIC SINGLE PANINI GRILL

- Includes steel-bristle brush w/plastic handle for cleaning
- Adjustable temperature up to 570°F (298°C)

	OVERALL DIMENSIONS L" X D" X H" (mm)		POWER	PLUG	Ship Weight	
16- ¹ / ₈ x 14- ³ / ₄ x 9- ³ / ₄ (410 x 375 x 248)		¾ x 9-¾ (410 x 375 x 248)			(0.0	
	GRILL S	SURFACE L" x D" (mm)	120V~50/60Hz, 1750W, 14.6A	NEMA 5-15P	63.3 lbs (28.7 kgs)	
	14 x 12 (356 x 305)				()	
	ITEM	DESCRIPTION	UOM CA	SE		
	EPG-1C	Single Grill	Set			
	EPSG-CP8	Steel Brush for EPG-1C	Each			
	EPSG-CP3	Grease Tray for EPG-1C	Each			

#### CAST IRON FLAT-TOP GRIDDLE ADAPTOR PLATE

- Size: 14-3/8" (365mm) x 11-7/8" (302mm)
- Pre-seasoned heavy-duty cast iron construction
- 1/4" raised edges collect, contain and direct grease to front trough

Includes steel-bristle brush w/wooden handle for cleaning

POWER

120V~50/60Hz, 1750W, 15A (x2)

UOM

Set

Fach

Each

Each

Each

 Ribbed underside nests tightly with panini plate for efficient high-heat transfer

ITEM	DESCRIPTION	UOM	CASE
EPSG-RF1C	Cast Iron Flat Top Griddle Plate for EPG-1C	Each	1

**ELECTRIC DOUBLE RIBBED PANINI GRILL** 

Adjustable thermostat up to 600°F (315°C)

**GRILL PLATES** 

L" x D" (mm)

9 x 9 (229 x 229)

Black Knob w/Red Ring

OVERALL DIMENSIONS

L" X D" X H" (mm)

22-1/2 x 12 x 8 (572 X 305 X 203)

DESCRIPTION

Double Grill

EPSG-P53D Grease Tray for EPG-2

Steel Bristle Brush

w/Plastic Handle

EPSG-P52D Handle for EPG-2

**GRILL SURFACE** 

L" x D" (mm)

19 x 9 (483 x 229)

ITEM

EPG-2

EPSG-P28

EPSG-P56



EPSG-RF1C



**W**inco

SHIP

WEIGHT

64 lbs

(29 kgs)

PLUG

NEMA 5-15P

(x2)

CASE

1

1

1

1

1





COUNTERTOP PANINI GRILLS











New Item

EMP-10

**ELECTRIC PLANETARY MIXERS** 

Commercial countertop and floor planetary mixers feature gear-driven motors with three speeds, making it an ideal piece of equipment for bakeries, delis, cafés, and other commercial kitchen environments.

- Heavy-duty die cast iron construction
- Gear-driven, high torque transmission
- Large capacity 304 stainless steel bowl with safety guard and interlock bowl lift
- (3) three fixed mixing speeds
- Manual resettable thermal overload protection
- Industry standard #12 attachment hub (EMP-20 & EMP-30)
- Wire whip, aluminum flat beater, & spiral dough hook ٠ attachments included
- Non-slip rubber feet

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm) POWER		PLUG	SHIP WEIGHT
EMP-10	15- ¹ / ₈ x 18 x 24- ¹ / ₈ (383 x 456 x 612)	110V 50/60 Hz 750W 1HP 7A	NEMA 5-15P	99.2 lbs (45 kgs)
EMP-20	19- ⁷ / ₈ x 21- ¹¹ / ₁₆ x 29- ³ / ₄ (505 x 550 x 735)	110V 50/60 Hz 1100W 1.5HP 10A	NEMA 5-15P	188.5 lbs (85.5 kgs)
EMP-30	23 ⁻¹³ / ₁₆ x 24 ⁻¹ / ₂ x 44 ⁻¹³ / ₁₆ (605 x 620 x 1138)	110V 50/60 Hz 1500W 2HP 14A	NEMA 5-15P	345.1 lbs (156.5 kgs)

ITEM	DESCRIPTION	UOM	CASE
EMP-10	10.5 Qt (10L)	Set	1
EMP-20	21.1 Qt (20L)	Set	1
EMP-30	31.7 Qt (30L)	Set	1

See spec sheet for replacement bowls, wire whips, flat beaters, hooks, and ingredient chutes

#### STAINLESS STEEL MIXER STAND WITH MARINE EDGE

The right mix of durability, functionality, and hygiene to provide a reliable and efficient platform for mixing tasks in commercial kitchens.

- Top shelf: 16-gauge stainless steel, 900lb capacity
- Marine top-edge contains spills
- Bottom shelf: galvanized steel, 700lb capacity
- Sturdy legs with adjustable non-skid feet
- Stable support for a heavy mixer with no wobble when operating equipment
- Optimize space and free up valuable countertops
- Durable & corrosion-resistant to withstand busy kitchens



#### ELECTRIC GRIDDLES

Spectrum griddles have a wide heating range, from frying eggs on low to cooking burgers with high heat, all on the half-inch thick polished steel grill surface. Independent controls further regulate the heating zones. The extra-tall steel wall backsplash enclosure helps to minimize grease splatters.

- Solid 1/2" thick polished steel plate for fast heat up and high heat retention
- Heavy gauge stainless steel body with 3" high backsplash; sides taper back to front
- Large-volume removable grease drawer with weep hole and baffle
- Heavy duty, stainless steel adjustable legs for stability
- Compatible for 1-phase or 3-phase operation (field convertible EGD-24M & EGD-36M)
- ♦ 3-1/4" full width grease trough

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG	SHIP WEIGHT
	16 x 19- ¹ / ₈ x 12- ⁷ / ₈		NEMA 5-15P	E2 lba
EGD-16M*	(406 x 486 x327) 120V 5	120V 50/60 Hz 1750W 14.6A	NEMA 5-20P (Canada)	53 lbs (24 kgs)
EGD-24M**	24 x 21-¾ x 12-7/8 (610 x 551 x 327)	208/240V~ 50/60 Hz, 4200/5600W, 20.2/23.4A, 1-phase	NEMA L6-30P	116.84 lbs (53 kg)
EGD-36M**	36 x 21-¾ x 12- ⁷ / ₈ (913 x 551 x 327)	208/240V~ 50/60 Hz, 6300/8400W, 30.29/35A, 1-phase	Field-wired by others	159.61 lbs (72.4 kg)

*Cooking surface depth 15-1/8"(384mm) **Cooking surface depth 16-1/2"(419mm)

	ITEM	DESCRIPTION	UOM	CASE
	EGD-16M	16" Griddle, 1 Heat Zone	Set	1
⋗▶	EGD-24M	24" Griddle, 2 Heat Zones	Set	1
AND CEL	EGD-36M	36" Griddle, 3 Heat Zones	Set	1
	EGD-MP6	Replacement Knob	Each	1
	EGD-MP19	NEMA 5-20P cord for EGD-16M	Each	1





#### GAS STOCK POT STOVE, FLOOR USE

Designed for the kitchen that has limited space and requires a low work height for large pots. This unit is equipped with a high-performance triple-ring burner, heavy duty single-piece cast iron top grate, removable crumb tray and a storage area below the control panel. Includes an LP conversion kit.

- High performance single (1) grate with three (3) concentric ring burners for a total output of 80,000 BTUH
- Dual infinite heat controls
- Stainless steel body, legs and drip pan
- Heavy duty cast iron grate
- Standing pilot ignition system with stainless steel pilots and pilot tubes
- 3/4" rear gas connection with regulator
- Convenient storage area in cabinet
- Conversion kit allows the use of propane or natural gas

ITEM	DESCRIPTION	UOM	CASE
🙈 NGSP-1	18" Gas Stock Pot Stove	Set	1
NG-Knob	Replacement Metal Knob	Each	1

	# OF BURNERS	# OF RINGS	BTU/PER NAT/LP	total BTU/HR	PRESSURE IN. W.C.	DIMENSIONS* L" x D" x H" (mm)	GRATE SURFACE L" x D" (mm)	SHIP WEIGHT	S
N	2	3	40,000	80,000	5 / 10	18 x 21-3/8 x 253/4 (455 x 543 x 653)	17¾ x 21-3/8 (450 x 543)	132 lbs (60 kgs)	SANITAT
	Note: Depths do not include gas inlet pipe, located at rear of the unit								







SPECTRUM

2 infinite heat

GAS STOCK POT STOVE





NGCB-24R



NGCB-36R



The durable Spectrum stainless steel charbroilers feature a cool-touch front plate rail that runs the full length. These units are equipped with infinite heat controls, high-performance burners, heavy-duty cast iron top grates, and removable grease tray(s).

High performance burners, each with output of 35,000 BTUH

Infinite heat controls

- Stainless steel 10 gauge radiant burner covers; fieldconvertible briquette rock kits sold separately
- Stainless steel insulated double-wall body, grease tray and adjustable legs (4" to 6"); non-skid feet
- Heavy-duty reversible cast iron grate, adjusts to three (3) height positions
- 5" cool-touch stainless steel front plate rail provides safety and knob protection
- ◆ 3-1/2″ full-width grease trough
- Standing pilot ignition system with stainless steel pilots and pilot tubes, one per burner
- 3/4" rear gas connection with regulator
- Conversion kit allows the use of propane or natural gas

	ITEM	DESCRIPTION	UOM	CASE
	NGCB-24R	24" Gas Broiler, 2 Burners	Set	1
ANCEL MANCEL	NGCB-36R	36" Gas Broiler, 3 Burners	Set	1
NO REVE	NGCB-48R	48" Gas Broiler, 4 Burners	Set	1
	NG-Knob	Replacement Metal Knob	Each	1







BURNERS	total Btu/hr	IN. W.C.	L" x D" x H" (mm)	L" x D" (mm)	SHIP WEIGHT
2	70,000	4" / 10"	)" 24 x 34- ⁷ / ₁₆ x 15-½ (610 x 875 x 394) 24 x 20 (610 x 508)		154 lbs (70 kg)
3	105,000	4" / 10"	36 x 34- ⁷ /16 x 15-½ (915 x 875 x 394)	15-½ (915 x 875 x 394) 36 x 20 (915 x 508)	
4	140,000	4" / 10"	48 x 34- ⁷ / ₁₆ x 15-½ (1220 x 875 x 394)	48 x 20 (1220 x 508)	277 lbs (126 kg)
	2 3 4	3 105,000	3         105,000         4" / 10"           4         140,000         4" / 10"	3         105,000         4" / 10"         36 x 34-7/16 x 15-1/2 (915 x 875 x 394)           4         140,000         4" / 10"         48 x 34-7/16 x 15-1/2 (1220 x 875 x 394)	3         105,000         4" / 10"         36 x 34-7/16 x 15-1/2 (915 x 875 x 394)         36 x 20 (915 x 508)           4         140,000         4" / 10"         48 x 34-7/16 x 15-1/2 (1220 x 875 x 394)         48 x 20 (1220 x 508)

*includes aas inlet pipe at rear



NGCB-P11-2/3/4



NGCB-P7

#### GAS CHARBROILER ACCESSORIES -FIELD CONVERTIBLE

ITEM	DESCRIPTION	UOM	CASE
NGCB-P11-2	24″Briquette Rock Kit	Pack	1
NGCB-P11-3	36″Briquette Rock Kit	Pack	1
NGCB-P11-4	48″Briquette Rock Kit	Pack	1
NGCB-P7	Replacement Briquettes (24/bag)	Bag	1





#### GAS GRIDDLES, NATURAL / LP

Spectrum griddles are designed with durable stainless steel construction and cool-touch front plate rail that runs the full length. These units are equipped with infinite heat controls, high-performance burners, and removable grease drawer.

- High performance burners, each with output of 30,000 BTUH
- Infinite heat controls
- 5" wide cool-touch stainless steel front plate rail provides safety and knob protection
- Stainless steel insulated double-wall body, grease tray and adjustable legs (4" to 6"); non-skid feet
- 3/4" polished steel griddle plate with side and back splash guard
- ◆ 3-1/2″ full width grease trough
- Standing pilot ignition system with stainless steel pilots and pilot tubes, one per burner

PRESSURE

IN. W.C.

4" / 10"

TOTAL

BTU/HR

60,000

90,000

120,000

- ♦ 3/4" rear gas connection with regulator
- Conversion kit allows the use of propane or natural gas

/ ITEM	DESCRIPTION	UOM	CASE
NGGD-24M	24" Gas Griddle, 2 Heat Zones	Set	1
NGGD-36M	36" Gas Griddle, 3 Heat Zones	Set	1
🛞 NGGD-48M	48″ Gas Griddle, 4 Heat Zones	Set	1
NG-Knob	Replacement Metal Knob	Each	1











= Cash & Carry / Retail Packaging

DIMENSIONS* L" x D" x H" (mm)	GRIDDLE SURFACE L" x D" (mm)	SHIP WEIGHT	
24" x 34-7/16" x 15-1⁄2" (610 x 950 x 394)	24" x 20-¾" (610 x 527)	196 lbs (89 kg)	SANITATION
36" x 34- ⁷ /16" x 15-½" (915 x 950 x 394)	36" x 20-¾" (915 x 527)	284 lbs (129 kg)	
48" x 34- ⁷ /16" x 15-½" (1219 x 950 x 394)	48" x 20-¾" (1219 x 527)	355 lbs (161 kg)	NGGI

*includes gas inlet pipe at rear

ITEM

NGGD-24M

NGGD-36M

NGGD-48M

# OF

BURNERS

2

3

4









#### GAS HOT PLATES, NATURAL / LP

Spectrum hot plates are designed with durable stainless steel construction and a cool-touch front plate rail that runs the full length. These units are equipped with infinite heat controls, high-performance burners, heavyduty cast iron top grates, and removable grease/drip pan.

- High performance burners, each with output of 25,000 BTUH
- Infinite heat controls
- Stainless steel body, removable drip pan, and adjustable legs (4" to 6"); non-skid feet
- Heavy-duty 12" x 12" cast iron grates
- ◆ 5" wide cool-touch stainless front steel plate rail provides safety and knob protection
- Standing pilot ignition system with stainless steel pilots and pilot tubes, one per burner
- 3/4" rear gas connection with regulator
- Conversion kit allows the use of propane or natural gas

I	TEM	DESCRIPTION	UOM	CASE
	NGHP-2	12" Hot Plate, 2 Burners	Set	1
<b>N</b>	NGHP-4	24" Hot Plate, 4 Burners	Set	1
N Rest	NGHP-6	36" Hot Plate, 6 Burners	Set	1
Ν	NG-Knob	Replacement Metal Knob	Each	1



NGHP-4








NGHP-SERIES	
-------------	--

ITEM	# OF BURNERS	total Btu/hr	PRESSURE IN. W.C.	DIMENSIONS* L" x D" x H" (mm)	GRATE SURFACE L" x D" (mm)	SHIP WEIGHT
NGHP-2	2	50,000		12 x 34-1/8 x 15 (305 x 87 x 381)	12 x 24 (305 x 610)	79 lbs (36 kgs)
NGHP-4	4	100,000	4″/10″	24x 34-1/8 x 15 (610 x 87 x 381)	24 x 24 (610 x 610)	132 lbs (60 kgs)
NGHP-6	6	150,000	1	36x 34-1/8 x 15 (915 x 87 x 381)	36 x 24 (915 x 610)	198 lbs (90 kgs)
*includes againlet nine at rear						







New Item

#### STAINLESS STEEL MIXER STAND WITH MARINE EDGE

The right mix of durability, functionality, and hygiene to provide a reliable and efficient platform for mixing tasks in commercial kitchens.

- Top shelf: 16-gauge stainless steel, 900lb capacity
- Marine top-edge contains spills
- Bottom shelf: galvanized steel, 700lb capacity
- Sturdy legs with adjustable non-skid feet
- Stable support for a heavy mixer with no wobble when operating equipment
- Optimize space and free up valuable countertops
- Durable & corrosion-resistant to withstand busy kitchens

ø	ITEM	DESCRIPTION	UOM	CASE
	EMT-2424	24"L x 24"W x 24"H	Each	1



#### STAINLESS STEEL EQUIPMENT STANDS

Optimize workflow, ensure safety and hygiene, and maximize the efficiency of commercial kitchens and workspaces.

- Top shelf: 16-gauge stainless steel, 900lb capacity
- 1-1/2" high raised edges on 3 sides prevent items from slipping off
- Bottom shelf: galvanized steel, 700lb capacity
- Sturdy legs with adjustable non-skid feet
- Easy-clean smooth surfaces promote hygiene and sanitation, reducing risk of cross-contamination to ensure compliance with health & safety regulations
- Designed to stand at a comfortable height to reduce strain and fatigue for improved productivity and overall well-being.

٠	ITEM	DESCRIPTION	UOM	CASE
	ES-2430	24"L x 30"W x 24"H	Each	1
	ES-3630	36"L x 30"W x 24"H	Each	1
	ES-4830	48"L x 30"W x 24"H	Each	1
	ES-6030	60"L x 30"W x 24"H	Each	1















