



Cistern Tap BPIR Declaration

Version: V1

Designated building product: Class 1

Declaration

Aqualine Trading Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Cistern Tap
Line	CST15
Identifier	Aqualine

Description

The Aqualine 15mm Cistern Tap is chrome plated for durability and is perfect for installation in bathrooms and laundries offering a shut-off point between the mains and your devices.

Scope of use

- Suitable to be used on sinks and toilets

- Allows water to be shut off without shutting off the water mains
- Controls water flow

Conditions of use

It is suitable for with water as medium, medium temperature $\leq 90^{\circ}\text{C}$ and nominal pressure of 1.0MPa.

Relevant building code clauses

B2 Durability – B2.3.1 (c)
F2 Hazardous building materials – F2.3.1
G1 Personal Hygiene – G1.3.2
G12 Water Supplies – G12.3.2

Contributions to compliance

Watermark

Supporting documentation

The following additional documentation supports the above statements:

Aqualine-Cistern Tap (Installation, Maintenance, Warranty)	Version 1	https://aqualine.co.nz/pages/downloads
Aqualine -CST15 Cistern Tap (Design)	Version 1	https://aqualine.co.nz/pages/downloads

For further information supporting Cistern Tap claims refer to our website.



AQUALINE

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Zhejiang Jinyuan
Legal and trading name of importer	Aqualine Trading Limited
Importer address for service	7 Winston Place Auckland 0654
Importer website	www.aqualine.co.nz
Importer NZBN	9429051344122
Importer email	orders@aqualine.co.nz
Importer phone number	098372725

Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore, to the best of my knowledge, correct.

I can also confirm that Cistern Tap is not subject to a warning on ban under [s26 of the Building Act](#).

Signed for and on behalf of Aqualine Trading Limited:

Jeff La Haye
Managing Director
November 2023



AQUALINE

AQUALINE TRADING LIMITED

7 Winston Place Auckland 0654 New Zealand

098372725 | www.aqualine.co.nz

Aqualine Trading Limited

7 Winston Place, Henderson Auckland 0654

21 Lock Crescent, Hillsborough, Christchurch 8022

PH: 0800 889 914 Email: orders@aqualine.co.nz www.aqualine.co.nz

Appendix

Note: The below appendix includes information relating to BPIR Ready.

Publishing this information is not a requirement under BPIR. Its inclusion here is to provide a reference for how this BPIR summary was generated as well as to help summary creators understand the performance clauses suggested by BPIR Ready.

BPIR Ready selections

Category: Tapware

	Yes	No
Suitable for accessible facilities		×
Provision of hot water for sanitary fixtures		×

Building code performance clauses

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if: the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and failure of those building elements to comply with the building code would be easily detected during normal use of the building.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

G12 Water Supplies

G12.3.2

A potable *water supply system* must be—

- a. protected from contamination; and
- b. installed in a manner that avoids the likelihood of contamination within the system and the water main;



AQUALINE

and

- c. installed using components that will not contaminate the water.