

A/LINE PRESS CEM

Revision Number 1

Revision Date 10-Mar-2019

Supersedes Date: 25-Mar-2019

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name A/LINE PRESS CEM

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useUses advised against
Adhesives. Cement.
No information available.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand Tel: 04-567 5119

Fax: 04-567 5412

Manufacturer

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

+64 4 917 9888

Poison Centre: 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A (6.4A)
Skin sensitization	Category 1 (6.5B)
STOT - single exposure	Category 3 (f)
Flammable Liquids	Category 2 (3.1B)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group HSR 002662

2.2. Label Elements



Signal word Danger

Hazard statements

H336 - May cause drowsiness or dizziness H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H225 - Highly flammable liquid and vapor

Precautionary Statements - Prevention

A/LINE PRESS CEM Revision Number 1

Revision Date 10-Mar-2019

Supersedes Date: No information available

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P271 - Use only outdoors or in a well-ventilated area

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P235 - Keep cool

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

Skin

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

· May be harmful if swallowed

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Methyl ethyl ketone	78-93-3	40 - <80
Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW	25068-38-6	0.1- <1

^{***} Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air.

Skin contact Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

A/LINE PRESS CEM

Revision Number 1

Revision Date 10-Mar-2019

Supersedes Date: No information available

Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician

immediately.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

entry to unnecessary and unprotected personnel.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND

STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

risk.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Hazardous Combustion

Products

Carbon oxides.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas.

Other information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

For emergency responders

Use personal protection recommended in Section 8. Isolate the hazard area and deny

entry to unnecessary and unprotected personnel.

6.2. Environmental precautions

Environmental precautions Do not empty into drains, dispose of this material and its container at hazardous or

special waste collection point. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect

spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

A/LINE PRESS CEM Revision Date 10-Mar-2019 **Revision Number 1** Supersedes Date: No information available

vermiculite) and place in container for disposal according to local / national regulations

(see Section 13).

Methods for cleaning up Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill for later

disposal.

6.4. Reference to other sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION

Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Advice on safe handling

smoking. Take precautionary measures against static charges. Use explosion-proof

electrical/ventilating/lighting/equipment.

7.2. Conditions for safe storage, including any incompatibilities

General hygiene considerations Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work

area and clothing is recommended.

Storage Conditions Keep only in the original container/package in a cool well-ventilated place.

Incompatible materials Strong acids and bases

7.3. Specific end use(s)

Adhesives. Cement. Specific Use(s)

Other information No information available.

7.4. References to Other Sections

See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND Reference to other sections

STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	New Zealand	Australia	European Union
Methyl ethyl ketone	TWA: 150 ppm	150 ppm TWA	TWA: 200 ppm
78-93-3	TWA: 445 mg/m ³	445 mg/m³ TWA	TWA: 600 mg/m ³
	STEL: 300 ppm	300 ppm STEL	STEL: 300 ppm
	STEL: 890 mg/m ³	890 mg/m ³ STEL	STEL: 900 mg/m ³

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Methyl ethyl ketone	STEL: 300 ppm	IDLH: 3000 ppm	TWA: 200 ppm
78-93-3	TWA: 200 ppm	TWA: 200 ppm	TWA: 590 mg/m ³
		TWA: 590 mg/m ³	_
		STEL: 300 ppm	
		STEL: 885 mg/m ³	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

A/LINE PRESS CEM Revision Date 10-Mar-2019 **Revision Number 1** Supersedes Date: No information available

OTHER INFORMATION No information available

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

PPE - Personal Protection Equipment

Respiratory protection

Wear safety glasses with side shields (or goggles). Eye/face protection

Wear suitable protective clothing. No special technical protective measures are Skin and body protection

necessary under normal conditions.

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only Hand protection

> depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask,

or for short periods of work, a combination of professional filter is recommended.

General hygiene considerationsDo not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

CC (closed cup)

wash before reuse.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Liquid viscous **Appearance** Colorless Color Odor Solvent

Odor Threshold No information available

Property Values Remarks • Method

pН No data available No information available Melting point / freezing point

Boiling point / boiling range

70 °C / 158 °F = -15 °C / 5 °F **Flash Point**

Evaporation Rate No information available No information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability or explosive 10.9

limits

Lower flammability or explosive 1.7

limits

Vapor Pressure No information available **Vapor Density** No information available

Relative Density 1.0

Water Solubility Soluble in water

No information available **Solubility in Other Solvents** Partition coefficient No information available **Autoignition Temperature** 321 °C / 610 °F No information available **Decomposition Temperature Kinematic Viscosity** No information available **Dynamic Viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

9.2. Other information

No information available **Softening Point** Molecular Weight No information available Solvent content (%) No information available No information available Solid content (%)

Density No information available

Bulk Density No information available No information available VOC (volatile organic compound)

A/LINE PRESS CEM

Revision Number 1

Supersedes Date: No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and flames.

10.5. Incompatible materials

Incompatible materials Strong acids and bases.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

Numerical measures of toxicity

Unknown acute toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl ethyl ketone	= 2483 mg/kg (Rat)	= 5000 mg/kg (Rabbit)	= 11700 ppm (Rat) 4 h
78-93-3			
Bisphenol-A-Epichlorhydrin Epoxy	LD50 (rat) > 2000 mg/kg OECD	>2000 mg/Kg (rat)	-
resin <= 700 MW	420		
25068-38-6			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitization
Germ cell mutagenicity

No information available.
No information available.
No information available.

A/LINE PRESS CEM

Revision Number 1

Supersedes Date: No information available

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects
Aspiration hazard
Carcinogenicity
No information available.
No information available.
No information available.
No information available.

IARC (International Agency for

Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

None known.

Component Information

Data obtained on the component(s) include

Chemical name	Algae/aquatic plants	Fish	Crustacea
Methyl ethyl ketone	EC50=1972 mg/l	LC50: 3130 - 3320mg/L (96h,	EC50 48 h > 308 mg/L (Daphnia
78-93-3	(Pseudokirchneriella subcapitata)	Pimephales promelas)	magna)
Bisphenol-A-Epichlorhydrin Epoxy	EC50 (72h) = 9.4 mg/L	1.2 mg/l 96Hr (Oncorhynchus	2.7 mg/l 48hr Daphia Magna
resin <= 700 MW	(Scenedesmus capricornutum)	mykiss)	
25068-38-6	EPA-660/3-75-009		

12.2. Persistence and degradability

No information available.

Component Information Methyl ethyl ketone (78-93-3)			
Method	Exposure time	Value	Results
OECD Test No. 301D: Ready	28 days	biodegradation	98 % Readily biodegradable
Biodegradability: Closed Bottle Test	-	-	
(TG 301 D)			

12.3. Bioaccumulative potential

There is no data for this product.

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Methyl ethyl ketone	0.3	-
78-93-3		
Bisphenol-A-Epichlorhydrin Epoxy resin	3.26	31
<= 700 MW		
25068-38-6		

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Methyl ethyl ketone 78-93-3	The substance is not PBT / vPvB
Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW 25068-38-6	The substance is not PBT / vPvB

A/LINE PRESS CEM

Revision Number 1

Revision Date 10-Mar-2019

Supersedes Date: No information available

12.6. Other adverse effects

No information available. **Endocrine Disruptor**

Information

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW	Group III Chemical	-	-

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused

products

Disposal should be in accordance with applicable regional, national and local laws and

regulations

Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

IMDG

UN Number UN1133
Proper Shipping Name Adhesives
Transport hazard class(es) 3

Packing Group II

Marine Pollutant Np

EmS-No. F-E, S-D

Limited Quantity (LQ) 5 L

Description UN1133, Adhesives, 3, II, (-15°C c.c.)

<u>IATA</u>

UN Number UN1133 Proper Shipping Name Adhesives

Transport hazard class(es) 3
Packing Group II
ERG Code 3L
Limited Quantity (LQ) 1 L
Special Provisions A3

Description UN1133, Adhesives, 3, II

<u>ADR</u>

UN Number UN1133
Proper Shipping Name Adhesives

Transport hazard class(es) 3
Labels 3
Packing Group ||

Description UN1133, Adhesives, 3, II, (D/E)

Limited Quantity (LQ) 5 L
Special Provisions 640C
Classification Code F1
Tunnel Restriction Code (D/E)

Section 15: REGULATORY INFORMATION

National Regulations

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

A/LINE PRESS CEM

Revision Number 1

Revision Number 1

Revision Date 10-Mar-2019

Supersedes Date: No information available

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 10-Mar-2019

Revision note Not applicable.

Training Advice Provide adequate information, instruction, and training for operator

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet