



**FORZA**<sup>TM</sup>  
**TOOLING**

Battery Operated Tooling

# The Compact Cordless AKKU-PRESS ACC

**Cordless radial press with  
switch-off signal.**

Universal, handy electric tool with switch-off signal for producing pipe pressing joints for all common pressfitting systems. For battery and corded operation. Pipe pressing joints  $\varnothing$  10–108mm/3/8" - 4". Secure crimping in seconds. Automatic locking of pressing tongs.

**A complete range of REMS pressing tongs and pressing rings available for the entire range of pressfitting systems.**



## RM571014-K50

RM571014 AKKU-PRESS ACC BASIC PACK  
RM571555 Li-ION 3.2ah BATTERY  
RM572600 K16 TONG  
RM572605 K20 TONG  
RM572610 K25 TONG  
RM572615 K32 TONG  
RM572620 K40 TONG  
RM572625 K50 TONG

## RM571014-U63

RM571014 AKKU-PRESS ACC BASIC PACK  
RM571555 Li-ION 3.2ah BATTERY  
RM570765 U16 TONG  
RM570775 U20 TONG  
RM570780 U25 TONG  
RM570785 U32 TONG  
RM570790 U40 TONG  
RM570795 U50 TONG  
RM572365 U63 TONG

## RM571014-VAU

RM571014 AKKU-PRESS ACC BASIC PACK  
RM571555 Li-ION 3.2ah BATTERY  
RM572687 VAU15 TONG  
RM572689 VAU20 TONG  
RM572691 VAU25 TONG  
RM572693 VAU32 TONG  
RM572695 VAU40 TONG  
RM572697 VAU50 TONG

## RM571014-V50

RM571014 AKKU-PRESS ACC BASIC PACK  
RM571555 Li-ION 3.2ah BATTERY  
RM570115 V15 TONG  
RM570135 V22 TONG  
RM570145 V28 TONG  
RM570155 V35 TONG  
RM570165 V42 TONG  
RM570175 V54 TONG

## RM571014-VAU100

RM571014 AKKU-PRESS ACC BASIC PACK  
RM571555 Li-ION 3.2ah BATTERY  
RM572687 VAU15 TONG  
RM872689 VAU20 TONG  
RM572691 VAU25 TONG  
RM572693 VAU32 TONG  
RM572695 VAU40 TONG  
RM572697 VAU50 TONG  
RM572802 Z5 ADAPTOR TONG  
RM572839 VAU65 PRESSING RING  
RM572840 VAU80 PRESSING RING  
RM572841 VAU100 PRESSING RING

## RM571014-V108

RM571014 AKKU-PRESS ACC BASIC PACK  
RM571555 Li-ION 3.2ah BATTERY  
RM570115 V15 TONG  
RM570135 V22 TONG  
RM570145 V28 TONG  
RM570155 V35 TONG  
RM570165 V42 TONG  
RM570175 V54 TONG  
RM572802 Z5 ADAPTOR TONG  
RM572815 VF64 PRESSING RING  
RM572816 VF76 PRESSING RING  
RM572817 VF88 PRESSING RING  
RM572818 VF108 PRESSING RING

Please note PRICES DO NOT INCLUDE GST.

Pricing does not include delivery. Prices will remain valid for 6 MONTHS from 1st September 2016. We trust these prices are acceptable to your company and should any further information be required, please do not hesitate to contact Ancra Australia ON 1800 4 26272



Forza Global Australia  
Phone: +61 3-8348-5704  
Unit 2, Factory 8, Barclay Rd  
Derrimut VIC 3030 Australia

Ancra Australia PTY LTD  
www.ancraaustralia.com  
1800 4 AN CRA



## The Compact Cordless AX-PRESS 25

**Cordless axial press with automatic return.**

Compact, handy electric tool for producing compression sleeve joints. For battery and corded operation.

For trade and industry.

Building site and the workshop.

Axial compression  $\varnothing$  12 – 40mm.

REMS Ax-Press 25 ACC – universal. Super light, super handy. Fast. Automatic return. Optimum weight distribution for single-hand operation. Swivelling compression device.

**Complete assortment of REMS compression heads, easy to change.**



### RM573033-COMBO

RM573033	AX-PRESS 25 ACC BASIC PACK
RM571545	Li-ION 1.65ah BATTERY
RM573158	RH16/20 COMBO COMP. HEAD

### RM573033-COMBO 32

RM573033	AX-PRESS 25 ACC BASIC PACK
RM571545	Li-ION 1.65ah BATTERY
RM573158	RH16/20 COMBO COMP. HEAD
RM573154	RH25 COMPRESSION HEADS
RM573156	RH32 COMPRESSION HEADS

Forza Global Australia  
Phone: +61 3-8348-5704  
Unit 2, Factory 8, Barclay Rd  
Derrimut VIC 3030 Australia

Forza Global New Zealand:  
Phone: +64 9 266 9752  
Mobile: +64 21 446 452  
Unit 5/51 Rangi Road,  
Takanini 2105 Auckland NZ



Ancra Australia PTY LTD  
www.ancraaustralia.com  
1800 4 ANCRA



**Please note PRICES DO NOT INCLUDE GST.**

Pricing does not include delivery. Prices will remain valid for 6 MONTHS from 1st September 2016. We trust these prices are acceptable to your company and should any further information be required, please do not hesitate to contact Ancra Australia ON 1800 4 26272



## The Compact Cordless MINI-PRESS ACC

**Cordless radial press with  
automatic circuit control.**

Universal, super handy electric tool with automatic circuit control for producing pipe pressing joints for all common pressfitting systems. For battery and corded operation. Pipe pressing joints Ø 10-40mm, 3/8" - 1 1/4".

REMS pressing tongs Mini. Super light, super small, super handy. Automatic circuit control. Secure crimping in seconds. Automatic locking of pressing tongs. A huge range of REMS pressing tongs available for the entire range of pressfitting systems.



### RM578012-K32

RM578012 MINI-PRESS ACC BASIC PACK  
RM571545 Li-ION 1.65ah BATTERY  
RM578592 K16 MINI TONGS  
RM578594 K20 MINI TONGS  
RM578596 K25 MINI TONGS  
RM578598 K32 MINI TONGS

### RM578012-U32

RM578012 MINI-PRESS ACC BASIC PACK  
RM571545 Li-ION 1.65ah BATTERY  
RM578374 U16 MINI TONGS  
RM578378 U20 MINI TONGS  
RM578380 U25 MINI TONGS  
RM578382 U32 MINI TONGS

### RM578012-VAU32

RM578012 MINI-PRESS ACC BASIC PACK  
RM571545 Li-ION 1.65ah BATTERY  
RM578630 VAU15 MINI TONGS  
RM578632 VAU20 MINI TONGS  
RM578634 VAU25 MINI TONGS  
RM578636 VAU32 MINI TONGS

### RM578012-V35

RM578012 MINI-PRESS ACC BASIC PACK  
RM571545 Li-ION 1.65ah BATTERY  
RM578328 V15 MINI TONGS  
RM578334 V22 MINI TONGS  
RM578336 V28 MINI TONGS  
RM578604 V35 MINI TONGS



Please note **PRICES DO NOT INCLUDE GST.**

Pricing does not include delivery. Prices will remain valid for **6 MONTHS** from 1st September 2016. We trust these prices are acceptable to your company and should any further information be required, please do not hesitate to contact Ancra Australia ON 1800 4 26272



Forza Global Australia  
Phone: +61 3-8348-5704  
Unit 2, Factory 8, Barclay Rd  
Derrimut VIC 3030 Australia

Ancra Australia PTY LTD  
www.ancraaustralia.com  
1800 4 AN CRA



## TONGS & SYSTEMS AVAILABLE - Australia Wide

B PRESS = VAU TONGS  
 BUSH PULL-ON = RH HEADS  
 BUSHPEX = TH MINI  
 COPPER CRIMP = VAU TONGS  
 CRIMP PLUS = K TONGS  
 DUOPEX WATER = TH TONGS  
 DUOPEX GAS = TH TONGS  
 FLOWPEX = TH MINI  
 FORZACRIMP GAS = K TONGS  
 FORZA GAS = K TONGS  
 FORZA CRIMP WATER = K TONGS

FORZA COPPER PRESS = VAU TONGS  
 FORZA SLIDE WATER = RH HEADS  
 FORZA WATER = RH HEADS  
 GAS PEX = U TONGS  
 GAS PLUS = K TONGS  
 IPLEX = K TONGS  
 K1 GAS = K TONGS  
 K2 WATER = K TONGS  
 KEMPRESS = VAU TONGS  
 PEX PLUS = RH HEADS  
 PRESS PLUS = VAU TONGS

PROFIT = K TONGS  
 REHAU BRASS = RH HEADS  
 REHAU COMP = RE HEADS  
 REHAU POLYMER = RE HEADS  
 STESSO CRIMP = U TONGS  
 TRADEPEX SLEEVE = RH HEADS  
 TRADEPEX CRIMP = K TONGS  
 VIEGA = VAU TONGS  
 WATER PEX = U TONGS

### MINI-PRESS CRIMP SYSTEMS

FORZA CRIMP WATER = K TONGS  
 FORZA CRIMP GAS = K TONGS  
 FORZA COPPER PRESS = VAU TONGS  
 STESSO CRIMP = U TONGS  
 BUSHPEX = TH MINI  
 CRIMP PLUS = K TONGS  
 DUOPEX WATER = TH TONGS  
 DUOPEX GAS = TH TONGS  
 K1 GAS = K TONGS  
 K2 WATER = K TONGS  
 FLOWPEX = TH MINI  
 WATER PEX = U TONGS  
 GAS PEX = U TONGS  
 COPPER CRIMP = VAU TONGS  
 TRADEPEX CRIMP = K TONGS

### AX-PRESS 25 AXIAL SYSTEMS

FORZA SLIDE WATER = RH HEADS  
 BUSH PULL-ON = RH HEADS  
 PEX PLUS = RH HEADS  
 REHAU POLYMER = RE HEADS  
 TRADEPEX SLEEVE = RH HEADS

### COPPER PRESS

FORZA COPPER PRESS = VAU TONGS  
 PRESS PLUS = VAU TONGS  
 VIEGA = VAU TONGS  
 B PRESS = VAU TONGS  
 KEMPRESS = VAU TONGS

### AKKU PRESS LARGE CRIMP SYSTEMS

FORZA CRIMP GAS = K TONGS  
 FORZA CRIMP WATER = K TONGS  
 FORZA COPPER PRESS = VAU TONGS  
 STESSO CRIMP = U TONGS  
 COPPER CRIMP = VAU TONGS  
 BUSHPEX = TH MINI  
 CRIMP PLUS = K TONGS  
 DUOPEX WATER = TH TONGS  
 DUOPEX GAS = TH TONGS  
 IPLEX = K TONGS  
 FLOWPEX = TH MINI  
 GAS PEX = U TONGS  
 WATER PEX = U TONGS  
 TRADEPEX CRIMP = K TONGS



Forza Global Australia  
 Phone: +61 3-8348-5704  
 Unit 2, Factory 8, Barclay Rd  
 Derrimut VIC 3030 Australia



Ancra Australia PTY LTD  
 www.ancraustralia.com  
 1800 4 ANCRA



■  
Cordless radial press  
with automatic  
circuit control

REMS Mini-Press S 22V ACC



**SMALLER!  
FASTER!  
MORE EFFICIENT!**

**REMS** TECHNOLOGY  
**LI-ION 22V** ⚡



**REMS**  
for Professionals

**ANCRA**  
INTERNATIONAL

**FORZA**  
GLOBAL

# REMS TECHNOLOGY LI-ION 22V

Even more efficient:  
50% more pressings!

Even faster: Pressing approx. 4s!

Automatic retraction after completion  
of the pressing operation (automatic  
circuit control)! Automatic locking  
of the pressing tongs!

Only 2.6 kg including batteries!

German Quality Product





# REMS Mini-Press S 22 V ACC – universal up to Ø 40 mm. Super light, super small, super handy, ultra fast.

Universal, ultra handy cordless radial press with forced return for making press joints Ø 10–40 mm, Ø ¾–1¼". The new REMS Li-Ion 22V technology sets standards in terms of economy and user friendliness and enables the user to make ultra fast pressings in less than 4 s for 50% more pressings. The automatic locking of the pressing tongs and the automatic retraction after completion of the pressing operation (automatic circuit control) give the user additional safety. Having a weight of just 2.6 kg with battery inserted, this cordless radial press enters a new dimension. It can be used everywhere, free hand, over head, also in very confined spaces.

*\*Tongs sold separately*

*A huge range of REMS pressing tongs are interchangeable between the entire range of Mini pressfitting systems.*

B PRESS	= VAU TONGS	FORZACRIMP GAS	= K TONGS	K2 WATER	= K TONGS
BUSHPEX	= TH MINI	FORZA GAS	= K TONGS	KEMPRESS	= VAU TONGS
COPPER CRIMP	= VAU TONGS	FORZA CRIMP WATER	= K TONGS	PRESS PLUS	= VAU TONGS
CRIMP PLUS	= K TONGS	FORZA COPPER PRESS	= VAU TONGS	PROFIT	= K TONGS
DUOPEX WATER	= TH TONGS	GAS PEX	= U TONGS	STESSO CRIMP	= U TONGS
DUOPEX GAS	= TH TONGS	GAS PLUS	= K TONGS	TRADEPEX CRIMP	= K TONGS
FLOWPEX	= TH MINI	IPLEX	= K TONGS	VIEGA	= VAU TONGS
		K1 GAS	= K TONGS	WATER PEX	= U TONGS

*The hand-held upright solution for secure crimping of PEX piping (up to 40mm) and COPPER piping (up to 32mm).*

The NEW Rems Mini-Press S 22 V ACC is super light, super small, super handy and super fast. It is universal with forced operation for the production of press connections Ø 10 - 40 mm.

The new REMS Li-Ion 22 V Technology sets standards in terms of economy and user friendliness and allows the user to perform *super-rapid pressing under 4 seconds with 50% more pressing power.*

The Mini press 'S' tool not only has automatic locking, but has an automatic return after every completion of the pressing process offering the user additional safety.

With a weight of only 2.6 kg including the rechargeable battery, this cordless radial press enters into a NEW rhelm. It can be used anywhere, freehand, overhead, even in very narrow areas. The Mini Press 'S' is compatible with all standard pressfitting systems.

For your convenience, the Mini Press 'S' battery can also be used with the Mini Press 22 Volt ACC pistol tool.







## REMS Mini-Press S 22V ACC

**REMS Mini-Press S 22V ACC Basic-Pack.** Cordless radial press with automatic circuit control for producing pipe pressing joints  $\varnothing$  10–40 mm,  $\varnothing$   $\frac{3}{8}$ –1  $\frac{1}{4}$ ". For operating with REMS pressing tongs Mini. Swivelling pressing tongs seat with automatic locking. Electro-hydraulic drive with powerful battery motor 21.6 V, 380 W, robust planetary gear, eccentric reciprocating pump and compact high power hydraulic system. Safety tip switch. Integrated LED work light. Battery Li-Ion 21.6 V, 1.5 Ah, rapid charger Li-Ion 230 V or 110 V, 50–60 Hz, 70 W.

**REMS Mini-Press S 22V ACC Basic-Pack.**

In sturdy steel case.

## What's inside?



**REMS Mini-Press S 22V ACC drive unit,**  
without battery

**Battery Li-Ion 21,6V, 1,5Ah**

**Battery Li-Ion 21,6V, 2,5Ah**

**Rapid charger Li-Ion 230V, 50–60Hz, 70W**

**Voltage supply 230V/21,6V** for mains operation  
230 V instead of battery Li-Ion 21.6 V

**Steel case** with inlay

**REMS pressing tongs Mini / REMS pressing rings**  
for all common pressfitting systems.

## Code & Description

**REMS MINI PRESS INLINE 22V BASIC C/W 2X BATTERIES K PROFILE**  
RM578015-K32

**REMS MINI PRESS INLINE 22V BASIC C/W 2X BATTERIES U PROFILE**  
RM578015-U32

**REMS MINI PRESS INLINE 22V BASIC C/W 2X BATTERIES VAU PROFILE**  
RM578015-VAU32



**Forza Global Pty. Ltd.**  
Unit 2, 8 Barclay Road  
Derrimut, 3030, Victoria, Australia  
Phone +61 03 8348 5704  
[www.forzaglobal.com.au](http://www.forzaglobal.com.au)  
[orders@forzapex.com.au](mailto:orders@forzapex.com.au)



# REMS Power-Press







## REMS Power-Press XL ACC

The **Power Press XL ACC** weighs 5.5kg and has an ergonomically designed housing with soft grip and recessed handles for comfort of use. Powered by an electro-hydraulic drive with proven universal motor 450W and robust planetary gear. With enormous thrust and pressing force it is perfect for press jointing Forza Stainless Press Fittings. The long working stroke enables for pressing in a single action, ideal for large dimensions. Tool is capable of pressing Forza Stainless Press fittings DN15 to DN 108.

REMS Power-Press XL ACC – universal up to Ø 110 mm. Pressing up to Ø 110 mm in just one action. Ultra-fast at Forza Stainless Press fittings from 15mm up to 108 mm in only 15 seconds. With automatic circuit control and automatic locking of pressing tongs.

## What's inside?

**REMS Power-Press XL ACC drive Unit**

**REMS pressing adapter tongs**

**Transport case** with inlays and practical carrying handles

## Code & Description

**REMS Power-Press XL ACC**

**RM579010**



**Forza Global Pty. Ltd.**  
**Unit 2, 8 Barclay Road**  
Derrimut, 3030, Victoria, Australia  
Phone +61 03 8348 5704  
[www.forzaglobal.com.au](http://www.forzaglobal.com.au)  
[orders@forzapex.com.au](mailto:orders@forzapex.com.au)





## FORZAPLAS Battery Tool 16mm & 20mm Kit

### What's inside?

FORZAPLAS Battery Tool

16mm FORZAPLAS Expander Head

20mm FORZAPLAS Expander Head

2 x Lithium Ion 12v Batteries

Transport Case

Battery Charger

### Code & Description

FORZAPLAS BATTERY TOOL KIT 16 & 20mm

FPLBT1620



Forza Global Pty. Ltd.  
Unit 2, 8 Barclay Road  
Derrimut, 3030, Victoria, Australia  
Phone +61 03 8348 5704  
[www.forzaglobal.com.au](http://www.forzaglobal.com.au)  
[orders@forzapex.com.au](mailto:orders@forzapex.com.au)

