Printing date 08/28/2018 Reviewed on 08/28/2018

1 Identification

- · Product identifier
- · Trade name: MoldWiz® WB-2700A
- · Application of the substance / the mixture Release agent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Axel Plastics Research Laboratories, Inc.

50 Cambridge Drive Monroe, CT 06468 USA info@axelplastics.com

· Information department: Product safety department

· Emergency telephone number:

USA and Canada: 1-800-424-9300 (24 hours)

Outside of USA and Canada: 001-703-527-3887 (24 hours)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- $\cdot \ Hazard\text{-}determining \ components \ of \ labeling:$

morpholine

· Hazard statements

Combustible liquid.

Causes skin irritation.

Causes serious eye damage.

· Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

(Contd. on page 2)

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

(Contd. of page 1)

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 2Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Component Information:	
67-63-0 propan-2-ol	10%
110-91-8 morpholine	≥ 2.5 - < 5%
Proprietary/Alternative Chemical Name Pending	≤ 2.5%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

· Environmental precautions:

Dilute with plenty of water.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillage into an effluent treatment plant or proceed as follow. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: See Section 1 for emergency contact information and Section 13 for waste disposal.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

(Contd. on page 4)

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

(Contd. of page 3)

· Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Avoid freezing. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

	, ,
67-63	-0 propan-2-ol
PEL	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI
110-9	1-8 morpholine
PEL	Long-term value: 70 mg/m³, 20 ppm

	Long-term value: 70 mg/m³, 20 ppm Skin
	Short-term value: 105 mg/m³, 30 ppm Long-term value: 70 mg/m³, 20 ppm Skin
TOT 3.7	1 71 / 2 20

TLV Long-term value: 71 mg/m³, 20 ppm Skin

· Ingredients with biological limit values:

67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 5)

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

(Contd. of page 4)

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

If a risk assessment indicates engineering controls are not sufficient to protect worker health or comply with relevant legislation, use an approved respirator. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Respirators to be considered for this material include: Half-face filter respirator with Type A filter material.

For the European Union, refer to Standardization (CEN) standards EN 136, 140 and 405 for respirator masks and EN 149 and 143 for filter recommendations. In the United States of America, refer to OSHA Respiratory Protection Standard, 29 CFR 1910.134 and ANSI Z88.2 for respiratory selection, use and maintenance.

· Protection of hands:



Hand Protection: Glove suitability depends on the conditions of use. Use gauntlet style gloves if forearms are likely to be exposed. Contact glove manufacturer for appropriate glove selection. Minimally, chemical resistant gloves in accordance with CEN standards EN 420 and EN 374 should be used. Skin Protection: Chemical/oil resistant clothing is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Chemical safety glasses with side shields, goggles or face shield.

90 %

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· General Information	 	r r
· Appearance:		
Form:	Fluid	ļ

· Information on basic physical and chemical properties

Color: Off-white
Odor: Mild

· Odor threshold: Not determined.

• pH-value at 20 °C (68 °F): 9.5 • pH range at 20 C 8.5 - 10.5

· Change in condition

· Percentage Volatile

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 93 - 104 C

Flash Point (C.O.C.): 84 °C (183.2 °F)

• **Decomposition temperature:** Not determined.

(Contd. on page 6)

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

	(Contd. o	f page
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties	Not determined.	
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)	
Density:	Not determined.	
Relative density	0.980	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:	< 50 cps @ 25C	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	Not determined.	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability The product is stable under recommended storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Toxicity Estimate) Oral LD50 23,569 mg/kg (rat) Dermal LD50 > 9,337 mg/kg (rabbit) Inhalative LC50/4 h 135 mg/l

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 7)

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

(Contd. of page 6)

· Carcinogenic categories

· IARC (In	nternational Agency for Research on Cancer)		
67-63-0	propan-2-ol	3	
110-91-8	morpholine	3	
· NTP (National Toxicology Program)			

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· IARC Monographs

Group 1: Carcinogenic to humans

Group 2A: Probably carcinogenic to humans

Group 2B: Possibly carcinogenic to humans

Group 3: Not classifiable as to its carcinogenicity to humans

Group 4: Probably not carcinogenic to humans

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

The classification of the product may meet the criteria for a hazardous waste.

- · Uncleaned packagings:
- · Recommendation:

The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

(Contd. on page 8)

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 7)

14 Transport information

. 1	I I	N	[_]	N	11	m	h	er

· **DOT** NA1993 · **ADN, IMDG, IATA** not regulated

· UN proper shipping name

· **DOT** COMBUSTIBLE LIQUID, N.O.S (Isopropanol)

· ADN, IMDG, IATA not regulated

· Transport hazard class(es)

 \cdot DOT



· Class 3 Combustible liquids

· Label 3

· ADN/R Class: not regulated

· Packing group

· DOT

· IMDG, IATA not regulated

• Environmental hazards: Not applicable.

· Special precautions for user Not applicable.

· Danger code (Kemler):

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act) (Substances not listed):

All ingredients are listed.

· TSCA new (21st Century Act) (Substances not listed)

Proprietary/Alternative Chemical Name Pending

- · Proposition 65
- · Chemicals known to cause cancer:

75-21-8 ethylene oxide

· Chemicals known to cause reproductive toxicity for females:

75-21-8 ethylene oxide

(Contd. on page 9)

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for males:

109-86-4 2-methoxyethanol

75-21-8 ethylene oxide

· Chemicals known to cause developmental toxicity:

109-86-4 2-methoxyethanol

75-21-8 ethylene oxide

· US State Regulations

· Connecticut - Hazardous Air Pollutants - HLVs (30 min)

None of the ingredients is listed.

· Connecticut - Hazardous Air Pollutants - HLVs (8 hr)

None of the ingredients is listed.

· Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)

None of the ingredients is listed.

· Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations

None of the ingredients is listed.

· Occupational Exposure Limits - TWAs

None of the ingredients is listed.

· Michigan - Occupational Exposure Limits - Skin Designations

None of the ingredients is listed.

· Michigan - Occupational Exposure Limits - TWAs

None of the ingredients is listed.

· Minnesota - Hazardous Substance List

None of the ingredients is listed.

· Minnesota - Permissible Exposure Limits - Skin Designations

None of the ingredients is listed.

· Minnesota - Permissible Exposure Limits - TWAs

None of the ingredients is listed.

· New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour

None of the ingredients is listed.

· New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual

None of the ingredients is listed.

· New York - Occupational Exposure Limits - Skin Designations

None of the ingredients is listed.

· New York - Occupational Exposure Limits - TWAs

None of the ingredients is listed.

· North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour

None of the ingredients is listed.

· North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour

None of the ingredients is listed.

· Oregon - Permissible Exposure Limits - TWAs

None of the ingredients is listed.

· Tennessee - Occupational Exposure Limits - Skin Designations

None of the ingredients is listed.

(Contd. on page 10)

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

(Contd. of page 9)

· Tennessee - Occupational Exposure Limits - TWAs

None of the ingredients is listed.

· Texas - Effects Screening Levels - Long Term

None of the ingredients is listed.

· Texas - Effects Screening Levels - Short Term

None of the ingredients is listed.

· Vermont - Permissible Exposure Limits - Skin Designations

None of the ingredients is listed.

· Vermont - Permissible Exposure Limits - TWAs

None of the ingredients is listed.

· Washington - Permissible Exposure Limits - Skin Designations

None of the ingredients is listed.

· Washington - Permissible Exposure Limits - STELs

None of the ingredients is listed.

· Washington - Permissible Exposure Limits - TWAs

None of the ingredients is listed.

· Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet

None of the ingredients is listed.

· Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet

None of the ingredients is listed.

· Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater

None of the ingredients is listed.

· Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· EPA Carcinogen Category Key

EPA 2005 Guidelines:

CaH - Carcinogenic to humans.

L - Likely to be carcinogenic to humans.

SC - Suggestive evidence of carcinogenic potential.

II - Inadequate information to assess carcinogenic potential.

NL - Not likely to be carcinogenic to humans.

EPA 1999 Guidelines:

CaH - Carcinogenic to humans.

- L Likely to be carcinogenic to humans.
- S Suggestive evidence of carcinogenicity, but not sufficient to assess human carcinogenic potential.
- I Data are inadequate for an assessment of human carcinogenic potential.
- NL Not likely to be carcinogenic to humans.

EPA 1996 Guidelines:

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

(Contd. of page 10)

K/L - Known/likely human carcinogen.

CBD - Carcinogenic potential cannot be determined.

NL - Not likely to be carcinogenic to humans.

EPA 1986 Guidelines:

- A Human carcinogen
- B1 Probable human carcinogen based on limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in animals.
- B2 Probable human carcinogen based on sufficient evidence of carcinogenicity in animals.
- C Possible human carcinogen.
- D Not classifiable as to human carcinogenicity.
- E Evidence of non-carcinogenicity for humans.
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

morpholine

· Hazard statements

Combustible liquid.

Causes skin irritation.

Causes serious eve damage.

· Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

The components of this product are listed on the USA (TSCA) inventory.

The components of this product are listed on the Canadian (DSL) inventory.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer: This data is offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review recommendations in the specific context of the intended use and determine whether they are appropriate.

(Contd. on page 12)

Printing date 08/28/2018 Reviewed on 08/28/2018

Trade name: MoldWiz® WB-2700A

(Contd. of page 11)

· Procedure used to derive the classification

Calculation method.

Test data.

- · Contact: info@axelplastics.com
- · Date of preparation / last revision 08/28/2018 / 5
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

* Data compared to the previous version altered.

H