

P R O D U C T D E S C R I P T I O N

# SPECIFICATION

People	2 persons
Frame	Spruce
Shape	Square
Room	1
Sauna area	3.40m <sup>2</sup>
Total height	2500mm
Exterior Cladding	21mm
Interior Cladding	15mm
Wall thickness	169mm
Insulation	100mm
External dimension	2192x2192mm
Door size	800x2050mm
Metal frame (can be operated with forklift)	2110x2110mm



# BASIC

Materials

- Wall Alder STP 15x90mm AB
- Bench Alder 28x90mm
- Floor Alder rest on waterproof plywood

M3 heater ( for wood burning model )

Black chimney for M3 heater ( for wood burning model )

Protective sheath for M3 heater ( for wood burning model )

Accessories

- A-500-B Sauna bucket
- Thermo-/hygrometer, wooden
- Wooden hourglass, wooden


Lighting

- Outdoor light
- 2 LED strip light (under upper bench and backrest) without dimmer

Glass door with lock- opaque 8mm tempered glass

Terrace: wood plastic composite 1 side and one wooden grille





## DELIVERY

---



---



---

Sauna 2,19x2,19m is delivered to the customer **assembled**.

## FLOOR STRUCTURE

---

Floor finish 36mm  
 Water proofing  
 Plywood 20mm  
 Metal frame with insulation 100x150x6

## WALL STRUCTURE

---

Wall finish 15mm  
 Air gap 18mm and aluminum paper  
 Wood construction 45x95mm with insulation 100mm  
 Air gap 20mm  
 Finishing wood 21x195mm

## CEILING STRUCTURE


---

Ceiling finish 15mm  
 Air gap 18mm and aluminum paper  
 Wood construction 95x45mm with insulation 100mm  
 Air gap 22mm  
 OSB 19mm  
 PVC roof cover

## HEATER

---

Harvia M3  
 390x430x710mm



## CHIMNEY

---

Black steel chimney  
 WHP1500M  
 Ø220x1500mm  
 Ø115mm smoke outlet



## BLACK STEEL CHIMNEY EXTENSION

---

WHP500M  
 Ø220x500mm  
 Ø115mm smoke outlet



## SAFETY

---

Protective sheath for a wood-heated stove  
 WL450  
 480x455x800mm



## ACCESSORIES

---

A-500-B  
 Sauna bucket




## ACCESSORIES

---

Sentiotec thermometer and hygrometer  
 A-210-THW






### ACCESSORIES

Sentiotec Wooden hourglass  
552-EP



### LIGHTING

Spotlight LED GTV, 3W, 4000K, ORIS lamp  
LD-ORW03W-NB-E  
Ø90mmx12mm (25mm)



### OUTDOOR LIGHTING

ELED-631, 6W, LED, IP54  
105x120x160mm



### LIGHTING

LED strip light  
24V, 5W/m, 3000K



### LOUDSPEAKER

Harvia SACK08016  
Ø142x50mm



### ELECTRICITY

Power plug 16A IP44



### DOOR

Glasshouse door  
2050x800mm

