



Catalogue

**FIAMMA SDN.BHD.**  
(47268-M)

Wisma Fiamma, No.20, Jalan 7A/62A,  
Bandar Manjalara, 52200 Kuala Lumpur.

Tel : 03-6279 8888 Fax : 03-6279 8846



[www.elba.com.my](http://www.elba.com.my)



ELBAMalaysia

# Designed for the Thoughtful Home

Small Home Appliances Series 2024



\*Product images are for illustration purposes only.  
Actual colours and specifications may vary from images shown in this catalogue.

# CONTENT

## 01 FORESTA SERIES 01

## 02 BEVERAGE MAKERS 02

Juice Extractor / Slow Juicer /	02
Coffee Maker	
Blender	03
Thermo Pot	04
Kettle	05
Water Purifier / Water Dispenser	08

## 03 KITCHEN HELPERS 09

Oven	09
Mixer	13
Sandwich Maker / Toaster /	14
Oven Toaster	
2 in 1 Hotpot and BBQ Griller /	15
Food Processor	
Food Steamer / Air Fryer	16
Multi Cooker	17
Rice Cooker	18
Slow Cooker	20
Ceramic Cooker / Pressure Cooker	21
Gas Stove	22

## 04 LIVING APPLIANCES 23

Ceiling Fan / Stand Fan / Table Fan /	23
Wall Fan / Ventilation Fan	
Air Cooler	29
Wet & Dry Vacuum	30
Hair Dryer	31
Steam Generator / Iron	34
Water Heater	36



# FORESTA SERIES

NEW SERIES



### Coffee Maker ECM-Q1580(GN)

- Power: 670W-800W
- Capacity: 1.5L
- Anti-Drip Feature
- Water Level Gauge
- Vertical Opening Lid
- ON Light Indicator
- Keep Warm Function



### Toaster ET-Q2785(GN)

- Power: 800W
- 2 Wide Slot
- Toast Variable Size Bread
- Defrost, Reheat and Cancel Setting
- 7 Browning Level
- Removable Crumb Tray
- Cord storage



### Jug Kettle EJK-Q1736(GN)

- Power: 1,850W-2,200W
- Capacity: 1.7L
- Wide Lid Opening
- Stainless Steel Concealed Heating Element
- Auto Switch Off After Boiling
- Dry Boiled Protection
- Water Level Window
- Safety Locking Lid



### Blender EBG-Q1559(GN)

- Power: 500W
- Capacity: 1.5L
- 2 Speeds with Pulse Function
- Stainless Steel Blade
- Removable Jug for Easy Cleaning
- Safety Lock Function
- Safety Thermal Cut Out to Protect Motor from Overheating

# JUICE EXTRACTOR



## EJE-M0544(SS)

- Power: 400W
- Pulp Container Capacity: 1,500ml
- Juice Cup Capacity: 500ml
- 2 Speed Control
- 65mm Wide Feeder for a Whole Apple
- Spout With Drip-Stop Feature
- With Stainless Steel Grater and Filter
- With Safety Micro Switch
- Easy Cleaning and Assembly
- Anti-slip Rubber Feet


# SLOW JUICER



## ESJ-K6015(RD)

- Power: 150W
- Pulp Container Capacity: 600ml
- Juice Cup Capacity: 700ml
- High Performance DC Motor
- 85mm Large Feeding Tube
- One Button Easy Button
- Spout Outlet with Drip Stop Feature
- 3 Step Easy Assembly
- Screw Propeller Design for Slow Juicing to Preserve Nutrition from Fruits and Vegetables

### Integrated Shaft and Net Design



The spiral shaft is integrated with the juice net, making the filtration more complete. Installation is simple with no alignment required.

### Vegetable Grinding Effect



Vegetable slag is fine and the remaining water content is low.

- Vegetable Residue Water Content 30%

### 85mm Large Feeding Tube



Wide feeder for a whole apple

# COFFEE MAKER

1.5L



## ECM-R1583(BK)

- Power: 670W - 800W
- Anti-drip Feature and Water Level Gauge
- Removable and Washable Filter Basket
- On /Off Switch with Light Indicator
- Keep Warm Function



# BLENDER



## EBG - K1556G(BK)

- Power: 500W
- Capacity: 1.5L Glass Jar
- 6-speed Control with Pulse Function
- Stainless Steel Blade
- Safety Lock Function



## EBG-M1550 (WH)

- Power: 500W
- Capacity: 1.5L
- 2-speed with Pulse Function



## EBG-M4015(BK)

- Power: 400W
- Capacity: 1.5L
- 2-speed with Pulse Function



## EBG-J1536FJ(WH)

- Power: 400W
- Capacity: 1.5L
- 2-speed with Pulse Function

### Common Points

- Safety Lock Function
- Stainless Steel Blade

- With Safety Thermal Cut-Out to Protect Motor from Overheating

- Anti-slip Rubber

# THERMO POT



**ETP-D6013(WH)**

- Power: 730W
- Capacity: 6.0L
- Base Type Heating Element



**ETP-D4013(WH)**

- Power: 730W
- Capacity: 4.0L
- Base Type Heating Element



Champagne cold colour body

**ETP-G5083(CG)**

- Power: 730W
- Capacity: 5.0L
- Round Type Heating Element



**ETP-F5082(BR)**

- Power: 730W
- Capacity: 5.0L
- Round Type Heating Element



**ETP-F5018(BR)**

- Power: 730W
- Capacity: 5.0L
- Round Type Heating Element

## 3-way Dispenser

\* Applicable for ETP-D4013(WH) & ETP-D6013(WH)



## Keep Warm

The ideal temperature for your favourite drinks



60°C

Suitable for children instant milk formula or taking medication



85°C

Great for a warm cup of tea or coffee



98°C

Perfect for most instant food or hot beverages such as chocolate drinkings

### Common Points

- 360° Rotating Base
- With Water Level Indicator
- Safety Auto Shut-off / Dry-boiled Protection
- Stainless Steel Inner Tank

# JUG KETTLE



NEW

**EJK-Q1782SS(GN)**

- Power: 1,500W-1,800W
- Capacity: 1.7L
- Double Wall
- Stainless Steel Concealed Heating Element
- Auto Switch Off After Boiling
- Dry Boiled Protection
- Safety Locking Lid



Safe Cool Touch Surface



Stainless Steel Seamless Inner Wall



360 Degree Rotating Detachable Base



NEW

**EJK-Q1783SS(RD)**

- Power: 1,500W-1,800W
- Capacity: 1.7L
- Double Wall
- Stainless Steel Concealed Heating Element
- Auto Switch Off After Boiling
- Dry Boiled Protection
- Safety Locking Lid



Safe Cool Touch Surface



Stainless Steel Seamless Inner Wall



360 Degree Rotating Detachable Base



With High Borosilicate Glass Body

**EJK-J2024DG(BK)**

- Power: 1,850W - 2,200W
- Capacity: 2.0L
- 5 Temperature Settings: 60°C, 70°C, 80°C, 90°C, 100°C
- Borosilicate Glass Body with LED Illumination According to Temperature Settings



With High Borosilicate Glass Body

**EJK-F1723G(BK)**

- Power: 1,850W - 2,200W
- Capacity: 1.7L
- Removable and Washable Filter
- Borosilicate Glass Body with LED Light

### Common Points

- 360° Cordless, Rotational Kettle
- With Concealed Heating Element
- With Auto Switch-off After Boiling
- With Dry-boiled Protection
- With Water Level Indicator
- With Safety Locking Lid

# JUG KETTLE



**EK-K1780(RD)**

- Power: 1,850W-2,200W
- Capacity: 1.7L
- Removable and Washable Filter
- Food-grade Stainless Steel



**EJK-H1761(SS)**

- Power: 1,850W - 2,200W
- Capacity: 1.7L
- Removable and Washable Filter
- Food-grade Stainless Steel



**EJK-J1762(SS)**

- Power: 1,850W - 2,200W
- Capacity: 1.7L
- Removable and Washable Filter
- Food-grade Stainless Steel



**EJK-J1734(BK)**

- Power: 1,850W-2,200W
- Capacity: 1.7L
- Dual External Water Level Indicator
- Food-grade Plastic
- UK Imported Otter Temperature Controller
- Removable and Washable Filter



**EJK-G1733(WH)**

- Power: 1,850W-2,200W
- Capacity: 1.7L
- Removable and Washable Filter
- Food-grade Plastic



**EJK-D1719(WH)**

- Power: 1,850W - 2,200W
- Capacity: 1.7L
- Removable and Washable Filter
- Dual External Water Level Indicator
- Food-grade Plastic



**EJK-G1033(WH)**

- Power: 900W - 1,100W
- Capacity: 1.0L
- Removable and Washable Filter
- Food-grade Plastic



**EJK-E0811(GR)**

- Power: 900W - 1,100W
- Capacity: 0.8L
- Removable and Washable Filter
- Dual External Water level Indicator
- Food-grade Plastic

### Common Points

- 360 Cordless, Rotational Kettle
- With Concealed Heating Element
- With Auto Switch-off After Boiling
- With Dry-boiled Protection
- With Water Level Indicator
- With Safety Locking Lid

Smart Sensor  
Touch &  
Adjustable  
Temperature  
Setting



**EJK-K1763D(SS)**

- Power: 1,850W - 2,200W
- Capacity: 1.7L
- Removable and Washable Filter
- Food-grade Stainless Steel
- Smart Sensor Touch On /Off Button
- With Adjustable Temperature Settings (40°C - 100°C) with LED Display



**EJK-B1714(SS)**

- Power: 1,850W - 2,200W
- Capacity: 1.7L
- Removable and Washable Filter
- With Blue Light Indicator
- Food-grade Stainless Steel



**EJK-N1764(SS)**

- Power: 1,850W - 2,200W
- Capacity: 1.7L
- Food-grade Stainless Steel
- One Touch Easy Lid Open for Water Filling
- With Power Indicator



**EJK-G1262(SS)**

- Power: 1,370W - 1,630W
- Capacity: 1.2L
- Removable and Washable Filter
- Food-grade Stainless Steel



**JK-1207SS**

- Power: 1,370W - 1,630W
- Capacity: 1.2L
- Removable and Washable Filter
- Food-grade Stainless Steel

### Common Points

- 360 Cordless, Rotational Kettle
- With Auto Switch-off After Boiling
- With Water Level Indicator
- With Concealed Heating Element
- With Dry-boiled Protection
- With Safety Locking Lid

# ELECTRIC KETTLE



**EK-A502ISS**

- Power: 1,850W - 2,200W
- Capacity: 5.0L



**EK-K5226(SS)**

- Power: 1,680W - 2,000W
- Capacity: 5.0L
- With Concealed Heating Element



**EK-A501ISS**

- Power: 1,850W - 2,200W
- Capacity: 5.0L



High Grade  
Stainless Steel  
Body



Automatic Cut-off  
Thermostat System



Concealed Heating  
Element

Only for EK-K5226(SS)

### Common Points

- UK STRIX® Thermostat for Automatic Cut-off (Applicable for EK-A501ISS & EK-A502ISS)
- With Cool Touch Base
- High Grade Stainless Steel Body
- Safety Dry-boiled Protection
- Unique Spout Design for Easy pouring

# WATER DISPENSER



## EWD-Q2533D(BG)

- Power: 1,350W
- Capacity: 2.5L
- Fast Heating
- Digital Touch Screen Panel
- Borosilicate Glass Body
- Removable Lid
- With Child Lock
- Easy Refilling
- Easy Cleaning

### Features

- NTC Precise Temperature Sensor
- Wide Temperature Selection
- 304 Food Grade Stainless Steel Inner Lid
- Compact Size with Handle (2.5L)
- Dispenser Timer Selection
- Food Grade Ceramic Coated Heating Plate

Compact Size with Handle



Borosilicate Glass Body 2.5L Capacity



Removable Lid



Food Grade Ceramic Coated Heating Plate



304 Food Grade Stainless Steel Inner Lid



Digital Touch Screen Panel



## EWD-B7068(GR)

- Power: 680W
- Capacity: 7.0L
- Reboiling Function, Temperature Constantly Maintained at 100°C
- Electricity Saving with Base Heating Function
- Removable Lid that Enables Easy Water Pouring as well as Cleaning

### Features

- Stainless Steel Inner Pot
- Automatic Re-Boil Function
- Safety Auto Shut-Off Function
- Base Type Heating Element Energy Saving



# COMBI SMART OVEN

You have a passion for food. We have a passion for making things a breeze for you in the kitchen. These handy helpers are designed with cooking convenience in mind so you can focus on sharing meals and moments with your loved ones.

## ESGO-N3088D(BK)

- Power: 2,100W
- Capacity: 30L
- Removable Water Tank: 1.2L
- Sensor Touch Control with LCD Display
- Temperature Range: 40°C - 220°C
- SUS304 Stainless Steel Cavity
- NTC Temperature Control
- Versatile Function: Steam, Grill, High Temperature Steam, Convection, Convection + Steam, Ferment, Defrost, and Sterilization
- 11 Preset Menu
- Removable Drip Tray for Easy Cleaning
- Water Level Sensor Indicator
- Accessories: 1 Grilling Rack, 1 Steam Tray, 1 Baking Tray, 1 Oil Tray, and 1 Baking Glove


## Rapidheat System Technology

The combination of **Rapidheat** steam, conventional hot air and heat that continuously circulates through the oven cavity seals in the natural moisture, and nutrients of your food. It gives you a wider range of cooking versatility that is fast, easy and healthy.



### Features

Sensor Touch Control with LCD Display



XXL Capacity 30L



Multi-angle Opening Door Hinge




Integrated Removable Water Tank



SUS 304 Stainless Steel Cavity



NTC Temperature Control



### Versatile Function

- Steam
- Steam + Grill
- Top Heating
- Bottom Heating
- Top + Bottom Heating
- Convection + Steam
- Convection
- Keep Warm
- Fermentation
- Sterilisation
- Defrost

# COMBI STEAM OVEN

## ESGO-N2016SD(MG)

- Power: 1,850W
- Capacity: 20L
- Removable Water Tank: 1L
- Sensor Touch Control with LED Display
- Steam Working Time: 60 minutes
- SUS304 Stainless Steel Cavity
- Dual NTC Temperature Control
- Function: Steam, Steam and Grill, Air Fryer, Bake, Steam Fish, Roasted Chicken, Ferment, Dehydrate, and Auto Menu
- 30 Preset Menu
- Water Level Sensor Indicator
- Accessories: 1 Grilling Rack, 1 Steam Rack, 1 Baking Tray and 1 Baking Glove



### All-in One Oven for Steam, Grill, Bake and Air Fry



Superheat Steam Technology for Quick, Healthy and Delicious Cooking While Retaining the Moisture and Nutritions of Food.



The Combination of Steam and Grill Function for Perfect Baking Results.



Oil-free Air Frying to Remove Excessive Fat of Food and Making Food Crispier.

### Features

Sensor Touch Control with LED Display



Stainless Steel Cavity with Bottom Evaporator



Detachable Water Tray



Large Capacity 20L



Super Heat Steam



Top Grill



3D Convection



Bottom Evaporator



+1°C Temperature Control



30 Recipe Auto Menu

# ELECTRIC OVEN



## EEO-J459ID(BK)

- Power: 2,000W
- Capacity: 45L



## EEO-J609ID(BK)

- Power: 2,000W
- Capacity: 60L
- Comes with Pizza Tray

### Features

Double Layer Glass Door



Sensor Touch Control with LED Display



Come with Pizza Tray for Perfect Homemade Pizza Crust



Applicable for EEO-J609ID(BK)

### 6 Heating Selections



Top Heating



Bottom Heating



Top + Bottom Heating



Top Heating + Convection



Bottom Heating + Convection



Top & Bottom Heating + Convection

### 8 Preset Programmes



Smart Toast



Pizza



Cookies



Cake



Grilling



Steak



Keep Warm



Defrost

### Common Points

- Interior Lamp Design
- With Rotisserie and Convection Function
- Stainless Steel Heating Element

- Double Layer Heat Proof Glass Door Design
- 8 Presets Programmes
- Complimentary Extra Baking Tray

- 180 Minutes Timer with Buzzer
- 40°C - 230°C Temperature Control
- 6 Heating Selections

# ELECTRIC OVEN



## EEO-D3017(BK)

- Power: 1,600W
- Capacity: 30L



## EEO-D3816(BK)

- Power: 1,600W
- Capacity: 38L



## EEO-D4520(BK)

- Power: 2,000W
- Capacity: 45L



## EEO-F6020(BK)

- Power: 2,200W
- Capacity: 60L



## EEO-G3519(BK)

- Power: 1,600W
- Capacity: 35L



## EEO-G4529(BK)

- Power: 2,000W
- Capacity: 45L



## EEO-G1029(BK)

- Power: 2,800W
- Capacity: 100L



## EEO-G6029(BK)

- Power: 2,200W
- Capacity: 60L

### Rotisserie Function for Even Roast



### Complimentary Extra Baking Tray




### Interior Lamp Design



### Stainless Steel Heating Element




### 5 Heating Selections



### Common Points

- Interior Lamp Design
- With Rotisserie and Convection Function
- Stainless Steel Heating Element
- 60 Minutes Timer with Bell Ring
- 100°C - 250°C Temperature Control
- 5 Heating Selections
- Complimentary Extra Baking Tray

### 6 Heating Selections



### Common Points

- Interior Lamp Design
- With Rotisserie and Convection Function
- Stainless Steel Heating Element
- 60 Minutes Timer with Bell Ring
- 100°C - 250°C Temperature Control
- 6 Heating Selections
- Complimentary Extra Baking Tray

# MICROWAVE OVEN



## EMO-Q2078(BK)

- Power: 700W
- Capacity: 20L
- 6 Power Level Settings
- With Defrost Setting
- Ergonomic Handle Design
- 30 Minutes Timer
- End Cooking Signal

# STAND MIXER



## ESMB-M3436(SS)

- Power: 300W
- Capacity: 3.4L
- 5-speed
- Turbo and Eject Function
- Hand Mixer with Turnable Stainless Steel Stand Bowl
- With Anti-slip Rubber Feet for Stability
- Accessories: Beaters and Dough Hooks



## ESMB-M3430(WH)

- Power: 300W
- Capacity: 3.4L
- 5-speed
- Turbo and Eject Function
- Hand Mixer with Turnable Stand Bowl
- With Anti-slip Rubber Feet for Stability
- Accessories: Beaters and Dough Hooks



## ESMB-E3030(WH)

- Power: 300W
- Capacity: 3.0L
- 5-speed
- Turbo and Eject Function
- Hand Mixer with Turnable Stand Bowl
- With Bowl Cover for Hygiene
- Accessories: Beaters and Dough Hooks



## ESMB-9925S

- Power: 300W
- Capacity: 4.2L
- 5-speed
- Turbo and Eject Function
- Hand Mixer with Stainless Steel Stand Bowl
- With Anti-slip Rubber Feet for Stability
- Accessories: Beaters and Dough Hooks

# HAND MIXER



## EHM-D2520(WH)

- Power: 200W
- 5-Speed
- Turbo and Eject Function
- Accessories: Beaters and Dough Hooks



## SANDWICH MAKER



Stainless Steel Cover

### ESM-G7528(SS)

- Power: 750W
- Easy Clip Handle
- Overheat Safety Protection



### ESM-G7021(WH)

- Power: 680W - 820W
- Easy Clip Handle
- Overheat Safety Protection



### ESM-G7020(WH)

- Power: 680W - 820W
- Easy Clip Handle
- Overheat Safety Protection

#### Common Points


- 2-slice Sandwich Baking Plate
- Non-stick Coating Cooking Plate
- With Indicator Light

## TOASTER



### ET-G2770(WH)

- Power: 700W
- 2-slice
- Adjustable Browning Control with Indicator Light
- Cancel Function with Indicator Light
- Cool Touch Body
- With Cord Storage
- Removable Crumb Tray



## OVEN TOASTER



### EOT-D0989(BK)

- Power: 800W
- Capacity: 9.0L
- Infrared Heaters
- 60 Minutes Timer and Temperature Control (100°C - 250°C)



## 2-IN-1 HOT POT AND BBQ GRILLER



### EGL-K3051(BK)

- Power: 1,800W
- Pot Capacity: 3L Stainless Steel Pot
- Die Cast Aluminum Non-stick Grill Plate
- Adjustable 5 Level Temperature Control
- Removable Oil Reservoir to Collect Excess Oil
- With Indicator Light
- Detachable Grill Plate for Easy Cleaning
- Overheat Safety Protection

#### Adjustable Temperature Knob



#### Die Cast Aluminium Non-stick Grill Plate



## FOOD PROCESSOR



### EFP-K2480(BK)

- Power: 800W
- Chopping Bowl Capacity: 2.4L
- Blending Jar Capacity: 1.5L
- 2-speed with Pulse Function for Different Food Preparation
- Extra Large Feeding Tube for Easy Preparation
- Stainless Steel Blade
- With Self-resetting Safety Thermal Cut Out to Protect Motor from Overheating
- All-in One Appliance for Whisking, Shredding, Slicing, Kneading, Blending and Chopping
- Accessories: Food Processor Bowl, Blender Jar, Stainless Steel Discs for Shredding and Slicing, Chopping Blade, Kneading and Mixing Blade, and Whipping Blade


#### Beating & Whisking



#### Slicing & Shredding



#### Kneading & Mixing



# FOOD STEAMER



Rice Bowl



20L



## EFS-M2028(WH)

- Power: 1,600W - 1,800W
- Capacity: 20L
- 2 Layers of Interchangeable Steam Basket
- Stackable Steam Basket for Easy Storage
- BPA Free Steam Tray
- Double Heaters for Quick Steam Heating
- Removable Steam Plate for Extensive Capacity
- With 60 Minutes Timer and Auto-stop Bell Signal
- External Water Filler with Water Level Indicator
- Overheat Safety Protection



Rice Bowl



10L

Stainless Steel Body



## EFS - M1038 (SS)

- Power: 800W - 950W
- Capacity: 10L
- 3 Layers of Interchangeable Steam Basket
- Stackable Steam Basket for Easy Storage
- BPA Free Steam Tray
- Rapid Steam Generate 30 seconds
- With 60 Minutes Timer and Auto-stop Bell Signal
- External Water Filler with Water Level Indicator
- Overheat Safety Protection

# AIR FRYER



Touch Control Panel with LED Display

## EAF-J3213D(BK)

- Power: 1,300W
- Capacity: 3.2L
- 8 Presets Cooking Settings
- 40°C - 200°C Temperature Setting and Adjustable Timer Up to 60 Minutes
- End Cooking Signal
- Touch Control Panel with LED Display



## EAF-H3214(BK)

- Power: 1,400W
- Capacity: 3.2L
- 80°C - 200°C Temperature Setting and Adjustable Timer Up to 30 Minutes
- Safety Cover for Basket Release Button

### Common Points

- 360 High Speed Hot Air Circulation Technology
- Cool Touch Body and Grip Handle
- Detachable Non-stick Coating Frying Basket
- Overheat Safety Protection
- With Indicator Light
- Anti-slip Rubber Feet

# MULTI COOKER



## EMC-N9015(BL)

- Power: 1,500W
- Capacity: 9L
- Transparent Glass Lid with Steam Vent
- Overheating Protection
- Multi-cooking Function: Deep Frying, Stir Fry, Steamboat, Slow Cooking and Others
- Comes with Steamer Tray and SUS 304 Steam Plate



3 Adjustable Power



Large Capacity



Teflon Coating Inner Pot



SUS 304 Steam Plate



## EMC-N5017(LP)

- Power: 1,000W
- Capacity: 5L
- Adjustable Temperature Control
- Stainless Steel Inner Pot with Non-stick Coating
- Transparent Glass Lid with Steam Vent
- Multi-cooking Function: Deep Frying, Stir Fry, Steamboat, Slow Cooking and Others
- Overheating Protection



2 Adjustable Power



Multi Cooking Function



Easy Cleaning



## EMC-K5015 (PK)

- Power: 1,500W
- Capacity: 5L
- 6-in-1 Cooking Function: Stir Fry, Fry, Steam, Warm, Steamboat, and Slow Cook
- Removable Non-stick Inner Pot
- Comes with Non-stick Grill Pan



Non-Stick Grill Pan



## EMC-K5010(SS)

- Power: 1,500W
- Capacity: 5L
- 6-in-1 Cooking Function: Stir Fry, Fry, Steam, Warm, Steamboat, and Slow Cook
- Removable Non-stick Inner Pot
- Comes with Steam Tray

Comes with Steam Tray

### Common Points

- Adjustable Temperature
- Transparent Glass Cover with Cold Touch Handle
- Overheating Protection

# MICROCOMPUTER RICE COOKER




**NEW**

## ERC-N1890D(BR)

- Power: 860W
- Capacity: 1.8L
- 2.0mm Thick Spherical Inner Pot
- Inner Pot with Handle
- Smart Sensor Touch Control
- Digital Timer Display
- Detachable Inner Lid and Steam Valve
- 24 hours Delay Timer
- Adjustable Cooking Timer
- Dry Boiled Protection
- 11 Preset Program: White Rice, Quick Cook, Mixed Grain, Stewed Rice, Soup, Porridge, Soft rice, Cake, Steam, Reheat, and Keep Warm
- Accessories: Steam Basket, Rice Scoop, Soup Ladle, and Measuring Cup

4 Layers Coating Non-Stick Inner Pot



Smart Sensor Touch Control



**NEW**



## ERC-N1883D(SS)

- Power: 860W
- Capacity: 1.8L
- 1.6mm Thick Honeycomb Structure Inner Pot
- TEFLON Non Stick Coating
- Smart Sensor Touch Control
- 10 Hours Delay Timer
- Dry Boiled Protection
- 6 Preset Program: Soup, Porridge, Steam, Reheat, Quick Cook, and Rice.
- Accessories: Steam Basket, Rice Scoop, Soup Ladle, and Measuring Cup

Smart Sensor Touch Control



Honeycomb Inner Pot



## ERC-K2050D(BK)

- Power: 500W
- Capacity: 2L
- Smart Touch Control Panel
- Multi-functional Intelligent Menu
- Customised Stainless Steel Basket for Low Sugar Rice Cooking
- 24 Hours Preset Timer
- NTC Temperature Sensor for Overflow Prevention
- 3 Layer Non-stick Teflon Coated Inner Pot
- Various Cooking Menu: Desugar, Quick Cook, Slow Cook, Claypot Rice, Porridge, Soup, and Keep Warm

Starch Reducing Up to 37%



Triple-layer Non-stick Coating



High Heat Steaming



Desugar Function



# JAR RICE COOKER



**NEW**

## ERC-R1037(BL)

- Power: 400W
- Capacity: 1.0L
- Energy Star Rating: 3-Star



**NEW**

## ERC-R1837(BL)

- Power: 700W
- Capacity: 1.8L
- Energy Star Rating: 3-Star



**NEW**

## ERC-R2857(BL)

- Power: 1000W
- Capacity: 2.8L
- Energy Star Rating: 4-Star

### Common Points

- Cool Touch Handle
- Cook and Automatic Keep Warm Function
- With Steam Basket, Rice Scoop and Measuring Cup
- 1.2mm Thickness Inner Pot
- Non-stick Teflon Coated Inner Pot

# TRADITIONAL RICE COOKER



**NEW**

## ERC-R1077T(BL)

- Power: 400W
- Capacity: 1.0L
- Energy Star Rating: 2-Star



**NEW**

## ERC-R1877T(BL)

- Power: 700W
- Capacity: 1.8L
- Energy Star Rating: 3-Star



**NEW**

## ERC-R2877T(BL)

- Power: 1000W
- Capacity: 2.8L
- Energy Star Rating: 3-Star

### Common Points

- Cool Touch Handle
- With Glass Lid
- With Rice Scoop and Measuring Cup
- Removable Inner Pot for Easy Cleaning
- Cook and Automatic Keep Warm Function

# COMMERCIAL RICE COOKER



5.6L

## ECRC-M5619(WH)

- Power: 1,900W
- Capacity: 5.6L (Approx. 28 cups of rice)
- Automatic Keep Warm Function
- With Stainless Steel Lid
- Cool Touch Handle with Lid Hook
- Overheating Cut-off Protection
- With Rice Scoop and Measuring Cup



10L

## ECRC-M1026(WH)

- Power: 2,650W
- Capacity: 10L (Approx. 55 cups of rice)
- Automatic Keep Warm Function
- With Stainless Steel Lid
- Cool Touch Handle with Lid Hook
- Overheating Cut-off Protection
- With Rice Scoop and Measuring Cup

# SLOW COOKER



## ESCO-K6527D(GR)

- Power: 270W
- Capacity: 6.5L
- Oval Shape Elegant Design
- Programmable Countdown Timer from 30 Minutes Up to 12 Hours



## ESC-K1568(CP)

- Power: 120W
- Capacity: 1.5L



## ESC-K3568(CP)

- Power: 180W
- Capacity: 3.5L



## ESC-K4568(CP)

- Power: 240W
- Capacity: 4.5L



## ESC-K1569(WH)

- Power: 120W
- Capacity: 1.5L



## ESC-K3569(WH)

- Power: 180W
- Capacity: 3.5L



## ESC-K4569(WH)

- Power: 240W
- Capacity: 4.5L



## ESCO-K6568(CP)

- Power: 300W
- Capacity: 6.5L
- Oval Shape Elegant Design




## ESCO-K6569(WH)

- Power: 300W
- Capacity: 6.5L
- Oval Shape Elegant Design

### Common Points

- Ideal for Casseroles
- Variable Thermostat Control
- Versatile Crock Pot
- Healthy and Convenient Cooking
- With Indicator Light
- See-through Heat-resistant Glass Lid

# CERAMIC COOKER



## ECC-J2015(BK)

- Power: 2,000W
- Black Ceramic Crystalite Glass Plate
- Sensor Touch with LED Display
- Preset Programmes: Steamboat, BBQ, Soup, Water, and Manual Mode
- Adjustable Temperature, Timer and Voltage
- With Fan Delay Turn Off Function
- Automatic Turn Off Function If Without Any Operation Within 2 Hours
- Under Voltage and Over Voltage Protection Function
- Anti-slip Rubber Feet
- Suitable for Any Type of Cookwares: Glass, Claypot, Cast Iron, Ceramic, and Stainless Steel

# PRESSURE COOKER



## EPC-N4062(BL)

- Power: 800W
- Capacity: 4L
- Digital Display with Touch Control Panel
- Automatic Cooking Time and Keep Warm Function
- Cool Touch Handle for Easy Carry
- With Safety Cooking Indicator Light
- 10 Preset Programs: Rice, Porridge, Soup, Meat, Bean, Stew, Saute, Cake, Stir Fry, and Chicken

Soft Touch Button for Easy Cooking



Stainless Steel Inner Lid with Detachable Seal Ring for Easy Cleaning



Large Capacity for Variety Cooking



### Benefits of Pressure Cooking

- Safety First**  
6 Multi Safety Devices
- Energy Saving**  
Energy efficient with speedy cooking
- Versatility**  
Various cooking options for fantastic results
- Convenience**  
Cooks food 70% faster than conventional cooking methods
- Nutrients**  
Retains vitamins and minerals besides preventing precious nutrients from boiling away



## EPC-N6082(BR)

- Power: 1,000W
- Capacity: 6L
- Digital Display with Touch Control Panel
- Automatic Cooking Time and Keep Warm Function
- One Touch Safe Pressure Release Button
- Cool Touch Handle for Easy Carry
- Variety Cooking Programs: Rice, Multigrain, Porridge, Slow Cook, Chicken, Beef, Bean, Cake, Stew, and Stir Fry

Soft Touch Button for Easy Cooking



One Touch Safe Pressure Release Button



Large Capacity for Variety Cooking



### Common Points

- Preset Timer Up to 24 Hours
- Overheating Protection
- Cooks Fast with less Electricity Consumes
- Removable Non-Stick Cooking Pot for Easy Cleaning
- Multi-Safety Devices - Open and Close Lid Safety Device, Pressure Control Device, Pressure Limit Valve, Anti-block Cover, Pressure Relief Device, Thermostat and Thermal Safety Fuse
- Uses Microcomputer Function to Retain the Nutrition and Flavour of Food
- LED Display to Select Desired Function

# GAS STOVE



## EGS-M6992(SS)

- 100mm x 120mm Whirling Brass Burner Ring
- Enamel Pan Support
- Automatic Piezo Ignition



## EGS-F7192(SS)

- Turbo Jet Burner
- Brass Burner Ring
- Chrome Coated Pan Support
- Automatic Piezo Ignition



## EGS-F7132(SS)

- Turbo Jet Burner
- Brass Burner Ring
- Chrome Coated Pan Support
- Automatic Piezo Ignition



## EGS-F7112(SS)

- 100mm x 120mm Iron Plated Burner Ring
- Enamel Pan Support
- Automatic Piezo Ignition



## EGS-F7102(SS)

- 100mm x 120mm Iron Plated Burner Ring
- Enamel Pan Support
- Automatic Piezo Ignition

Infrared Heating



## EGS-K7162IR(SS)

- Double Jet Burner
- Enamel Pan Support
- 150mm x 150mm Infrared Burner Ring
- Automatic Piezo Ignition

### Benefits of Infrared Heating Gas Stove

- Smokeless and Flameless
- No More Black Soot at the Bottom of Utensile
- Wind Proof that Works Perfectly in Windy Conditions
- High Thermal Efficiency - High Heat Temperature to Reduce Cooking Time

# SEMI COMMERCIAL GAS STOVE



## EGS-K6081(SS)

- 160mm Cast Iron Burner (6.8kW)
- Double Knob Control System
- Cast Iron Pan Support
- Stainless Steel Panel
- Automatic Ignition
- Independent Control Inner and Outer Burner

# DC CEILING FAN - URANO SERIES

NEW SERIES



## ECF-N6032L(BK)

- Durable ABS 5-blade Design
- Tri-temperature LED (Daylight, Cool White, and Warm)
- RF Remote Control with 6-fan Speed Selection
- Dimension(mm): 1,520 (W) x 330 (H)
- Fan Reverse Function
- 1-8 Hours Off Timer
- Air Delivery: 270m<sup>3</sup>/min
- Fan Speed: (Lowest) 100 RPM; (Highest) 195 RPM

● Available in Black

RF Remote Control



### Features



Tri-colour LED Light



Save Up to 70% of Electricity\*



DC Motor

\*The result is compare with ELBA AC model



## ECF-N6030(BK/GR)

- Durable ABS 5-blade Design
- RF Remote Control with 6-fan Speed Selection
- Fan Reverse Function
- Dimension(mm): 1,520 (W) x 330 (H)
- 1-8 Hours Off Timer
- Air Delivery: 270m<sup>3</sup>/min
- Fan Speed: (Lowest) 100 RPM; (Highest) 195 RPM

● Available in Black

● Available in Grey

RF Remote Control



### Features




Save Up to 70% of Electricity\*



DC Motor

\*The result is compare with ELBA AC model

### Features



Comfortable, Natural Wind Like Conditions



Energy-saving, Efficient and Silent with A Longer Motor Lifespan



Safety Wire Secures The Fan Motor To The Ceiling Hook

In Case of Blade Breakage, The Safety Clip Will Secure and Hold The Blade to The Motor

## DC CEILING FAN - TERRA SERIES

NEW SERIES



56" ECF-N5652L(BK)

- Durable ABS 5-blade Design
- Tri-temperature LED (Daylight, Cool White, and Warm)
- RF Remote Control with 6-fan Speed Selection
- Fan Reverse Function
- 1-8 Hours Off Timer
- Air Delivery: 255m<sup>3</sup>/min
- Fan Speed: (Lowest) 100 RPM; (Highest) 210 RPM
- Dimension(mm): 1,420 (W) x 330 (H)
- Available in Black

### Features



### RF Remote Control



56" ECF-N5650(BK/GR)

- Durable ABS 5-blade Design
- RF Remote Control with 6-fan Speed Selection
- Fan Reverse Function
- 1-8 Hours Off Timer
- Air Delivery: 255m<sup>3</sup>/min
- Fan Speed: (Lowest) 100 RPM; (Highest) 210 RPM
- Dimension(mm): 1,420 (W) x 330 (H)
- Available in Black
- Available in Grey

### Features



### RF Remote Control



## DC CEILING FAN - LUNA SERIES

NEW SERIES



56" ECF-N5612L(BK)

- Durable ABS 5-blade Design
- Tri-temperature LED (Daylight, Cool White, and Warm)
- RF Remote Control with 6-fan Speed Selection
- Fan Reverse Function
- 1-8 Hours Off Timer
- Air Delivery: 250m<sup>3</sup>/min
- Fan Speed: (Lowest) 100 RPM; (Highest) 220 RPM
- Dimension(mm): 1,420 (W) x 300 (H)
- Available in Black

### Features



### RF Remote Control




\*The result is compare with ELBA AC model



56" ECF-N5610(BK)

- Durable ABS 5-blade Design
- RF Remote Control with 6-fan Speed Selection
- Fan Reverse Function
- 1-8 Hours Off Timer
- Air Delivery: 250m<sup>3</sup>/min
- Fan Speed: (Lowest) 100 RPM; (Highest) 220 RPM
- Dimension(mm): 1,420 (W) x 300 (H)
- Available in Black

### Features



### RF Remote Control



\*The result is compare with ELBA AC model

## AC CEILING FAN



60" ECF-J6051(WH/BR)

- 60" Metal Fan Blades
- Power: 80W
- 5-speed with Regulator Control
- Built-in Safety Thermal Fuse
- Equipped with Safety Wire
- 100% Copper Motor
- Dimension(mm): 1,500 (W) x 460 (H)

○ Available in White ● Available in Dark Brown



60" ECF-J6052(WH/BR)

- 60" Metal Fan Blades
- Power: 80W
- 5-speed with Regulator Control
- Built-in Safety Thermal Fuse
- Equipped with Safety Wire
- 100% Copper Motor
- Dimension(mm): 1,500 (W) x 460 (H)

○ Available in White ● Available in Dark Brown

## HIGH VELOCITY FAN - velocito SERIES



NEW

18" EIWF-N1845(BK)

- 18" High Velocity Wall Fan
- Power: 80W
- 5 Aluminum Blades
- Thermal Safety Fuse Installed Inside Motor Providing Extra Safety
- Tilt Angle Control and Wide Oscillating Angle
- Convenient Guard Ring Clip

● Available in Black



NEW

18" EISF-N1885(BK)

- 18" High Velocity Stand Fan
- Power: 75W
- 5 Aluminum Blades
- Adjustable Height up to 1.4m
- Thermal Safety Fuse Installed Inside Motor Providing Extra Safety
- Tilt Angle Control and Wide Oscillating Angle
- Convenient Guard Ring Clip

● Available in Black

## 2-IN-1 CONVERTIBLE STAND FAN



Stand Fan Outlook



Living Fan Outlook

2-in-1 Convertible Stand Fan & Living Fan

16"

ESF-H1648(BK)

- 16" Stand Fan
- Power: 50W
- 5 Transparent Break-resistance ABS Blades
- Thermal Safety Fuse Installed Inside Motor Providing Extra Safety
- Both Tilt Angle Control and Wide Oscillating Angle Available
- Convenient Guard Ring Clip

● Available in Black

# STAND FAN




## ESF-E1638TM(GR)

- 16" Stand Fan
  - Power: 50W
  - 120 Minutes Timer
  - 5 Transparent AS Blades
  - Adjustable Height up to 1.36m
- Available in Grey



## ESF-G1880TM(BK)

- 18" Stand Fan
  - Power: 75W
  - 120 Minutes Timer
  - 5 Transparent Break-resistant ABS Blades
  - Adjustable Height up to 1.42m
- Available in Black



## ESF-H1649TM(BK)

- 16" Stand Fan
  - Power: 50W
  - 120 Minutes Timer
  - 5 Transparent AS Blades
  - Adjustable Height up to 1.36m
- Available in Black



## ESF-E1639TM(GR)


- 16" Stand Fan
  - Power: 50W
  - 120 Minutes Timer
  - 5 Transparent AS Blades
  - Adjustable Height up to 1.36m
- Available in Grey



NEW


## ESF-Q1657(GN)

- 16" Stand Fan
  - Power: 50W
  - 5 Transparent AS Blades
  - Adjustable Height up to 1.36m
- Available in Green




## ESF-J1688(GR)

- 16" Stand Fan
  - Power: 50W
  - 5 Transparent AS Blades
  - Adjustable Height up to 1.36m
- Available in Grey



## ESF-K1672(GR)

- 16" Stand Fan
  - Power: 50W
  - 5 Transparent AS Blades
  - Adjustable Height up to 1.36m
- Available in Grey



## ESF-J1656(BK)

- 16" Stand Fan
  - Power: 50W
  - 5 Transparent AS Blades
  - Adjustable Height up to 1.36m
- Available in Black


### Common Points

- 3-speed Setting
- 100% Copper Motor
- Convenient Guard Ring

- Thermal Safety Fuse Installed Inside Motor Providing Extra Safety
- Whisper-quiet Self Lubricating Motor

- Both Tilt Angle Control and Wide Oscillating Angle Available

# TABLE FAN




## ETF-H1623(BK)

- Fan Size: 16"
  - Power: 50W
- Available in Black



## ETF-G1220(GR)

- Fan Size: 12" ● Available in Grey
- Power: 40W



## ETF-G1203(GR)

- Fan Size: 12" ● Available in Grey
- Power: 40W

## ETF-G1620(GR)

- Fan Size: 16" ● Available in Grey
- Power: 50W

## ETF-G1603(GR)

- Fan Size: 16" ● Available in Grey
- Power: 50W

# WALL FAN



18" ● Available in Black



## EWMF-G1862(BK)

- Fan Size: 18"
- Power: 80W
- 5 Transparent Break-resistant ABS Blades

16" ● Available in Black



## EWMF-E1645(BK)

- Fan Size: 16"
- Power: 60W
- Double String Pull Switches
- 3 Transparent Break-resistant ABS Blades

16" ● Available in Black



## EWMF-E1646RC(BK)

- Fan Size: 16"
- Power: 60W
- 7.5 Hours Timer
- Comes with Infrared Remote Control
- 3 Transparent Break-resistant ABS Blades

16" ● Available in Black



## EWMF-N1676RC(BK)

- Fan Size: 16"
- Power: 60W
- 7.5 Hours Timer
- Comes with Infrared Remote Control
- 5 Transparent AS Blades

16" ● Available in Black



## EWMF-N1675(BK)

- Fan Size: 16"
- Power: 60W
- Double String Pull Switches
- 5 Transparent AS Blades

### Common Points

- 3-speed Setting
- Thermal Safety Fuse
- Wide Oscillating Angle Available
- Adjustable Tilt Angle
- Whisper Quiet of Self Lubricating Motor
- Convenient Guard Ring Clip
- 100% Copper Motor

## AUTO FAN



### EATF-G1655(WH)

Available in White

- Fan Size: 16"
- Power: 40W
- 3 Transparent AS Blades
- 3-speed Setting with Wall Control Regulator
- Built-in Thermal Safety Fuse
- 360° Oscillation Circle
- Whisper-quiet Self Lubricating Motor
- Adjustable Angle 15°, 30°, and 50°
- Convenient Guard Ring Clip
- 100% Copper Motor

## INDUSTRIAL FAN



### EIWF-G2631(BK)

Available in Black

- Fan Size: 26"
- Power: 180W
- Fan Speed: 1,350 RPM
- Industrial Grade High Speed Air Delivery
- Corrosion Resistant Metal Fan Blades
- 3-speed Setting
- Built-in Safety Thermal Fuse
- Bended Wall Support Pole
- Both Tilt Angle Control and Wide Oscillation Angle Available
- 100% Copper Motor



### EISF-G2601(BK)

Available in Black

- Fan Size: 26"
- Power: 180W
- Fan Speed: 1,350 RPM
- Industrial Grade High Speed Air Delivery
- Corrosion Resistant Metal Fan Blades
- 3-speed Setting
- Built-in Safety Thermal Fuse
- Adjustable Height Up to 1.7m
- Both Tilt Angle Control and Wide Oscillation Angle Available
- 100% Copper Motor

## WALL MOUNTED VENTILATION FAN



### EVF-E0805(WH)

- 8" ABS Fan Blade
  - Power: 30W
- Available in White



### EVF-E1005(WH)

- 10" ABS Fan Blade
  - Power: 35W
- Available in White

## GLASS MOUNTED VENTILATION FAN



### EGVF-E0615(WH)

Available in White

- 6" Fan Blade
- Power: 15W



### EGVF-E0815(WH)

Available in White

- 8" Fan Blade
- Power: 20W

#### Common Points

- Quiet Operation
- 3 Years Motor Warranty
- Easy Installation and Easy Cleaning
- Unique Q-blades for High Efficiency Air Flow and Perfect Balance
- Thermal Safety Fuse (Installed inside Motor Providing Extra Safety)
- High Efficiency Motor for Energy Saving

## AIR COOLER

Beat the heat with ELBA Air Coolers, so you can enjoy a fresh invigorating breeze, wherever you are at home. Thanks to three efficient wind modes and fan speeds, these Air Coolers are just what you need for sweltering days and nights.



### EAC-G6570RC(WH)

- Power: 65W
- Water Tank Capacity: 7.0L
- 3 Wind Modes: Normal, Natural, Sleep
- Built-in Safety Cut Off
- 7.5 Hours Sleep Timer
- With Remote Controller



### EAC-H6580RC(WH)

- Power: 65W
- Water Tank Capacity: 14.0L
- 3 Wind Modes: Normal, Natural, Sleep
- 7.5 Hours Sleep Timer
- Built-in Low Water Level Sensor
- Built-in Safety Cut Off
- With Remote Controller

#### Common Points

- 3-speed Fan Setting
- Honeycomb Cooling Media
- Vertical Adjustable Louver
- Convenient Casters for Easy Moving
- Thermal Safety Fuse
- With Cooling Pad
- Automatic Horizontal Oscillating Angle



# WET & DRY VACUUM CLEANER



Stainless Steel Tank

### Filter Self-Brushing Function



### Air Blowing Function




### Draining Outlet for Easy Water Removal



### Features



Air Blowing Function



HEPA Filter

## EVC-H1231(SS)

- Power: 1,200W
- Tank Capacity: 30L
- Suction Power: 190W
- Stainless Steel Tank
- Air Blowing Function
- With Filter Self-Brushing Function
- Draining Outlet for Easy Water Removal
- Lightweight and Compact Design for Ease of Carrying




## EV-6720

- Power: 1,200W
- Tank Capacity: 20L
- Suction Power: 160W

### Features



HEPA Filter



### Common Points

- HEPA Filter System
- Wet and Dry Use
- Suitable for Wet Cleaning, Carpet Use, Gap Use and Floor Use
- Safety Switch

# HAIR DRYER - VORANTE SERIES

## NEW SERIES



## EHD-Q6663DC(SV)

- Power: 1,600-1,800W
- Rpm: 110,000
- 3-speed Control
- 4 Temperature with Auto Cycling Mode
- High Speed Airflow and Quiet Drying Experience
- 200 Millions Negative Ions to Fight Frizz and Enhances Shine
- Magnetic Nozzle
- Lightweight
- BLDC Motor
- **Full Set Accessories:** Travel Bag, Magnetic Diffuser, Magnetic Nozzle and Wall Hanger

● Available in Silver Blue



## EHD-Q6663DC(BK)

- Power: 1,600-1,800W
- Rpm: 110,000
- 3-speed Control
- 4 Temperature with Auto Cycling Mode
- High Speed Airflow and Quiet Drying Experience
- 200 Millions Negative Ions to Fight Frizz and Enhances Shine
- Magnetic Nozzle
- Lightweight
- BLDC Motor
- **Full Set Accessories:** Travel Bag, Magnetic Diffuser, Magnetic Nozzle and Wall Hanger

● Available in Titanium Grey

### Free Accessories

#### Travel Bag



#### Magnetic Diffuser



#### Magnetic Nozzle



#### Magnetic Wall Hanger



### Features

200 Millions Negative Ions to Fight Frizz and Enhance Shine



### Efficient and Effortlessly

4 Temperature with Auto Cycling Mode  
3-speed Control  
Power



### Magnetic Accessories



BLDC Motor  
110,000rpm



4 Temperature Modes



Negative Ions



Magnetic Nozzle



Low Noise

# HAIR DRYER - MORANTE SERIES

NEW SERIES



## EHD-Q5653DC(PK)

- Power: 1,600-1,800W
- Rpm: 110,000
- 3-speed Control
- 4 Temperature with Auto Cycling Mode
- High Speed Airflow and Quiet Drying Experience
- 200 Millions Negative Ions to Fight Frizz and Enhances Shine
- Magnetic Nozzle
- Lightweight

Available in Pastel Pink

## EHD-Q5653DC(PP)

- Power: 1,600-1,800W
- Rpm: 110,000
- 3-speed Control
- 4 Temperature with Auto Cycling Mode
- High Speed Airflow and Quiet Drying Experience
- 200 Millions Negative Ions to Fight Frizz and Enhances Shine
- Magnetic Nozzle
- Lightweight


Available in Lavender

### Features

200 Millions Negative Ions to Fight Frizz and Enhance Shine



Quicker and Effortlessly



Magnetic Accessories



BLDC Motor  
110,000rpm



4 Temperature Modes



Negative Ions




Magnetic Nozzle



Low Noise

# HAIR DRYER - AIRLUX SERIES

NEW SERIES



## EHD-Q4643D(PK)

Available in Candy Pink


- Power: 1,600-1,800W
- 2-speed control
- 4 Mode (Child, Scalp, Style, and Jet)
- LED Display
- Fast Drying Experience
- 20 Millions Negative Ions to Fight Frizz and Enhance Shine
- Magnetic Nozzle
- Lightweight
- DC Motor



## EHD-Q4643D(BL)

Available in Candy Blue

- Power: 1,600-1,800W
- 2-speed control
- 4 Mode (Child, Scalp, Style, and Jet)
- LED Display
- Fast Drying Experience
- 20 Millions Negative Ions to Fight Frizz and Enhance Shine
- Magnetic Nozzle
- Lightweight
- DC Motor



## EHD-Q4643D(PP)

Available in Candy Purple

- Power: 1,600-1,800W
- 2-speed control
- 4 Mode (Child, Scalp, Style, and Jet)
- LED Display
- Fast Drying Experience
- 20 Millions Negative Ions to Fight Frizz and Enhance Shine
- Magnetic Nozzle
- Lightweight
- DC Motor

### Features



DC Motor



4 Temperature Modes



Negative Ions

# HAIR DRYER



## EHD-G1226TR(SV)

- Power: 1,200W
- 2-heat Setting
- 2-speed Control
- Foldable Handle
- Accessories: Concentrator



## EHD-G2037(BK)

- Power: 1,800W - 2,200W
- 3-heat Setting
- 2-speed Control
- With Cool Shot Function
- Straight Handle Type
- **Accessories:** Big Diffuser and Concentrator



## EHD-J2238(CG)

- Power: 1,800W - 2,200W
- 3-heat Setting
- 2-speed Control
- With Cool Shot Function
- Straight Handle Type
- **Accessories:** Big Diffuser and Concentrator

# STEAM GENERATOR



## ESG-N2258C(PP)

- Power: 2,200W
- Capacity: 1.7L Detachable Water Tank
- Pump Pressure: 5.5 Bar
- Heat Up Time: 1 Minute
- Powerful Steam Rate: 180g/min
- Function: Dry /Steam
- Ceramic Soleplate
- Vertical Steam
- With Safety Carry Lock for Easy Carry
- With Smart Calc-Clean Function
- Auto Shut-off
- With Indicator Light
- Anti-slip handle
- 360° Swivel Power Cord
- Adjustable Temperature Control Dial
- Variable Steam Control

### Self Clean Smart Calc-Clean

Smart Calc-clean Function to ensure that descaling and cleaning is done regularly. This helps to maintain a strong steam performance and prevents dirt and stains building up on the soleplate over time.

### Features

- 2200W High Performance
- Ceramic Soleplate
- Powerful Steam Rate

### Ultimate Steam Technology for Easy Ironing



### Detachable Water Tank (1.7L)



# GARMENT STEAM IRON



## EGSI-M1563(PK)

- Power: 1,260W - 1,500W
- Water Tank Capacity: 1.9L
- On /off Control Switch with Light Indicator
- Adjustable Telescopic Aluminium Pole
- Overheat Safety Protection



## EGSI-G1842(LB)

- Power: 1,500W - 1,800W
- Water Tank Capacity: 1.5L
- Variable Temperature Control with Light Indicator
- Adjustable Telescopic Pole

### Common Points

- With Drainage Valve for Easy Maintenance and Cleaning
- With Caster for Easy Moving
- Compact Design for Easy Storage

# STEAM IRON



## ESI-N1852(BL/PP)

- Power: 1,830W - 2,180W
- Vertical Steam
- Non-stick Coating Soleplate
- Available in Light Blue
- Available in Purple

Large Ceramic Coating Soleplate



## ESI-H2223C(VL)

- Power: 2,000W - 2,400W
- Anti-calc System
- Large Ceramic Coating Soleplate
- Available in Violet

### Features

- Anti-Drip
- Variable Steam
- Steam-cleaning Function



## ESI-H2023C(RD)

- Power: 1,830W - 2,180W
- Anti-calc System
- Ceramic Coating Soleplate
- Available in Red



## ESI-1196(P/V)

- Power: 1,450W - 1,750W
- Vertical Steam
- Non-stick Coating Soleplate
- Available in Pink
- Available in Violet

### Common Points

- Function: Dry / Spray/ Steam
- With Indicator Light
- Anti-slip Handle
- 360° Swivel Power Cord
- Easy Water Refill Hole
- Adjustable Temperature Control Dial
- Variable Steam Control and Powerful Burst
- Anti-drip

# DRY IRON



## EDI-G1236(PP)

- Power: 1,100W - 1,300W
- With Spray
- Available in Purple



## EDI-G1303(PP)

- Power: 1,100W - 1,300W
- With Spray
- Available in Purple

### Common Points

- With Indicator Light
- Non-stick Coating Soleplate
- 360° Swivel Power Cord
- Adjustable Temperature Control Dial
- Flexi Cable for Easy Ironing

# WATER HEATER - EVVO series

NEW SERIES

## DC Pump with Rainshower

- Power Rating: 4.25kW
- Voltage: 240V
- Frequency: 50Hz / 60Hz
- Min Water Pressure: 0.2 Bar
- Max Water Pressure: 4.0 Bar
- Min Flow Rate: 2.0L/min
- Hand Shower Pattern: 3-spray
- Dimension (mm): 230 (L) x 70 (W) x 442 (H)



**EWHR-Q4218DC(SB)**   **EWHR-Q4218DC(MB)**

- Available in Sky Blue
- Available in Matte Black

## DC Pump

- Power Rating: 4.25kW
- Voltage: 240V
- Frequency: 50Hz / 60Hz
- Min Water Pressure: 0.2 Bar
- Max Water Pressure: 4.0 Bar
- Min Flow Rate: 2.0L/min
- Hand Shower Pattern: 3-spray
- Dimension (mm): 230 (L) x 70 (W) x 442 (H)



**EWHR-Q4215DC(SB)**   **EWHR-Q4215DC(MB)**

- Available in Sky Blue
- Available in Matte Black

## Basic Stream

- Power Rating: 4.25kW
- Voltage: 240V
- Frequency: 50Hz / 60Hz
- Min Water Pressure: 0.2 Bar
- Max Water Pressure: 4.0 Bar
- Min Flow Rate: 2.0L/min
- Hand Shower Pattern: 3-spray
- Dimension (mm): 230 (L) x 70 (W) x 442 (H)



**EWHR-Q4211(SB)**   **EWHR-Q4211(MB)**

- Available in Sky Blue
- Available in Matte Black

### Massage



### Standard



### Jumbo



# WATER HEATER - ATTIVO series

## AC Booster Pump

- Power Rating: 3.6kW
- Volt: 240V
- Frequency: 50Hz / 60Hz
- Minimum Water Pressure: 0.2 bar (20kPa / 2.9psi)
- Maximum Water Pressure: 6.0 bar (0.6MPa / 87psi)
- Minimum Flow Rate: 2.0L/min
- Dimension (mm): 440(H) x 190 (W) x 89(D)



**EWHR-G3663AC(MB)**

- Available in Matte Black



**EWHR-G3663AC(SW)**

- Available in Snow White

## Basic Stream

- Power Rating: 3.6kW
- Volt: 240V
- Frequency: 50Hz / 60Hz
- Minimum Water Pressure: 0.2 bar (20kPa / 2.9psi)
- Maximum Water Pressure: 6.0 bar (0.6MPa / 87psi)
- Minimum Flow Rate: 2.0L/min
- Dimension (mm): 440(H) x 190 (W) x 89(D)



**EWHR-G3661(MB)**

- Available in Matte Black



**EWHR-G3661(SW)**


- Available in Snow White



**EWHR-G3660(SW)**

- Available in Snow White

### Massage



### Soothe



### Standard



### Mix



### Jumbo



# WATER HEATER - ACQUA series

## Basic Stream

- Power Rating: 3.8kW
- Volt: 240V
- Frequency: 50Hz/60Hz
- Minimum Water Pressure: 0.2 bar (20kPa / 2.9psi)
- Maximum Water Pressure: 6.0 bar (0.6MPa / 87psi)
- Minimum Flow Rate: 2.0L/min
- Dimension (mm): 236 (H) x 250 (W) x 87 (D)



**EWHR-K3420(GB)**

- Available in Galaxy Black



**EWHR-K3420(SW)**

- Available in Snow White

### Jumbo



### Standard



### Massage



On Internal Parts



\* On Inverter Silent DC Pump



On Heating Element



On Anti-tank Leakage



After-Sales Service Assured



Double Pole Relay ELSD  
Prevent electrocution



Double Thermal Safety Protection  
• 55°C anti-scalding  
• 90°C thermal cut-out



Energy Saving UP TO 60%  
(Only for Models with Inverter Silent DC Pump)



Splash Proof Protection (IP25 Standard)  
Equipped with SIRIM-certified IP25 Standard casing



Built-in Auto Water Flow Switch  
Automatically cuts power on low water pressure, prevent overheating or scalding



3-in-1 Compact Stop, Flow & Filter Valve  
Equipped with a 90-degree regulated stop valve with water flow regulator with built-in water filter



Authorised & Certified Malaysia, Singapore and Thailand tested and approved the quality and safety measures



Ensuring peace of mind with quality and reliable UL-approved heating element

\* Only applicable for model EWHR-Q4218DC(SB), EWHR-Q4218DC(MB), EWHR-Q4215DC(SB) and EWHR-Q4215DC(MB)