Wall Hung ADA High Efficiency Flush Valve System

Finished Wall

4¾

1" I P S

SUPPLY

(DN 25MM)

2¼" Mir (57mm)

11½" (292mn

Model MF1012WT12

Description

Complete HET System with Exposed Manual Water Closet Flushometer and ADA Vitreous China Fixture.

Flush Cycle

Model MF1012WT12 (1.28 gpf/4.8 Lpf)

Specifications

Flushometer Specification (Model MF-700-T12)

- Chrome Plated, Exposed, Diaphragm Type Water Closet Flushometer for Use with Right or Left Side Water Supply - Quiet Operation
- Uses Proprietary Silicone Diaphragm with Filtered Bypass - ADA Compliant Non-Hold Open Sealed Brass Handle
- 1" I.P.S. Angle Stop
- Adjustable Tailpiece
- High Back Pressure Vacuum Breaker with Single Piece Hex Coupling Nut
- Spud Coupling and Flange for 1 ½" Top Spud
 Sweat Solder Kit and Wall Flange with Set Screw
- No External Water Volume Adjustment
- High Efficiency for Water Conservation

Compliance & Certifications

- ASSE 1037-2015
- ASME A112.1035-2015
- CSA B125.37-15
- UPC By IAPMO

Listed

For Finish Variations Please Consult Factory

Fixture Specification (Model AUT-1012W)

- Complies with ADA Accessible Standards
- White Color
- Vitreous China
- Wall Hung Water Closet Bowl
- Elongated Rim 1-1/2" (38mm) I.P.S. Top Spud Inlet
- 2" (50mm) Fully Glazed Trapway
- 7-1/2" (190mm) x 8-1/2" (216mm) Water Surface Area
- Direct Feed Jet
- 100% Factory Tested Toilet Seat Not Included

Compliance & Certifications

- ASME A112.19.2/CSA B45.1
- Energy Act of 1992
- ADA- With installation consideration for section 604 ICC Water Closets, Accessibility Guidelines.
- ICC/ANSI A117.1
- TAS With installation consideration for section:
- 4.16.3. Adult seat height 17" (432mm) to 19" (483mm).
- CSA B651 With installation consideration for Clause 4.3.6 of the standard.
- ICC-ES PMG® Certified
- WaterSense® Listed

Plumbing System Requirements

- Minimum Flowing Pressure: 25 PSI
- Maximum Static Pressure: 80 PSI
- Minimum Flow Rate: 25 GPM


Disclaimer

Note: All vitreous china dimensions shown in these drawings are nominal and not to scale. Dimensions can vary within the tolerances established in the governing ASME A112.19.2/CSA B45.1 standard. It is important to consider this when planning rough-in and plumbing layouts.

> Advanced Modern Technologies Corporation • 19800 Nordhoff Place • Chatsworth, CA 91311 Tel: (818) 883-2682 • Toll Free: (800) 874-7822 • Fax: (818) 883-2620 • www.amtcorporation.com



4840 York Blvd | Los Angeles CA 90042 Toll Free: (800) 458-2377 | Fax:(323) 258-6523 www.CandLsupply.com | sales@CandLsupply.com



5 Years

This space for Architect/Engineer Approval