





Conforms to OSHA HCS 2012 (29 CFR 1910.1200) SAFETY DATA SHEET

PETRON PLUSTM AUTOMATIC TRANSMISSION SUPPLEMENT

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g, 14000-330-g

SECTION 1. PREPARATION INFORMATION

Date : March 18, 2015

GHS Product identifier: Petron Plus Automatic Transmission Supplement

MSDS ID: 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g

14000-330g

Code : Lubricant and Supplement.

CAS Number : Not Applicable for mixtures.

Synonyms : None.

Generic Chemical

Name

Mixture.

Applications include

the Following

Automatic Transmission Supplement, 11oz. to 10 to 12 quarts of AFT

Do Not use in CVT or Dual-Clutch Transmissions.

Manufactured by : PETRON PLUS GLOBAL, INC.

P. O. BOX 1906 208 East 2nd

HUTCHINSON, KS. 67504-1906 USA

Contact Information: 620/663-1800 - Phone

620/200-3338 - Cell info@petronplus7.com

Emergency Health and Safety Number: CHEMTREC: 800.424.9300 (24 Hours)

International: +1-703-527-3887



Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 2 of 15

SECTION 2. HAZARDOUS IDENTIFICATION

OSHA/HCS Status: While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees

and other users of this product.

Classification of the : Not Classified.

substance or mixture

GHS labile elements

Signal Word : No signal word.

Hazard statement : May cause eye, skin, and respiratory track irritation.

May cause allergic skin reaction.

Precautionary statements

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

Hazards not otherwise

classified : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture : Mixture

Other means of : Not applicable.

identification

CAS Number/other identifiers

CAS number : Not applicable.

Product code : 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g, 14000-330g

CHEMICAL NAME	CAS # or	% RANGE	Carcinogen
Distillates (petroleum), hydrotreated heavy naphthenic	d 64742-52-5	30 - 70%	N/E
Proprietary Ingredients	Mixture	30 - 60%	N/E
Borate ester	Confidential	0.25 - 3%	N/E
Isooctadecanoic acid reaction prod	lucts		
with tetraethylenepentamine	Confidential	0.25 - 3%	N/E
Dibutylhydrogen phosphite	1809-19-4	0.01 - 0.8%	N/E
Diphenylamine	122-39-4	0.001 - 0.4%	N/E

(N/E) = None Established.

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 3 of 15

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS, Cont.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4. FIRST AID MEASURES

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water (for 30 minutes),

occasionally lifting the upper and lower eyelids. Check for and

remove any contact lenses. Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Launder contaminated clothing before reuse. Get

medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do NOT INDUCE VOMITING unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye Contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye Contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

<u>Indication of immediate medical attention and special treatment needed, if necessary</u>

Note to physician : Treat symptomatically.

Special treatment : No special treatment.

Protection of first-aiders: No special protection is needed.

See toxicological information (Section 11).

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 4 of 15

SECTION 5. FIRE-FIGHTING MEASURES

NFPA 704 Hazard Class

Health: 2 Flammability: 1 Instability: 0



0 (Minimal)

1 (Slight)

2 (Moderate)

3 (Serious)

4 (Severe)

Extinguishing media

Suitable extinguishing : Halon, Dry chemicals, Foam, Carbon dioxide (CO2), Water spray or

fog. Do not use water jet as an extinguisher, as this will spread the

fire.

Unsuitable extinguishing:

media

media

Do not use water jet as an extinguisher, as this will spread the fire.

Extinguishing media, Cont.

Specific hazards arising:

from the chemical

No specific fire or explosion hazard.

Hazardous thermal

decomposition products

Р-----

Special protective actions for fire-fighters

No special protection is required.

Special protective

equipment for fire-fighters

Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive

Decomposition products may include the following materials: carbon

dioxide, carbon monoxide, nitrogen oxides, sulfur oxides.

pressure mode, coat, pants, gloves and boots.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

:

For non-emergency

personnel

Put on appropriate personal protective equipment. Keep unnecessary

personnel away.

For emergency

responders

If specialized clothing is required to deal with the spillage, take note

of any information in Section 8 on the suitable and unsuitable materials. See also the information in "For non-emergency

personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 5 of 15

SECTION 6. ACCIDENTAL RELEASE MEASURES, Cont.

Methods and materials for containment and cleaning up

Methods for Containment: Eliminate all sources of ignition or flammable that may come into

> contact with a spill of this material, if this is without risk. Stop the flow of material, if this is without risk. Dike the spilled material,

where this is possible. Contain the discharge material.

SPILL PROCEDURES: For Small Spills: Ventilate area, wear chemical splash goggles. Wear rubber

> boots. Prevent entry into sewers, waterways. Pick up free liquid for recycle or disposal. Absorb small amount on inert material for disposal.

SPILL PROCEDURES: For Large Spills: Personal Protective Equipment must be worn. Avoid skin

contact. Use skin protection. See Personal Protection Section for additional

PPE recommendations. Take precautions to avoid release to the

environment. Ventilate area if spilled in confined space or other poorly ventilated area. Prevent entry into sewer and waterway, dispose of in accordance with all federal, state and local environmental regulations. Pick-up free liquid for recycle and/or disposal. Residual liquid can be

absorbed on inert material.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Protective measures Put on appropriate personal protective equipment (see Section 5 & 8).

Avoid contact with used product. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in area where this

material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section

8 for additional information on hygiene measures.

Conditions for safe storage,:

including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and

drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and keep upright to prevent leaking. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

Under conditions which may generate mists, the following additional exposure limits are recommended: ACGIH TLV TWA: 5 mg/m³; STEL: 10 mg/m³.

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 6 of 15

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION, Cont.

Control parameters, Cont.

Appropriate engineering : Good general ventilation should be sufficient to control worker

controls exposure to airborne contaminants.

Environmental exposure : Emissions from ventilation or work process equipment should be

checked to ensure they comply with the requirements of

environmental protection legislation.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to

liquid splashes, mists, gases or dusts. If contact is possible, the

following protection should be worn, unless the assessment indicates a

higher degree of protection: safety glasses with side-shields.

Skin protection

controls

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical

products if a skin risk assent indicates this is necessary.

Body protection : Personal protective equipment for the body should selected based on

the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection : Use a properly fitted, air-purifying or supplied air respirator

complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : Liquid.
Color : Amber.

Odor : Mild hydrocarbon.

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 7 of 15

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES, Cont.

Odor threshold : Not available.

Pour point : <-40°F (-40°C).

Boiling point : Not available.

Flash point : >370°F (188°C). [Cleveland]

Evaporation rate : Not available.

Appearance, Cont.

Flammability (Solid, gas) : Not available. Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Not available.
Vapor density : Not available.
Relative density : Not available.
Solubility : Not available.
Partition coefficient: n- : Not available.

octanol/water

Auto-ignition temperature:

Decomposition temperature:

Viscosity

Not available.

Not available.

Specific Gravity: 0.849 @ 60 degrees F.

Density : 7.70 (lbs/gal).

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : This product is stable.

Possibility of hazardous: Under normal conditions of storage and use, hazardous reactions will

reactions not occur.

Conditions to avoid : No specific data.

Incompatible material: Reactive or incompatible with the following materials:

Oxidizing materials.

Thermal Decomposition : Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Hazardous Decomposition: Under decomposition, this product emits smoke, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons, aldehydes and other products of incomplete combustion. Under combustion conditions, oxides of the following elements will be formed: nitrogen,

sulfur.

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 8 of 15

SECTION 11. TOXICOLOGICAL INFORMATION

-- ACUTE EXPOSURE--

Eye Irritation : Weak to moderate eye irritant. Based on data from similar materials.

Skin Irritation : Skin irritant. Based on data from similar materials. Prolonged or

repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and

cracking of the skin.

Respiratory Irritation : If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper respiratory track similar to that observed with mineral oil. Based on data from components or similar materials. Under good industrial hygiene practices where all exposure limits are observed, respiratory

irritation should not be a problem.

Dermal Toxicity : The LD50 in rabbits is >2000 mg/Kg. Based on data from

components or similar materials.

Inhalation Toxicity : No data available to indicate product or components may be a toxic

inhalation hazard.

Oral Toxicity : The LD50 in rats is >10,000 mg/Kg. Based on data from components

or similar materials. One component (less than 9%) can be aspirated into the lungs during the act of swallowing or vomiting. This could

result in pulmonary edema and chemical pneumonitis.

Dermal Sensitization : May cause skin sensitization. Based on data from components or

similar materials.

Inhalation Sensitization : No data available to indicate product or components may be skin

sensitizers.

-- CHRONIC EXPOSURE--

Chronic Toxicity : No data available to indicate product or components present at

greater that 1% are chronic health hazards.

Carcinogenicity : Not expected to cause cancer. The base oil has been highly refined by

a variety of processes to reduce aromatics and improve performance characteristics. It meets the IP-346 criteria of less than 3 percent PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Mutagenicity : No data available to indicate product or any components present at

greater that 0.1% are mutagenic or genotoxic.

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 9 of 15

SECTION 11. TOXICOLOGICAL INFORMATION, Cont.

-- CHRONIC EXPOSURE, Cont.--

Reproductive Toxicity : No data available to indicate product or any components present at

greater that 0.1% may cause reproductive toxicity.

Teratogenicity : There are conflicting reports in the literature concerning the

teratogenicity of diphenylamine. However, because the predominant route of exposure was oral (via gavage or diet) and relatively high dose levels were administered in the studies where positive effects were observed, it would not seem to present a workplace hazard.

-- ADDITIONAL INFORMATION--

Other : No other health hazards known.

SECTION 12. ECOLOGICAL INFORMATION

-- ENVIRONMENTAL TOXICITY--

Freshwater Fish Toxicity : The acute LC50 is 10 - 100 mg/L based on component data.

Freshwater Invertebrates

Toxicity

The acute LC50 is 10 - 100 mg/L based on component data.

Algal Inhibition : Not determined.

Saltwater Fist Toxicity : The acute LC50 is 10 - 100 mg/L based on component data.

Saltwater Invertebrates

Toxicity

Not determined.

Bacteria Toxicity : Not determined.

--ENVIRONMENTAL FATE--

Biodegradation : At least 25% of the components in this product show limited

biodegradation based on OECD 301-type test data. At least 25% of the components in this product show moderate biodegradation based

on OECD 302-type test data.

Persistence and

Degradability

The hydrocarbons in this material are not readily biodegradable, but

since they can be degraded by microorganisms, they are regarded as

inherently biodegradable.

Bioaccumulation : 1 - 10% of the components potentially bioconcentrate, based on

octanol/water coefficients.

Soil Mobility : Not determined.

Other Adverse Effects : No known significant effects or critical hazardous.

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 10 of 15

SECTION 13. DISPOSAL CONSIDERATION

WASTE DISPOSAL

This material, if discarded, is not a hazardous waste under RCRA Regulation 40CFR 261. The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION for additional handling information and protection of employees.

SECTION 14. TRANSPORTATION INFORMATION

ICAO/IATA I : Not regulated.

ICAO/IATA II : Not regulated.

IMDG : Not regulated.

IMDG EMS Fire : Not applicable.

IMDG EMS Spill : Not applicable.

IMDG MFAG : Not applicable.

MARPOL, Annex II : Not determined.

USCGG Compatibility : Not determined.

BALANCE OF PAGE LEFT BLANK

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 11 of 15

SECTION 14. TRANSPORTATION INFORMATION, Cont.

U.S. DOT Bulk : Not regulated.

DOT NAERG : Not applicable.

U.S. DOT (Intermediate) : Not regulated.

U.S. DOT Intermediate : Not applicable.

NAERG

U.S. DOT Non-Bulk : Not regulated.

U.S. DOT Non-Bulk : Not applicable.

NAERG

Canada : Not regulated.

Mexico : Not regulated.

Bulk Quantity : 85000 KG, 187391 lbs.

Intermediate Quantity : 11000 KG, 24251 lbs.

Non-Bulk Quantity : 400 KG, 882 lbs.

Special Precautions for

User

Transport within user's premises: always transport in closes

containers that are upright and secure. Ensure that persons

transporting the product know what to do in the event of an accident

or spillage.

SECTION 15. REGULATORY INFORMATION

--GLOBAL CHEMICAL INVENTORIES--

U.S. All components of this material are on the US TSCA Inventory or are

exempt.

Other TSCA Reg. : None Known.

Japan : All components are in compliance with the Chemical Substances

Control Law of Japan.

Australia : All components are in compliance with chemical notification

requirements in Australia.

New Zealand : All components are in compliance with chemical notification

requirements in New Zealand.

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 12 of 15

SECTION 15. REGULATORY INFORMATION, Cont.

--GLOBAL CHEMICAL INVENTORIES, Cont.--

Canada : All components are in compliance with Canadian Environmental

Protection Act and are present on the Domestic Substances List.

Switzerland : All components are in compliance with the Environmentally

Hazardous Substances Ordinance in Switzerland.

Korea : All components are in compliance in Korea.

Philippines : All components are in compliance with the Philippines Toxic

Substances and Hazardous and Nuclear Wastes Control Act of 1990

(R.A. 6969).

China : All components of this product are listed on the Inventory of Existing

Chemical Substances in China.

Taiwan : All components of this product are listed on the Taiwan inventory.

--OTHER U.S. FEDERAL REGULATIONS--

SARA Extremely

Hazardous Substances list.

The product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances list.

SARA Section 313 : The product does not contain greater than 1.0% (greater than 0.1%

for carcinogenic substance) of any chemical substance listed under

SARA Section 313.

SARA 311 Classification :

Acute Hazard Yes

Chronic Hazard No

Fire Hazard No

Reactivity Hazard No

CERCLA : None known.

BALANCE OF PAGE INTENTIONALLY LEFT BLANK

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 13 of 15

SECTION 15. REGULATORY INFORMATION, Cont.

--STATE REGULATIONS--

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65 : This product contains the following chemical(s) known to the State of

California to cause cancer and/or birth defects based on maximum impurity levels of components: <0.01 ppm Ethyl benzene, CAS No. 100-41-4 <0.01 ppm Naphthalene, CAS No. 91-20-3 <0.1 ppm cadmium <0.5 ppm lead <0.5 ppm arsenic o.001% Trimethyl phosphate, CAS No. 512-56-1 0.013% Methanol, CAS No. 67-56-1

0.13% Sulfur dioxide, CAS No. 7446-09-5.

WARNING: This product contains less than 0.1% of a chemical known to the State of California to

cause cancer.

WARNING: This product contains less than 0.1% of a chemical known to the State of California to

cause birth defects or other reproductive harm.

-- PRODUCT REGULATIONS--

U.S. Fuel Regulation : Not applicable.

Finnish Registration Number

Number

Not Registered.

Swedish Registration

Number

Not Registered.

Norwegian Registration

Number

Not Registered.

Danish Registration

Number

Not Registered.

BALANCE OF PAGE INTENTIONALLY LEFT BLANK

:

:

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 14 of 15

SECTION 15. REGULATORY INFORMATION, Cont.

--OTHER / INTERNATIONAL--

Swiss Registration : Not Registered.

Number

Italian Registration : Not Registered.

Number

Miscellaneous Regulatory: Not determined.

Information

SECTION 16. OTHER INFORMATION



Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosion from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Revision Date: 18-March-2015

Updated to Format.

Key to Abbreviations:

ACGIH = American Conference of Government Industrial Hygienists; API = American Petroleum Institute; ATE = Acute Toxicity Estimate; BCF = Bioconcentration Factor; CAS/CASRN = Chemical Abstracts Service Registry Number, CEILING = Ceiling Limit (15 minutes); CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act; DOT = Department of Transportation (USA); EPA = Environmental Protection Agency; GHS = Globally Harmonization System; IARC = International Agency for Research for Cancer; IATA = International Air Transport Association; IBC = Intermediate Bulk Container; IMO/IMDG = International Maritime Dangerous Goods Code; INSHT = National Institute for Health and Safety at Work; IOPC = International Oil Pollution Compensation; LEL = Lower Explosive Limit; LogPow = Logarithm of the octanol/water partition coefficient; MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships; 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution); NE = Not Established; NFPA = National Fire Protection Association; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; PEL = Permissible Exposure Limit (OSHA); SDS = Safety Data Sheet; SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit (15 minutes); TLV = Threshold Limit Value (ACGIH); TWA = Time Weight Average (8 hours); UEL = Upper Explosive Limit; UN = United Nations; WHMIS = Worker Hazardous Materials Information System (Canada).

BALANCE OF PAGE INTENTIONALLY LEFT BLANK

Part No. 14000-11oz, 14000-1g, 14000-5g, 14000-54g, 14000-275g 14000-330g -

Revision Date: 18-March-2015 - P. 15 of 15

SECTION 16. OTHER INFORMATION, Cont.

Notice to reader:

THE INFORMATION IN THIS SAFETY DATA SHEET (SDS) WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED REGARDING ITS CORRECTNESS OR ACCURACY. SOME INFORMATION PRESENTED AND CONCLUSION DRAWN HEREIN ARE FORM SOURCES OTHER THAN DIRECT TEST DATA ON THE SUBSTANCE ITSELF. THIS SDS WAS PREPARED AND IS TO BE USED ONLY FOR THIS PRODUCT. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT, THIS SDS INFORMATION MAY NOT BE APPLICABLE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABLE OF THE INFORMATION OR PRODUCTS FOR THEIR PARTICULAR PURPOSE OR APPLICATION.

THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND/OR DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MANY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESS DISCLAIM LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.

No responsibility is assumed for any damage or injury resulting from abnormal use from any failure to adhere to recommended practices. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use. In addition, no authorization is given nor implied to practice any patented invention without a license.