

1

Safety Data Sheet

Super FG

Prepared according to GHS & 29CFR 1910.1200

Chemical Product and Company Identification
Chemical I i buuct and Company fuchtmeation

Extreme Industrial Lubricants, Inc. 18565 Soledad Canyon Rd. Suite 102 Santa Clarita, CA 91351 Tel: 661-298-8510

Product Trade Name	Super FG
CAS Number	Not applicable for mixtures
Synonyms	Lubricating Grease – Incidental contact with food
Generic Chemical Name	Mixture
Product Type	Lubricating Grease.
Preparation/Revision Date	September 22, 2020
Transportation Emergency	FOR TRANSPORT EMERGENCY call CHEMTREC: (+1)703.527.3887 (outside the
Transportation Emergency Phone No. MSDS No.	FOR TRANSPORT EMERGENCY call CHEMTREC: (+1)703.527.3887 (outside the U.S.) 1.800.424.9300 (in the U.S.) GHS0020

2	Hazards Identification	
Appearance:	Tan gel	
Odor:	Mild	
GHS Classification:	Not a hazardous substance or mixture	

See section 11 for complete health hazard information.

Composition/Information on Ingredients
Composition/information on ingretients

Hazardous Ingredients

3

Comp	CAS No.	Percentage (by wt.)	Carcinogen
Distillates, solvent refined heavy paraffinic	64741-88-4	10-20	No
Calcium Carbonate	471-34-1	5-10	No
Benzenamine, N-phenyl	68411-46-1	1-5	No
Calcium dodecylbenzenesulphonate	26264-06-2	1-5	No
Sulfonic acid, calcium salts	61789-86-4	1-5	No
Benzenesulfonic acid, calcium salts	68584-23-6	1-5	No
Benzenesulfonic acid, mono-C16-24-alkyl deriv	70024-69-0	1-5	No

4		

First Aid Measures

Eyes

Skin

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention. Wash with soap & water for 20 minutes or until chemical is removed. Remove contaminated clothing. If skin irritation or rash occurs: Get medical attention. Launder contaminated clothing before reuse & discard leather articles saturated with the material.

Inhalation Oral Additional Information	Remove exposed person to fresh air if adverse effects are observed. Call a poison center or doctor if exposed or you feel unwell. DO NOT INDUCE VOMITING. Get immediate medical attention. Note to physician: Treat symptomatically.
5	Fire Fighting Measures
Flash Point Extinguishing Media Firefighting Procedures Unusual Fire & Explosion Hazards	N/E CO2, dry chemical, or foam. Water can be used to cool & protect exposed material. Recommend wearing self-contained breathing apparatus. Water may cause splattering. See section 10 for additional information.
6	Accidental Release Measures
Spill Procedures	Evacuate all non-essential personnel. Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Take precautions to avoid release to the environment. Eliminate all ignition sources if safe to do so. Ventilate area if spilled in confined space or other poorly ventilated areas. Prevent entry into sewers and waterways, dispose of in accordance with all federal, state and local environmental regulation. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.
7	Handling and Storage
Pumping Temperature Maximum Handling	Not determined.
Temperature Handling Procedures	Not determined. Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Do not discharge into drains or the environment; dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Vapors are heavier than air and will tend to accumulate in low areas. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Avoid breathing dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations.
Temperature Handling Procedures Maximum Storage	Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Do not discharge into drains or the environment; dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Vapors are heavier than air and will tend to accumulate in low areas. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Avoid breathing dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse. Empty container
Temperature Handling Procedures Maximum Storage Temperature	Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Do not discharge into drains or the environment; dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Vapors are heavier than air and will tend to accumulate in low areas. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Avoid breathing dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Not determined.
Temperature Handling Procedures Maximum Storage	Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Do not discharge into drains or the environment; dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Vapors are heavier than air and will tend to accumulate in low areas. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Avoid breathing dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Not determined.
Temperature Handling Procedures Maximum Storage Temperature Storage Procedures	Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Do not discharge into drains or the environment; dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Vapors are heavier than air and will tend to accumulate in low areas. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Avoid breathing dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Not determined.
Temperature Handling Procedures Maximum Storage Temperature	Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Do not discharge into drains or the environment; dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Vapors are heavier than air and will tend to accumulate in low areas. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Avoid breathing dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Not determined.
Temperature Handling Procedures Maximum Storage Temperature Storage Procedures Maximum Loading	Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Do not discharge into drains or the environment; dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Vapors are heavier than air and will tend to accumulate in low areas. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Avoid breathing dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Not determined.

8

Exposure Controls/Personal Protection

Exposure Limits

	Exposure Guidelines					
	OSHA		ACGIH		Other	
Comp	TWA	STEL	TWA	STEL	TWA	STEL
Distillates, hydrotreated heavy paraffinic	5 mg/m3	N/E	5 mg/m3	N/E	N/E	N/E
Calcium Carbonate	5 mg/m3	N/E	10 mg/m3	N/E	N/E	N/E

L I						
(s)—Skin exposure						
(p)—Proposal limit						
(c)—Ceiling exposure						
(l)—Recommended exposure limi	t					
(u)—Supplier recommended expo						
(N/E)—None established						
Other Exposure Limits	Contains minera	l oil. Under conditions which may	generate mists.	, observe the (OSHA	
•••••••••••••••••••••••••••••••		cubic meter, ACGIH STEL of 10				
Engineering Controls	Use material in well ventilated area only. Additional ventilation or exhaust may be					
		tain air concentrations below recon and will tend to accumulate in low				
	without adequat		areas. Avoid u	se in commet	laicas	
Gloves Procedures	Neoprene.	vontinution.				
Eye Protection	Safety Glasses.					
Respiratory Protection		HA approved full face respirator w				
		posure limit is exceeded. Use self				
	sites.	ed space, for other poorly ventilate	a areas and for	large spill cle	an-up	
Clothing Recommendation		t is recommended. Wear a chemic	ally protective a	apron when co	ontact	
Cioting Recommendation		y occur. When working with heat				
		hemical protective suit. Use chemi				
		nating shoes. Do not wear rings, v				
	entrap the mater	ial and cause a skin reaction. Laun	der contaminat	ed clothing be	fore	
	reuse.					
9	Dhysical and Cl	nemical Properties]	
3	r nysicai anu Ci	iennear r roper ues				

Flash Point	>180 degrees C. Open Cup Method
Upper Flammable Limit	Not determined.
Lower Flammable Limit	Not determined.
Autoignition Point	Not determined.
Explosion Data	Material does not have explosive properties.
Vapor Pressure	Not determined.
pH	Not determined.
Specific Gravity	Not Determined
Bulk Density	Not determined.
Water Solubility	Negligible
Percent Solid	Not determined.
Percent Volatile	Not determined.
Volatile Organic Compound	Not determined.
Vapor Density	Not determined.
Evaporation Rate	Not determined.
Odor	Mild
Appearance	Tan
Viscosity	Not determined
Odor Threshold	Not determined.
Boiling Point	Not determined.
Pour Point Temperature	Not determined
Melting/Freezing Point	Not determined.

The above data are typical values and do not constitute a specification.	Vapor pressure
data are calculated unless otherwise noted.	

10	Stability and Reactivity
Stability	Material is normally stable at moderately elevated temperatures and pressures.
Decomposition Temperature	Not determined.

Incompatibility	Strong oxidizing agents
Polymerization	Will not occur.
Thermal Decomposition	Sulphur oxides, Carbon oxides
Conditions to Avoid	Contamination

Toxicological Information

11

12

	::ACUTE EXPOSURE::
Eye Irritation	Weak eye irritant.
Skin Irritation	May cause slight skin irritation.
Respiratory Irritation	No respiratory irritation.
Dermal Toxicity	Not determined.
Inhalation Toxicity	Not determined.
Oral Toxicity	Not determined.
Dermal Sensitization	May cause skin sensitization. Based on data from components or similar materials.
Inhalation Sensitization	No data available to indicate product or components may be respiratory sensitizers.
	::CHRONIC EXPOSURE::
Chronic Toxicity	No data available to indicate product or components present at great than 1% are chronic health hazards.
Carcinogenicity	This product is not considered to be carcinogenic.
Mutagenicity	No data available to indicate product or any components present at great than 0. are mutagenic or genotoxic.
Reproductive Toxicity	No data available to indicate either product or components present may cause reproductive toxicity.
Teratogenicity	No effects on or via lactation.
	::ADDITIONAL INFORMATION::
Other	No other health hazards known.

Ecological Information

	::ENVIRONMENTAL TOXICITY::			
Freshwater Fish Toxicity Freshwater Invertebrates	Not determined. The acute EC50 is 10-100 mg/L based on component data. Chronic effects expected at			
Toxicity Algal Inhibition	10-100 mg/L based on component data. The acute EC50 is 10-100 mg/L based on component data. The Ethoxylated amine			
-	contained in this product has an EC50 between 0.01 and 0.1 mg/L.			
Saltwater Fish Toxicity	The acute LC50 is 10-100 mg/L based on component data.			
Saltwater Invertebrates Toxicity	Not determined.			
Bacteria Toxicity	Not determined.			
Miscellaneous Toxicity	Not determined.			
	::ENVIRONMENTAL FATE::			
Biodegradation	No data available.			
Bioaccumulation	Not considered to be persistent, bioaccumulating and toxic (PBT).			
Soil Mobility	Not determined.			
12				
13	Disposal Considerations			
Waste Disposal	This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.			
14	Transport Information			
ICAO/IATA I ICAO/IATA II IMDG	Not dangerous goods. Not dangerous goods. Not dangerous goods.			

IMDG/EMS Fire	Not dangerous goods.
	0 0
IMDG EMS Spill	Not dangerous goods.
IMDG MFAG	Not dangerous goods.
MARPOL Annex II	Not dangerous goods.
USCG Compatibility	Not dangerous goods.
U.S. DOT Bulk	Not dangerous goods.
DOT NAERG	Not dangerous goods.
U.S. DOT (Intermediate)	Not dangerous goods.
U.S. DOT Intermediate NAERG	Not dangerous goods.
U.S. DOT Non-Bulk	Not dangerous goods.
U.S. DOT Non-Bulk NAERG	Not dangerous goods.
Canada	Not dangerous goods.
Mexico	Not dangerous goods.
Bulk Quantity	85000 KG, 187391 lbs.
Intermediate Quantity	11000 KG, 24251 lbs.
Non-Bulk Quantity	400 KG, 882 lbs.

15	Regulatory Information				
	::Global chemical Inventories::				
USA	All components of this material are on the US TSCA Inventory or are exempt.				
Other TSCA Reg.	None Known.				
EU	All components comply with the EU 7 th Amendment and are approved for EU sales. Extreme Industrial Lubricants must maintain records of all imports of this product into the EU.				
Japan	This product may be imported to Japan only by				
Australia	A component(s) of this product has been notified and assessed under the Industrial Chemicals (Notification and Assessment) Act, 1989. This product may be imported				
New Zealand	All components are in compliance with chemical notification requirements in New Zealand.				
Canada	All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.				
Switzerland	All components are in compliance with the Environmentally Hazardous Substance Ordinance in Switzerland. Extreme Industrial Lubricants must maintain records of all imports of this product into Switzerland.				
Korea	All components are in compliance in Korea.				
Philippines	This product requires notification before sale in the Philippines.				
China	This product may be imported to China only by				
Taiwan	All components of this product are listed on the Taiwan inventory.				
	::Other U.S. Federal Regulations::				
SARA Ext. Haz. Subst.	This product does not contain greater than 0.1% of any chemical substance on the SARA				
	Extremely Hazardous Substances list.				
SARA Section 313	This product does not contain greater than 0.1% (greater than 0.1% for carcinogenic				
	substance) of any chemical substances listed under SARA Section 313.				
SARA 311 Classificiation	Acute Hazard Yes				
	Chronic Hazard No				
	Fire Hazard No				
	Reactivity Hazard No				
CERCLA Hazardous Substances	None known.				
	::State Regulations::				
Cal. Prop. 65	This product does not contain any chemicals known to the State of California to cause				
*	cancer, birth defects, or any other reproductive harm.				

::Product Registrations::

Not applicable.		
Not Registered.		
Not Registered.		

Norwegian Registration Number Danish Registration Number Swiss Registration Number Italian Registration Number	Not Registered. Not Registered. Not Registered. Not Registered.				
Miscellaneous Regulatory Information	::Other Not determined.	/International::			
16	Other Information				
US NFPA Codes	Health 0 (N/E)—None establis	Fire 1	Reactivity 0	Special N/E]
HMIS Codes	Health 0	Fire	J	Reactivity 0]
Precautionary Labels Revision Indicators	Not a hazardous substance or mixture This SDS has no revisions since September 22, 2020				

As the conditions or methods of use are beyond our control, we do not assume any responsibilities and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.