



**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

## Results Summary

Average Cannabinoid Profile	
Microbial Impurities (MDG for STEC, Salmonella, Asp sp.)	PASS
Microbial Impurities (Total Aerobic Bacteria/CDP-TC)	PASS
Microbial Impurities (Total Yeast and Mold/CDP-YMR)	PASS
Mycotoxins	PASS
Pesticides	PASS
Residual Solvents	PASS
Trace Metals	PASS
Water Activity	PASS
Pesticides cont.	PASS

**Client Name:** NYHO Labs LLC  
**Contact Name:** Michael Stoker  
**Address:** 185 Main St  
 Cortland, NY 13045  
**Phone:** 607-821-1182  
**License Number:** OCM-AUCP-22-000003

**Sample Description:** Relief Tincture 1:2  
**Lot Number:** TC00009  
**Regulatory Category:** Adult Use  
**Sample Matrix:** Extracted  
**Delivery Method:** Oral  
**Sample Type:** Concentrate  
**Sample Subtype:** concentrate  
**Sampling Site:** 185 Main St Cortland NY, 13045  
**Sampling Date and Time:** 09/28/2023 12:21 PM

# Certificate Of Analysis

## Average Cannabinoid Profile

Date analyzed: 10/04/2023

Method: NY.SOP.T.40.260

Analyst: Stephanie Knapp

Date started: 10/03/2023 09:28 AM

Analyte	Average (%w/w)	mg/serving	Standard Deviation (mg/serving)	Homogeneity Pass/Fail*	LOQ (%w/w)
Δ8-THC†	<LOQ	<LOQ	-	-	0.02
Δ9-THC†	1.12	5.3	0.06	PASS	0.02
Δ10-THC-RS†	<LOQ	<LOQ	-	-	0.02
Δ10-THC-RR†	<LOQ	<LOQ	-	-	0.02
Tetrahydrocannabinolic acid (THCA)†	<LOQ	<LOQ	-	-	0.02
Tetrahydrocannabivarin (THCV)	<LOQ	<LOQ	-	-	0.02
Cannabidiol (CBD)*	2.29	10.81	0.31	PASS	0.02
Cannabinadiolic acid (CBDA)*	<LOQ	<LOQ	-	-	0.02
Cannabidivarin (CBDV)	<LOQ	<LOQ	-	-	0.02
Cannabinol (CBN)	<LOQ	<LOQ	-	-	0.02
Cannabigerol (CBG)	<LOQ	<LOQ	-	-	0.02
Cannabigerolic acid (CBGA)	<LOQ	<LOQ	-	-	0.02
Cannabichromene (CBC)	<LOQ	<LOQ	-	-	0.02
†Total Tetrahydrocannabinol (THC)	1.12	5.3	0.06	PASS	N/A
*Total Cannabidiol (CBD)	2.29	10.81	0.31	PASS	N/A
Overall Status				PASS	

\*Pass if the concentration of individual samples is ±25% of the mean concentration

V158.21



**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

## Microbial Impurities (MDG for STEC, Salmonella, Asp sp.)

**PASS**

Date analyzed: 10/04/2023

Method: NYS.SOP.T.40.273

Analyst: Kristy Lee

Date started: 09/29/2023 11:07 AM

Microbial Species	Microbial Type	Detection Status	Pass/Fail
Shiga toxin-producing Escherichia coli	Bacteria	Not Detected	PASS
Salmonella species	Bacteria	Not Detected	PASS
Aspergillus flavus	Fungal	Not Detected	PASS
Aspergillus niger	Fungal	Not Detected	PASS
Aspergillus terreus	Fungal	Not Detected	PASS
Aspergillus fumigatus	Fungal	Not Detected	PASS
		Overall Status	PASS

Analysis Instrument

125 Agilent AriaMx Real-time PCR System

V182.2

## Microbial Impurities (Total Aerobic Bacteria/CDP-TC)

**PASS**

Date analyzed: 10/04/2023

Method: NYS.SOP.T.040.200

Analyst: Lindsey Vento

Date started: 10/02/2023 12:33 PM

Result (CFU/g)	LOQ	Allowable Limit	Pass/Fail
<LOQ	5	10000	PASS

Analysis Instrument

87 Colony Counter

V149.7

# Certificate Of Analysis

## Microbial Impurities (Total Yeast and Mold/CDP-YMR)

**PASS**

Date analyzed: 10/02/2023

Method: NYS.SOP.T.040.200

Analyst: Kristy Lee

Date started: 09/29/2023 01:21 PM

Microbial Species	Result (cfu/g)	LOQ	Allowable Limit	Pass/Fail
Mold Count	<LOQ	5	1000	PASS
Yeast Count	<LOQ	5	1000	PASS
Total Yeast and Mold	<LOQ		1000	PASS
			Overall Status	PASS
<i>Analysis Instrument</i>	<i>87 Colony Counter</i>			

V150.9

## Mycotoxins

**PASS**

Date analyzed: 10/04/2023

Method: NY.SOP.T.40.180

Analyst: Destiny Ribadeneyra

Date started: 09/29/2023 08:39 AM

Analyte	Result (µg/g)	LOQ (µg/g)	Allowable Limit	Pass/Fail
Aflatoxin B1	<LOQ	0.001	0.02	PASS
Aflatoxin B2	<LOQ	0.002	0.02	PASS
Aflatoxin G1	<LOQ	0.001	0.02	PASS
Aflatoxin G2	<LOQ	0.002	0.02	PASS
Sum of Aflatoxins	0	-	0.02	PASS
Ochratoxin A	<LOQ	0.002	0.02	PASS
			Overall Status	PASS
<i>Analysis Instrument</i>	<i>30 LC-MS TQ</i>			

V141.3

# Certificate Of Analysis

## Pesticides

**PASS**

**Date analyzed:** 10/05/2023

**Method:** NY.SOP.T.040.270

**Analyst:** Stephanie Knapp

**Date started:** 09/29/2023 11:32 AM

Analyte	Result (µg/g)	LOQ	Allowable Limit	Pass/Fail
Abamectin	<LOQ	0.02	0.5	PASS
Acephate	<LOQ	0.01	0.4	PASS
Acequinocyl	<LOQ	0.02	2	PASS
Acetamiprid	<LOQ	0.01	0.2	PASS
Aldicarb	<LOQ	0.01	0.4	PASS
Azadirachtin	<LOQ	0.02	1	PASS
Azoxystrobin	<LOQ	0.01	0.2	PASS
Bifenazate	<LOQ	0.01	0.2	PASS
Bifenthrin	<LOQ	0	0.2	PASS
Boscalid	<LOQ	0.01	0.4	PASS
Carbaryl	<LOQ	0.01	0.2	PASS
Carbofuran	<LOQ	0.01	0.2	PASS
Chlorantraniliprole	<LOQ	0.01	0.2	PASS
Chlormequat chloride	<LOQ	0.02	1	PASS
Chlorpyrifos	<LOQ	0.01	0.2	PASS
Clofentezine	<LOQ	0.01	0.2	PASS
Daminozide	<LOQ	0	1	PASS
Diazinon	<LOQ	0.01	0.2	PASS
Dichlorvos	<LOQ	0.01	1	PASS
Dimethoate	<LOQ	0.01	0.2	PASS
Dimethomorph	<LOQ	0.01	1	PASS
Ethoprophos	<LOQ	0.01	0.2	PASS
Etofenprox	<LOQ	0	0.4	PASS
Etoxazole	<LOQ	0.01	0.2	PASS
Fenhexamid	<LOQ	0.01	1	PASS

# Certificate Of Analysis

Fenoxycarb	<LOQ	0.01	0.2	PASS
Fenpyroximate	<LOQ	0	0.4	PASS
Flonicamid	<LOQ	0.01	1	PASS
Fludioxonil	<LOQ	0.02	0.4	PASS
Hexythiazox	<LOQ	0	1	PASS
Imidacloprid	<LOQ	0.01	0.4	PASS
Indole-3-butyric acid	<LOQ	0.01	1	PASS
Kresoxim methyl	<LOQ	0.01	0.4	PASS
Malathion	<LOQ	0.01	0.2	PASS
Metalaxyl	<LOQ	0.01	0.2	PASS
Methiocarb	<LOQ	0	0.2	PASS
Methomyl	<LOQ	0.01	0.4	PASS
Mevinphos	<LOQ	0.02	1	PASS
MGK-264	<LOQ	0.01	0.2	PASS
Myclobutanil	<LOQ	0.01	0.2	PASS
Naled	<LOQ	0	0.5	PASS
Oxamyl	<LOQ	0.01	1	PASS
Paclobutrazol	<LOQ	0.01	0.4	PASS
Permethrins, Total	<LOQ	0.01	0.2	PASS
Phosmet	<LOQ	0.01	0.2	PASS
Piperonyl Butoxide	<LOQ	0.01	2	PASS
Prallethrin	<LOQ	0.01	0.2	PASS
Propiconazole	<LOQ	0.01	0.4	PASS
Propoxur	<LOQ	0.01	0.2	PASS
Pyrethrins	<LOQ	0.01	1	PASS
Pyridaben	<LOQ	0.01	0.2	PASS
Spinetoram, Total	<LOQ	0	1	PASS
Spinosad, Total	<LOQ	0.01	0.2	PASS
Spiromesifen	<LOQ	0.01	0.2	PASS
Spirotetramat	<LOQ	0.01	0.2	PASS
Spiroxamine	<LOQ	0	0.2	PASS



**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

Tebuconazole	<LOQ	0.01	0.4	<b>PASS</b>
Thiacloprid	<LOQ	0.01	0.2	<b>PASS</b>
Thiamethoxam	<LOQ	0.01	0.2	<b>PASS</b>
Overall Status				<b>PASS</b>

*Analysis Instrument*      30 Agilent LS-MS TQ

V144.9

# Certificate Of Analysis

## Residual Solvents

**PASS**

**Date analyzed:** 10/05/2023

**Method:** NYS.SOP.T.040.272

**Analyst:** Destiny Ribadeneyra

**Date started:** 10/04/2023 08:41 AM

Analyte	Result (µg/g)	LOQ	Allowable Limit	Pass/Fail
1,2-Dichloroethane (Ethylene dichloride, Ethylene chloride)	<LOQ	0.67	5	PASS
2-Propanol (Isopropanol, Isopropyl alcohol)	<LOQ	21.68	5000	PASS
Acetone (2-Propanone)	<LOQ	15.9	5000	PASS
Acetonitrile	<LOQ	0.85	410	PASS
Benzene	<LOQ	0.71	2	PASS
Butanes, Total	<LOQ	0.35	5000	PASS
Chloroform	<LOQ	0.54	60	PASS
Dichloromethane (Methylene chloride)	<LOQ	1.07	600	PASS
Dimethyl sulfoxide (DMSO)	<LOQ	0.66	5000	PASS
Ethanol (Ethyl alcohol)	<LOQ	10.02	5000	PASS
Ethyl acetate (Acetic acid ethyl ester)	<LOQ	18.45	5000	PASS
Ethyl ether (Diethyl ether, 1,1'-Oxybisethane)	<LOQ	0.44	5000	PASS
Heptane (n-Heptane)	<LOQ	0.36	5000	PASS
Hexanes, Total	<LOQ	0.39	290	PASS
Methanol (Methyl alcohol)	<LOQ	2.47	3000	PASS
Pentanes, Total	<LOQ	0.37	5000	PASS
Propane	<LOQ	0.53	5000	PASS
Toluene (Methylbenzene)	<LOQ	2.34	890	PASS
Trichloroethane (1,1,1-)	<LOQ	0.41	1500	PASS
Xylenes, Total (ortho-, meta-, para-)	<LOQ	2.65	2170	PASS
Overall Status				PASS

Analysis Instrument

148 HS-GCMS-QP2020 NX\_2

V148.9



# Certificate Of Analysis

## Trace Metals

**PASS**

**Date analyzed:** 10/05/2023

**Method:** NY.SOP.T.40.050

**Analyst:** Moni Kaneti

**Date started:** 10/02/2023 04:50 PM

Analyte	Result (µg/g)	LOQ	Allowable Limit	Pass/Fail
Antimony (Sb)	<LOQ	0.13	120	PASS
Arsenic (As)	<LOQ	0.07	1.5	PASS
Cadmium (Cd)	<LOQ	0.06	0.5	PASS
Chromium (Cr)	<LOQ	0.36	1100	PASS
Copper (Cu)	<LOQ	0.39	300	PASS
Lead (Pb)	<LOQ	0.08	0.5	PASS
Mercury (Hg)	<LOQ	0.01	3	PASS
Nickel (Ni)	<LOQ	0.11	20	PASS
Overall Status				PASS

*Analysis Instrument* 158 Agilent 7800 ICPMS

## Water Activity

**PASS**

**Date analyzed:** 10/04/2023

**Method:** NY.SOP.T.040.210

**Analyst:** Destiny Ribadeneyra

**Date started:** 10/02/2023 09:22 AM

Result (Aw)	LOQ	Allowable Limit	Pass/Fail
0.29	0.25	0.85	PASS

*Analysis Instrument* 103 Aqualab TDL 2

V131.60

# Certificate Of Analysis

## Pesticides cont.

**PASS**

**Date analyzed:** 10/05/2023

**Method:** NYS.SOP.T.040.271

**Analyst:** Destiny Ribadeneyra

**Date started:** 09/29/2023 01:09 PM

Analyte	Result (µg/g)	LOQ (µg/g)	Allowable Limit	Pass/Fail
Captan	<LOQ	0.3	1	PASS
Chlordane	<LOQ	0.07	1	PASS
Chlorfenapyr	<LOQ	0.1	1	PASS
Coumaphos	<LOQ	0.19	1	PASS
Cyfluthrin	<LOQ	0.11	1	PASS
Cypermethrin	<LOQ	0.24	1	PASS
Fipronil	<LOQ	0.17	0.4	PASS
Imazalil	<LOQ	0.17	0.2	PASS
Methyl parathion	<LOQ	0.09	0.2	PASS
Pentachloronitrobenzene	<LOQ	0.17	1	PASS
Trifloxystrobin	<LOQ	0.11	0.2	PASS
Overall Status				PASS

Analysis Instrument

141 GC/TQ

V177.5

Sample Comment: Amended report of residual solvent results.

*Alicia Caruso-Thomas*

Alicia Caruso-Thomas  
Laboratory Director  
10/09/2023