

ENERGY IMPULSE GREY LOW S1P ESD HRO SRA

Art. No. 64.666.0



Ρ	rotection:	fiberglass toe cap and flexible $FAP^{^{(\! \! \mathbb{R})}}$ midsole
	Plus:	ESD, extremely lightweight, breathable, functional lining, comfortably padded collar and dust tongue, practical speed lacing system
	Upper:	hard-wearing textile fabric with sandwich-mesh and FITFRAME [®] Elements (seamlessly attached reinforcements)
	Lining:	breathable functional lining
	Footbed:	anatomically formed comfit [®] AIR footbed
	Sole:	DUAL.IMPULSE - 300°C heat and slipresistant rubber outsole with double foamed IMPULSE.FOAM [®] midsole in two different densities for maximum cushioning, stability and comfor
Dr.	Colour:	gray-black
UTI	Sizes:	39 - 47



DUAL IMPULSE SLIP RESISTANT OUTSOLE

The easy to clean rubber outsole ensures perfect ground contact. It is non-slip and abrasion resistant as well as heat resistant up to 300°C (HRO). The specially designed cleat profile and the wide flex grooves guarantee optimum flexion, optimize the water-displacing properties (windscreen wiper effect) and provide firm grip on a wide variety of grounds.

FAP[®] - Flexible Anti Penetration

The flexible anti-penetration midsole made of ceramic-coated fibers, reliably protects the feet completely from penetrating objects.



IMPULSE.FOAM[®] midsole Ultimate comfort during long working days. The innovative IMPULSE.FOAM[®] midsole in two different densities reacts to each of your steps with an energy impulse. Thereby the IMPULSE.FOAM[®] does not only return the energy, but also provides maximum cushioning and excellent stability.



FITFRAME[®] (SEAMLESS TECHNOLOGY)

Innovative designs, high functionality and a low weight - with FITFRAME[®] no problem. Seamlessly welded reinforcements combined with breathable textiles ensure maximum breathability and comfort

albatros-work.com