


3 Easy Steps to Building Your Own Custom-Made Shower-Base

STEP 1 ·

Get your tradie to measure the overall size and exact location of the waste outlet, fill out our order form and email it to us!

(You can also shoot us an email or give us a call and we can guide you through this design process)

We can also measure onsite for you for a small fee



STEP 2 ·



Once we have your design we will create a drawing and a quote for you to approve.

Upon your approval, we require a 50% deposit and in approximately 7-10 days your new custom-made shower base will be ready!

STEP 3 ·

Install it and enjoy!

(We can also organise installation for you from one of our qualified tradies)



SOLID SURFACE SOLID SURFACE SHOWER BASE


COLOUR OPTIONS




Snow White



Dark Jet Black



Light Grey



Modern Concrete

**contains veining




Shadow Concrete

**contains veining



Charcoal Concrete

**contains veining




Crater Rock


**contains veining



Winter Boulder




Polar Mist



Hazel Cream

**contains veining



Mt. Carrara

**contains veining



Mt. Vancouver

**contains veining

All solid surface products are made using Meganite®, a 100% silica free premium solid surface that replicates the look and feel of natural stone.

Actual colour may vary slightly from images .

Some colours contain veining.

**** SOLID SURFACE ****

CUSTOM SIZED SHOWER BASE ORDER FORM

NAME: _____ PHONE: _____ EMAIL: _____

IMPORTANT

Please consider these options carefully prior to placing your order as custom made products cannot be returned.

There is a separate order form for Tile-over Trays. See our website.

BASE SIZE REQUIRED (at outside edge)

Length / Side 1: _____ mm

Width / Side 2: _____ mm

SUBSTRATE/OUTLET TYPE (SELECT ONE)

Concrete Substrate:

Chrome outlet only

Other Substrate:

Chrome outlet


White outlet

Flush Cap (optional extra)

OUTLET POSITION

Use an X and lines on the large diagram below to indicate approximate placement of outlet and specify exact position.

Centre of outlet must be minimum 120mm from edge of base




EXAMPLE

Distance from SIDE 1 to centre of outlet: _____ mm

Distance from SIDE 2 to centre of outlet _____ mm

Mark which lips are required on all sides AND outlet position



COLOUR CHOICE: (CIRCLE ONE)



Snow White



Light Grey



Dark Jet Black



Modern Concrete **contains veining



Shadow Concrete **contains veining



Charcoal Concrete **contains veining



Crater Rock **contains veining



Winter Boulder



Polar Mist



Hazel Cream **contains veining



Mt. Carrara **contains veining



Mt. Vancouver **contains veining

All solid surface products are made using Meganite®, a 100% silica free premium solid surface that replicates the look and feel of natural stone.

Actual colour may vary slightly from images

Some colours contain veining

See larger images for a better visual

**** TILE-OVER TRAY ****

CUSTOM SIZED SHOWER BASE ORDER FORM

NAME: _____ PHONE: _____ EMAIL: _____

IMPORTANT

Please consider these options carefully prior to placing your order as custom made products cannot be returned.

Custom sizes available up to 1150x1950mm.

There is a separate order form for Solid Surface Shower Bases. See our website.

TRAY SIZE REQUIRED

Length / Side 1: _____ mm

Width / Side 2: _____ mm

FLASHING REQUIRED (Choose maximum 3 sides)

- Side 1 Side 3
- Side 2 Side 4

OUTLET POSITION



****Centre of outlet must be minimum 120mm from edge of base****

Distance from SIDE 1 to centre of outlet: _____ mm

Distance from SIDE 2 to centre of outlet: _____ mm

Mark outlet position

Use an **X** and lines on the large diagram below to indicate approximate placement of



OUTLET REQUIRED

1. STANDARD

- Suits Tiling
- Suits Vinyl




Puddle flange and outlet kit as pictured will be supplied with tray

OR

2. SQUARE TILE IN

New low profile stainless steel square tile-in waste kit, includes puddle flange (optional extra)



OR

3. CHANNEL (choose both length and type)

Length

- 800mm (waste outlet centred at 400mm)
minimum tray width 900mm
- 1100mm (waste outlet centred at 550mm)
minimum tray width 1200mm

AND

Type

- Tile-In Insert
- Patterned Insert



IF YOU NEED A UNIQUE DESIGN...

Due to the unique production method, the possibilities for customisation of our tile-over trays is endless, including curved, corner cut, or any shape you'd like!

DRAW YOUR UNIQUE DESIGN BELOW AND/OR GIVE US A CALL TO DISCUSS

