SECTION 1 MATERIAL NAME / IDENTIFIER

ALKALINITY BOOSTER WHMIS: Not Regulated

Manufacturer's Name: CAPO INDUSTRIES LTD
Street Address: 1200 CORPORATE DRIVE
City: BURLINGTON, ONTARIO

Postal Code: L7L 5R6

Emergency Telephone: Canutec (613) 996-6666 (Collect)

Chemical Name: Sodium Bi Carbonate

Chemical Family: Bi Carbonates

Chemical Formula: NAHC03

Trade Name & Synonyms: Baking Soda

Molecular Weight: 84.0

Material Use: Pool Water Alkalinity Booster

### SECTION 2 HAZARDS IDENTIFICATION

GHS classification: None

Symbol(s): None

Signal Word: None

Hazard statements: None

Precautionary statements: None

NFPA: 0 Health, 0 Fire, 0 Reactivity HMIS: 0 Health, 0 Fire, 0 Reactivity

## SECTION 3 COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient CAS# % Concentration

No regulated components

**Alkalinity Booster** 

### SECTION 4

#### FIRST AID MEASURES

**Inhalation:** If respiratory problems arise, move the victim to fresh air. Give artificial respiration ONLY

If breathing has stopped. Give cardiopulmonary resuscitation (CPR) if there is no breathing

AND no pulse. Obtain medical advice IMMEDIATELY.

Skin Contact: Start flushing while removing contaminated clothing. Wash affected areas thoroughly with

soap and water. If irritation, redness, or a burning sensation develops and persists, obtain

medical advice.

**Eye Contact:** Immediately flush eyes thoroughly for 15 minutes with running water. Hold eyelids open during

flushing. If irritation persists, repeat flushing. Obtain medical attention. Do not allow victim to

rub eyes. Do not attempt to manually remove anything stuck to the eye(s).

**Ingestion:** Do not attempt to give anything by mouth to an unconscious person. If victim is alert and not

convulsing, rinse mouth out and give ½ to 1 glass of water to dilute material. DO NOT induce vomiting. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer more water. Obtain medical attention

IMMEDIATELY.

Note to physicians: Treat symptomatically. Sodium salts have a hypothetical risk of hypernatremia. In

addition to calcium levels, sodium and phosphate levels should be monitored.

Medical conditions that may be aggravated by exposure to this product include diseases

of the skin, eyes or respiratory tract.

#### **SECTION 5**

#### FIRE - FIGHTING MEASURES

Hazardous Combustion Products: Thermal decomposition products are toxic and may include soda

ash (sodium carbonate) oxides of sodium, carbon and irritating

gases. Sodium bicarbonate begins to decompose at 50°C, releasing carbon dioxide, sodium carbonate and water. Total

decomposition occurs at 270°C.

Unusual Fire or Explosion Hazards: Avoid accumulation and dispersion of dust. Spilled material may

cause floors and contact surfaces to become slippery. Do not flush with water as aqueous solutions or powders that become wet render surfaces extremely slippery. Enforce NO SMOKING

rules.

Sensitivity to Mechanical Impact: None.

Rate of Burning: Not available.

Explosive Power: Not available.

Sensitivity to Static Discharge: None.

Fire Extinguishing Media: Is used as an extinguishing agent for all classes of fires. Use

Media appropriate for surrounding fire and/or materials.

**Instructions to the Fire Fighters:** Isolate materials that are not involved in the fire and protect

personnel. Do not flush with water as aqueous solutions or powders that become wet render surfaces extremely slippery. Spilled material may cause floors and contact surfaces to

become slippery.

Fire Fighting Protective Equipment: Use self-contained breathing apparatus and protective clothing.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

Leak And Spill Procedure:

In all cases of leak or spill contact vendor at Emergency Number shown on

the front page of this MSDS. Minimize airborne spreading of dust. Wear respirator, protective clothing and gloves. Avoid dry sweeping. Do not use compressed air to clean surfaces. Vacuuming or wet sweeping is preferred.

Return all material possible to container for proper disposal. Do not allow

to enter sewers or watercourses.

Any recovered product can be used for the usual purpose, depending on the

Extent and kind of contamination. Where a package (drum or bag) is damaged and/or leaking, repair it, or place it into an over-pack drum immediately so as to avoid or minimize material loss and contamination of

surrounding environment. Replace damaged containers immediately to avoid loss of material and contamination of surrounding atmosphere. Ventilate enclosed spaces. Notify applicable government authority if release is

reportable or could adversely affect the environment.

### SECTION 7 HANDLING AND STORAGE

**HANDLING** 

**Handling Practices:** Use normal "good" industrial hygiene and housekeeping practices. Avoid

Accumulation and dispersion of dust. Clean up immediately to eliminate hazard.

**Ventilation Requirements:** See Section 8, "Engineering Controls".

Other Precautions: Use only with adequate ventilation and avoid breathing dusts. Avoid contact with

Eyes, skin or clothing. Wash thoroughly with soap and water after handling. Wash

Contaminated clothing thoroughly before reuse.

**STORAGE** 

**Ventilation Requirements:** General exhaust is acceptable.

**Alkalinity Booster** 

**Storage Requirements:** Store in a cool, dry and well-ventilated area. Keep away from heat, sparks and

flames. Keep containers closed. Avoid moisture contamination. Prolonged storage may result in lumping or caking. Protect from direct sunlight. Protect against physical

damage.

### SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS** 

**Engineering Controls:** General exhaust is acceptable. Local exhaust ventilation preferred.

PERSONAL PROTECTIVE EQUIPMENT

**Skin (Specify):**Gloves and protective clothing made from cotton, leather, rubber or plastic should be

impervious under conditions of use. Prior to use, user should confirm impermeability.

Discard contaminated gloves.

**Eye (Specify):** Safety glasses with side shields are recommended to prevent eye contact. Use

Chemical safety goggles when there is potential for eye contact. Contact lenses

Should not be worn when working with this material.

Respiratory (Specify): Use dust mask for concentrations of nuisance dust up to 100mg/m3 particulate. An

Air-supplied respirator if concentrations are higher or unknown.

Other (Specify): None.

### SECTION 9 PHYSICAL DATA FOR MATERIAL

Physical State: Gas Liquid Solid X

Odour & Appearance: Odourless, opaque, white powder

Odour Threshold (Ppm): Not applicable
Auto Ignition Temperature (Celsius): Not applicable
Upper Explosion Limit (% By Volume): Not applicable
Lower Explosion Limit (% By Volume): Not applicable

**Decomposition Temp (°C)**: 270°C

Flammability: Yes No  $\underline{X}$ 

If Yes, Under Which Conditions?:

Not applicable

Viscosity (cps): Not applicable

Specific Gravity: 2.16

Vapour Pressure (Mm):Not applicableVapour Density (Air-1):Not applicableFlashpoint (C)Not flammableEvaporation RateNot applicable

**Alkalinity Booster** 

Boiling Point (C): loses C02 at 270 deg C

Freezing Point (C):

Solubility In Water (20c):

9.6 g/100g water

Volatile (By Weight)

Not applicable

Ph:

8.50 (1% solution)

Coefficient Of Water/Oil Distribution: Not applicable

## SECTION 10 STABILITY AND REACTIVITY

Chemical Stability: Yes X No

If No, Under Which Conditions?: Not applicable

Incompatibility To Other Substances: Yes X No

If So, Which Ones: Strong oxidizers, acids

**Conditions to Avoid:** High temperatures, sparks, open flames and all other sources of

ignition. Minimize air borne spreading of dust. Avoid direct sunlight and

moisture contamination. Hygroscopic.

Hazardous Decomposition Products: Thermal decomposition products are toxic and may include soda ash

Oxides of sodium, carbon and irritating gases.

Sodium bicarbonate begins to decompose at 50°C, releasing carbon Dioxide, sodium carbonate and water. Total decomposition occurs at

270°C.

### SECTION 11 TOXICOLOGICAL INFORMATION

#### **POTENTIAL HEALTH EFFECTS**

**Inhalation:** Product may be mildly irritating to the nose, throat and respiratory and may

cause coughing and sneezing. Excessive contact with powder may cause drying of mucous membranes of nose and throat due to absorption of moisture and oils.

See "Other Health Effects" Section.

**Skin Contact:** This product may cause irritation due to abrasive action. Excessive contact with

powder may cause drying of the skin due to absorption of moisture and oils.

**Skin Absorption:** Not likely to be absorbed through the skin.

**Eye Contact:** This product may cause irritation, redness and possible damage due to

abrasiveness. Excessive contact with powder may cause drying of mucous

membranes of the eyes due to absorption of moisture and oils.

**Ingestion:** Ingestion is not likely route of exposure. This product may cause mild

gastrointestinal discomfort.

Other Health Effects: May cause central nervous system (CNS) depression, metabolic alkalosis,

hypernatremia and pneumoconiosis. CNS depression is characterized by headache, dizziness, drowsiness, nausea, vomiting and incoordination. Severe overexposures may lead to coma and possible death due to

respiratory failure.

LD 50 of Material (Specify Species and Routes) 4220mg/kg Oral, Rat

LC 50 of Material (Specify Species and Routes) N/A

Exposure (Limits): ACGIH – TLV 10mg/m3 –nuissance dust; OSHA – TWA 15mg/m3 total dust –

5mg/m3 respire fraction.

Irritancy of Material Mild skin and eye irritant.

Sensitization of Material None known
Synergistic Materials None known

Carcinogenicity, Mutagenicity, Reproductive Effects, Teratogenicity: None known

### SECTION 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** May be harmful to aquatic life.

Sodium Bicarbonate

96-hour LC50 (Lepomis macrochirus) = 7100 mg/ll

48-hour LC50 (Culex sp. Larvae or mosquito) = 2000 mg/l

**Environmental Fate:** Product has an unaesthetic appearance and can be a nuisance. Can be

dangerous if allowed to enter drinking water intakes. Do not contaminate

domestic or irrigation water supplies, lakes, streams, ponds or rivers.

Degradability: Not applicable

Bioaccumulative Potential: Not applicable

Mobility In Soil: Not applicable

### SECTION 13 DISPOSAL CONSIDERATIONS

**Deactivating Chemicals:** None required.

Waste Disposal: Dispose of waste material at a municipal landfill site should be satisfactory.

**Safe Handling of Residues:** Empty containers that contain product residue. No special treatment required.

**Disposal of Packaging:** Recycling is encouraged. Treat package in the same manner as the product. Empty

package may be disposed of with normal garbage.

### **SECTION 14**

#### TRANSPORTATION INFORMATION

#### **CANADIAN TDG ACT SHIPPING DESCRIPTION:**

This product is not regulated by TDG.

Label(s): Not applicable Placard: Not applicable.

ERAP Index: ------- Exemptions: None known.

#### **US DOT CLASSIFICATION (49CFR 172.101, 172.102)**

This product is not regulated by DOT

Label(s): Not applicable. Placard: Not applicable. CERCLA-RQ: Not available. Exemptions: Not available.

### **SECTION 15**

### **REGULATORY INFORMATION**

**CANADA** 

**CEPA – NSNR:** This material is included on the DSL under the CEPA

CEPA – NPRI: Not included.

CANADIAN FOOD AND DRUG ACT/REGULATIONS: The use of this material/product as a food additive is regulated by

Health Canada in the Food and Drug Act and the Food and Drug Regulations. It is incumbent on the user of this material/product to Ensure any intended food application is consistent with Health Canada guidelines. Food Grade designation in no way implies

That the product is safe for consumption by humans.

WHMIS: Not Regulated.

**USA** 

**Environmental Protection Act:** This material is included on the TSCA Inventory.

U.S. FOOD AND DRUG ADMINISTRATION: This material/product is regulated for use by the US FDA. It is incumbent

on the user of this material/product to ensure any intended food

application is consistent with US FDA guidelines. Food Grade designation in no way implies that the product is safe for consumption by humans.

#### **INTERNATIONAL**

Sodium Bicarbonate is found on the following inventories: EINECS (European Inventory of Existing Commercial Chemical Substances).

SECTION 16 OTHER INFORMATION

Prepared By (Group, Department, Etc.): Quality Control Telephone: (905) 332-6626

Preparation Date: January 1, 1996 Date Revised: March 29, 2016

**Additional Notes Or References:** 

While Capo Industries Ltd. believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which Capo Industries Ltd. assumes legal responsibility. They are offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, Provincial and local laws and regulations.