## **CURE HYDRASKIN**

# Gaïamé

## RESULTS ON A CLINICAL STUDY ON GAIAME HYDRASKIN TREATMENT

# Skin care results from an oral supplementation with a patented active ingredient Lipowheat™

- Amongst nutriments, vitamins and polyphenols present in various plants, some specific lipids play an important biological role in skin physiology and hydratation. LipWowheat™ in Hydraskin is part of them.
- Lipowheat™ administered to 350mg/day stimulate the biosynthesis of collagen and ceramides in order to restore hydratation and collagen fibers.
- Gaiame Hydraskin in & out beauty treatment is made by Lipowheat™ with organic oils, good for your health your mind and your body (high in essential fatty acids including omega 3).
- Lipowheat™ extraction process and the applications in cosmetics, dietary supplements and functional foods, have been subjects of two patents, a French one and a world one.

### I. CLINICAL STUDY

#### • PROTOCOL

Trial type: Double blind placebo-controlled

study

Timing: 3 months treatment

Dosage: 350mg/day

Subject: Women from 25 to 60.

#### • RESULTS

#### Synthesis:

Lipowheat™ was significantly more efficient than placebo on

- 1. skin hydration from 4 weeks with corneometry.
- 2. wrinkle reduction from 8 weeks with Lemperle scale.
- 3. skin radiance, roughness and dryness -from 8 weeks dermatological scoring.
- 4. subjects reported Lipowheat™ as more efficient than placebo self-assessment.

Moreover, long lasting effects were measured 4 and 8 weeks after the end of the supplementation.

Lipowheat™ was very well tolerated - No drop out, no adverse effect.

#### II. CONCLUSION

This study has demonstrated the statistically significant

- Hydrating effect from 4 weeks
- Visible wrinkle reduction from 8 weeks
- Excellent perception of the effects by the subjects on - hydration, wrinkle, radiance
- Long-lasting effects results on wrinkles and hydration are still visible and still perceived 8 weeks after the end of the supplementation

#### III. REFERENCES

- Boisnic, S., and M-C. BRANCHET. «Interet clinique d'un ingredient alimentaire a visee hydratante: Lipowheat™. Etude randomisee en double aveugle versus placebo.» Journal de médecine esthétique et de chirurgie dermato-logique 34.136 (2007): 239-242.
- Waller, Jeanette M., and Howard I. Maibach. «Age and skin structure and function, a quantitative approach (I): blood flow, pH, thickness, and ultrasound echogenicity.» Skin Research and Technology 11.4 (2005): 221-235.
- Jungersted, Jakob Mutanu, et al. «Lipids and skin barrier function—a clinical perspective.» Contact dermatitis 58.5 (2008): 255-262.
- Meckfessel, Matthew H., and Staci Brandt. «The structure, function, and importance of ceramides in skin and their use as therapeutic agents in skin-care products.» Journal of the American Academy of Dermatology 71.1 (2014): 177-184.
- Mack Correa, Mary Catherine, et al. «Molecular interactions of plant oil components with stratum corneum li-pids correlate with clinical measures of skin barrier function.» Experimental dermatology 23.1 (2014): 39-44.
- Wei, Karl Shiqing, et al. «Effects of season on stratum corneum barrier function and skin biomarkers.» Journal of the Society of Cosmetic Chemists 67.3 (2016): 185-203.
- Norlén, Lars. «Molecular Structure and Function of the Skin Barrier.» Percutaneous Penetration Enhancers Chemical Methods in Penetration Enhancement. Springer Berlin Heidelberg, 2015. 39-42.
- Barco, D., and A. Giménez-Arnau. «Xerosis: a dysfunction of the epidermal barrier.» Actas Dermo-Sifiliográficas (English Edition) 99.9 (2008): 671-682.
- Rawlings, A. V. «Trends in stratum corneum research and the management of dry skin conditions.» Internation-al journal of cosmetic science 25.1-2 (2003): 63-95.
- Boireau-Adamezyk, E., A. Baillet-Guffroy, and G. N. Stamatas. «Age-dependent changes in stratum corneum barrier function.» Skin Research and Technology 20.4 (2014): 409-415.
- Balistreri, Carmela Rita, et al. «Aging and Anti-Aging Strategies.» cancer 8 (2015): 10.
- Baumann, L. «Skin ageing and its treatment.» The Journal of pathology 211.2 (2007): 241-251.
- Boisnic, et al. «Lipowheat™ phytoceramides, a powerful dietary ingredient for hydration and anti-aging.» Journal of International Society of Antioxidants in Nutrition & Health 3.1 (2016).
- Guillou, S., et al. «The moisturizing effect of a wheat extract food supplement on women's skin: a randomized, double-blind placebo-controlled trial.» International journal of cosmetic science 33.2 (2011): 138-143.