

**Version 1**



**Version 2**



CROCHET | SKILL LEVEL: **EASY**

## ABBREVIATIONS

**Approx** =

Approximately

**Beg** = Beginning

**Ch** = Chain(s)

**Cont** = Continue(ity)

**Dc** = Double crochet

**Hdc** = Half double  
crochet

**Hdc2tog** = (Yoh and  
draw up a loop in  
next stitch) twice. Yoh  
and draw through all  
loops on hook.

**Inc(s)** = Increase(s)

**Pat** = Pattern

**Picot** = Ch 3. Sl st in  
top of previous stitch.

**PM** = Place marker

**Rem** = Remaining

**Rep** = Repeat

**Rnd(s)** = Round(s)

**RS** = Right side

**Sc** = Single crochet

**Sc2tog** = (Draw up  
a loop in next stitch)  
twice. Yoh and draw  
through all loops on  
hook.

**Sl st** = Slip stitch

**Sp(s)** = Space(s)

**St(s)** = Stitch(es)

**Trfp** = (Treble front  
post) - (Yoh) twice  
and draw up a loop  
around post of next  
stitch at front of work,

inserting hook from  
right to left. (Yoh and  
draw through 2 loops  
on hook) 3 times.

**WS** = Wrong side

**Yoh** = Yarn over hook

## MATERIALS

**Bernat® Forever Fleece Finer™** (9.9 oz/280 g; 385 yds/352 m)

**Sizes** **12/18 mos** **2/4 yrs**

### Version 1

**Main Color (MC)** My Sunshine (76003) **2** **2** **balls**

**Contrast A** Splish Splash (76022) **1** **1** **ball**

### Version 2

**Main Color (MC)** Petal (76010) **2** **2** **balls**

**Contrast A** Unicorn (76027) **1** **1** **ball**

Sizes U.S. I/9 (5.5 mm) and U.S. J/10 (6 mm) crochet hooks **or size needed to obtain gauge.** Stitch marker. Yarn needle. Hook and loop fastener dot for waistband.

## SIZES

### Tail

**To fit waist measurements:**

**12/18 mos** **21" [53.5 cm]**

**2/4 yrs** **23" [58.5 cm]**

**Finished measurements:**

**12/18 mos** **3" x 20" [7.5 cm x 51 cm]**

**2/4 yrs** **3" x 27" [7.5 cm x 68.5 cm]**

### Hat

**To fit head sizes:**

**12/18 mos** **18½" [47 cm] circumference**

**2/4 years** **19" [48 cm] circumference**

## GAUGES

**Tail:** 12 sc and 13 rows = 4" [10 cm] with larger hook.

**Hat:** 13 sc and 14 rows = 4" [10 cm] with smaller hook.

## INSTRUCTIONS

*The instructions are written for smaller size. If changes are necessary for larger size the instructions will be written thus ( ). When only one number is given, it applies to both sizes.*

## HAT

**Note:** Hat is worked from side to side.

With smaller hook and MC, ch **37 (47)** loosely.

**1st row:** (RS). 1 sc in 2nd ch from hook. 1 sc in each ch to end of chain. Turn. **36 (46)** sc.

**\*\*2nd row:** Ch 1. Sl st in first sc. 1 sc in each st to end of row. Turn.

**3rd row:** Ch 1. 1 sc in each sc to last sc. **Turn.** Leave rem sts unworked (sc and sl st).

Rep last 2 rows 3 times more.

**Next row:** As 2nd row.

**Next row:** Ch 1. 1 sc in each sc to last sc. Working to end of row: (1 sc in next sc. 1 sc in next sl st) 5 times. Turn. **36 (46)** sc.\*\*

Rep from \*\* to \*\* once more.



## Shape face opening

### Upper part:

**1st row:** (WS). Ch 1. Sl st first sc. 1 sc in each of next **17 (22)** sc.

**Turn.** Leave rem sts unworked.

**\*\*\*2nd row:** Ch 1. 1 sc in each sc to last sc. **Turn.** Leave rem sts unworked (sc and sl st).

**3rd row:** Ch 1. Sl st in first sc. 1 sc in each sc to end of row. Turn. Rep last 2 rows **2 (3)** times more.\*\*\*

**Next row:** (RS). Ch 1. 1 sc in each sc to last sc. Working to end of row: (1 sc in next sc. 1 sc in next sl st) **4 (5)** times. Turn. **18 (23)** sc.

**Next row:** Ch 1. Sl st in first sc. 1 sc in each sc to end of row. Turn. Rep from \*\*\* to \*\*\* once more. Fasten off.

## Lower part:

With WS facing, working across rem sts of Main Body. Skip next **4 (7)** sc. Join yarn with sl st to next sc.

**1st row:** (WS). Ch 1. Sc2tog. 1 sc in each sc to end of row. Turn. **13 (15)** sts.

**2nd row:** Ch 1. 1 sc in each sc to last 2 sts. Sc2tog. Turn. **12 (14)** sts.

**3rd row:** As 1st row. **11 (13)** sts.

**4th row:** Ch 1. 1 sc in each sc to end of row. Turn.

Rep last row **7 (11)** times more.

**Next row:** (RS). Ch 1. 1 sc in each sc to last sc. 2 sc in last sc. Turn. **12 (14)** sts.

**Next row:** Ch 1. 2 sc in first sc. 1 sc in each sc to end of row. Turn.

**Joining row:** (RS). Ch 1. 1 sc in each sc to last sc. 2 sc in last sc of Lower Part. Ch **4 (7)**. Working across Upper Part: 1 sc in each sc to last sc. Working to end of row: (1 sc in next sc. 1 sc in next sl st) **4 (5)** times. Turn. **36 (46)** sc.

Rep from \*\* to \*\* as given above twice more.

Fasten off. Sew back seam of Hat.

## Spikes

With smaller hook and A, ch **35 (41)**. **First Spike: 1st row:** (RS). 1 sc in 2nd ch from hook. 1 sc in each of next 3 ch. **Turn.** Leave rem sts unworked.

**\*\*2nd row:** Ch 1. 1 sc in first sc. (2 sc in next sc) twice. 1 sc in last sc. Turn. 6 sc.

**3rd row:** Ch 1. Sc2tog. 1 sc in each of next 2 sc. Sc2tog. Turn. 4 sts.

**4th row:** Ch 1. (Sc2tog) twice. Turn. 2 sts.

**5th row:** Ch 1. Sc2tog. Fasten off.\*\*

**\*\*\*Next Spike:** With RS facing, skip next 2 ch. Join A with sl st to next ch.

**1st row:** (RS). Ch 1. 1 sc in same sp as sl st. 1 sc in each of next 3 ch. **Turn.** Leave rem sts unworked.

Work from \*\* to \*\* as given for First Spike.\*\*\*

Rep from \*\*\* to \*\*\* to end of chain. **6 (7)** Spikes.

**Join Spikes to Hat:** Using photo as reference, align foundation ch of Spikes along center of Hat. With A, work sl st through both thicknesses to attach Spikes to Hat. Fasten off.

## TAIL

### Notes:

- Move markers up as you work each row.
- Ch 2 at beg of row **does not** count as st.

With larger hook and MC, ch 4.

**1st row:** (RS). 2 dc in 4th ch from hook. 3 dc. Turn.

**2nd row:** Ch 2 (**does not** count as st here and throughout). 1 hdc in first dc. Skip next dc. 1 hdc in last dc. Turn. 2 hdc.

**3rd row:** Ch 3 (counts as dc here and throughout). 1 hdc in first hdc. 2 trfp around next dc 2 rows below. PM on each of last 2 sts. (1 hdc. 1 dc) in last hdc. Turn. 6 sts.

**4th row:** Ch 3. 1 hdc in first st. 2 hdc in next hdc. Skip marked 2 sts. 2 hdc in next hdc. (1 hdc. 1 dc) in last st. Turn. 8 sts.

**5th row:** Ch 3. 1 hdc in first st. 1 hdc in next hdc. 1 trfp around each of next 2 trfp 2 rows below. PM on each of last 2 sts. Skip next 4 hdc. 1 hdc in next hdc. (1 hdc. 1 dc) in last st. Turn. 8 sts.

**6th row:** Ch 3. 1 hdc in first st. 2 hdc in next hdc. 1 hdc in next hdc. Skip marked 2 sts. 1 hdc in next hdc. 2 hdc in next hdc. (1 hdc. 1 dc) in last st. Turn. 10 sts.

**7th row:** Ch 3. 1 hdc in first st. 1 hdc in each of next 2 hdc. 1 trfp around each of next 2 trfp 2 rows below. PM on each of last 2 sts. Skip next 4 hdc. 1 hdc in each hdc to last dc. (1 hdc. 1 dc) in last st. Turn. 10 sts.

**8th row:** Ch 3. 1 hdc in first st. 2 hdc in next hdc. 1 hdc in each hdc to marked 2 sts. PM on last st. Skip marked 2 sts. 1 hdc in each hdc to last 2 sts. 2 hdc in next hdc. (1 hdc. 1 dc) in last st. Turn.

**9th row:** Ch 3. 1 hdc in first st. 1 hdc in each hdc to 2 hdc before marked st. 1 trfp around each of next 2 trfp 2 rows below. PM on each of last 2 sts. Skip next 4 hdc. 1 hdc in each hdc to last st. (1 hdc. 1 dc) in last st. Turn.

Rep 8th and 9th rows, noting side incs, until width measures approx 8" [20.5 cm], ending on a 8th row.

**Next row:** (RS). Ch 2. 2 hdc in first st. 1 hdc in each hdc to 2 hdc before marked st. 1 trfp around each of next 2 trfp 2 rows below. PM on each of last 2 sts. Skip next 4 hdc. 1 hdc in each hdc to last st. 2 hdc in last st. Turn.

**Next row:** Ch 2. 2 hdc in first st. 1 hdc in each hdc to marked 2 sts. PM on last st. Skip marked 2 sts. 1 hdc in each hdc to last st. 2 hdc in last st. Turn.

Rep last 2 rows, until work along center Trfp line measures approx 25" [63.5 cm], ending on a WS row.

Proceed as follows:

**1st row:** (RS). Ch 1. Sl st in first st. 1 sc in next st. 1 hdc in each hdc to 2 hdc before marked st. 1 trfp around each of next 2 trfp 2 rows below. PM on each of last 2 sts. Skip next 4 hdc. 1 hdc in each hdc to last 2 sts. 1 sc in next st. **Turn.** Leave rem st unworked.

**2nd row:** Ch 1. Sl st in first st. 1 sc in next st. 1 hdc in each hdc to marked 2 sts. PM on last st. Skip marked 2 sts. 1 hdc in each st to last 2 sts. 1 sc in next sc. **Turn.** Leave rem st unworked.

Rep last 2 rows until there are no sts left to work. Fasten off.

**Spikes** (make 2 pieces alike)  
With smaller hook and A, ch 3.

**1st row:** (RS). 1 sc in 2nd ch from hook. 2 sc in next ch (outer edge). Turn. 3 sc.

**2nd row:** Ch 1. 1 sc in first sc. 2 sc in next sc. 1 sc in last sc. (inner edge). Turn. 4 sc.

**3rd row:** Ch 1. 1 sc in first sc. 2 sc in next sc. 1 sc in each of next 2 sc. Turn. 5 sc.

**4th row:** Ch 1. 1 sc in each of first 3 sc. 2 sc in next sc. 1 sc in last sc. Turn. 6 sc.

**5th row:** Ch 1. 1 sc in first sc. 2 sc in next sc. 1 sc in each of next 4 sc. Turn. 7 sc.

**6th row:** Ch 1. 1 sc in each of first 5 sc. 2 sc in next sc. 1 sc in last sc. Turn. 8 sc.

**7th row:** Ch 1. 1 sc in first sc. 2 sc in next sc. 1 sc in each of next 6 sc. Turn. 9 sc.

**8th row:** Ch 1. 1 sc in each of first 7 sc. 2 sc in next sc. 1 sc in last sc. Turn. 10 sc.

**9th row:** Ch 1. 1 sc in each of first 2 sc. **Turn.** Leave rem sts unworked.

**10th to 12th rows:** Ch 1. 1 sc in each of first 2 sc. Turn.

**13th row:** Ch 1. 1 sc in first sc. 2 sc in next sc. Turn.

Rep 2nd to 13th rows until work measures length to fit along Trfp line of Tail, ending on a 8th row. Fasten off.

### Join 2 Spike Pieces tog:

**Note:** Join along outer edges only, leave inner edge unworked.

Align 2 pieces with RS of 1st piece and WS of 2nd piece tog. With smaller hook, join A with sl st at foundation ch. Ch 1. Working through both thicknesses, work in sc across outer edge (shaped spikes), having (2 sc. Picot. 1 sc) in top of each Spike. Fasten off at end of last Spike.

Sew each side of Inner edge along corresponding Trfp sts of Tail.

**Belt:** With MC and larger hook, ch 16.

**1st row:** (RS). 1 sc in 2nd ch from hook. 1 sc in each ch to end of chain. Turn. 15 sc.

**2nd row:** Ch 1. 1 sc in each sc to end of row. Turn.

Rep last row until Belt measures **22 (27)" [56 (68.5) cm]**. Fasten off.

Fold Belt in half lengthwise. Join MC with sl st at fold. Ch 1. Working through both thicknesses, work in sc across ends and length of Belt, working 3 sc in corners. Fasten off. With WS facing, align top of Tail with joining sc row at center of Belt. Join MC with sl st at right side of Tail. Ch 1. Working through both thicknesses, work in sc to attach Tail to Belt. Fasten off.

Try on Belt. Mark position of hook and loop fastener. Sew hook and loop fastener to ends of Belt.

