4. Sterling Cables Sweater



SIZES

To fit bust measurement Extra-Small/Small

28-34 ins [71-86.5 cm]

Medium

36-38 ins [91.5-96.5 cm]

Large

40-42 ins [101.5-106.5 cm]

Extra-Large

44-46 ins [112-117 cm]

2/3 Extra-Large

48-54 ins [122-137 cm]

4/5 Extra-Large

56-62 ins [142-157.5 cm]

Finished bust

XS/S	37	ins	[94	cm]
Medium	$42 \frac{1}{2}$	ins	[108	cm]
Large	44	ins	[112	cm]
X-Large	50	ins	[127	cm]
2/3 X-Large	57½	ins	[146	cm]
4/5 X-Large	67	ins	[170.5	cm]



GAUGE

18 sts and 24 rows = 4 ins [10 cm] with larger needles in stocking st.

MATERIALS

Bernat® Satin (100 g / 3.5 oz)								
Sizes	XS/S	M	L	XL	2/3XL	4/5XL		
04045 (Grey Mist Heather)	6	7	8	9	10	11	balls	

Sizes 4.5 (U.S. 7) and 5 mm (U.S. 8) knitting needles **or size needed to obtain gauge.** Cable needle. 2 st holders.

STITCH GLOSSARY

Alt = Alternate.

Beg = Beginning.

C6F = Slip next 3 stitches onto a cable needle and leave at front of work. K3, then K3 from cable needle.

C6B = Slip next 3 stitches onto a cable needle and leave at back of work, K3, then K3 from cable needle.

Cont = Continue(ity).

Dec = Decrease(ing).

Inc = Increase 1 stitch by knitting into front and back of next stitch.

 $\mathbf{K} = Knit.$

K2tog = Knit next 2 stitches together. **K2togtbl** = Knit next 2 stitches together through back loops.

M1 = Make 1 stitch by picking up horizontal loop lying before next stitch and knitting into back of loop.







M1P = Make 1 stitch by picking up horizontal loop lying before next stitch and purling into back of loop. $\mathbf{P} = \text{Purl}.$

P2tog = Purl next 2 stitches together. P2togtbl = Purl next 2 stitches together through back loops.

Pat = Pattern.

Rep = Repeat.

Rem = Remaining.

RS = Right side.

St(s) = Stitch(es).

T4B = Slip next stitch onto a cable needle and leave at back of work. K3, then P1 from cable needle.

T4F = Slip next 3 stitches onto a cable needle and leave at front of work. P1, then K3 from cable needle. **T5B** = Slip next 2 stitches onto a cable needle and leave at back of

work, K3, then P2 from cable needle. **T5F** = Slip next 3 stitches onto a cable needle and leave at front of work. P2, then K3 from cable needle.

T7B = Slip next 4 stitches onto a cable needle and leave at back of work. K3. then (P1. K3) from cable needle.

WS = Wrong side.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus (). When only one number is given, it applies to all sizes. For ease in working, circle all numbers pertaining to your size.

Panel Pat A (worked over 46 sts) (see page 34).

1st row: (RS). (P1. K3) twice. P6. K3. P1. K3. P4. K3. P1. K3. P6. (K3. P1) twice.

2nd and alt rows: Knit all knit sts and purl all purl sts as they appear.

3rd row: T4B. P1. T4F. P3. (T5B. P1. T5F) twice. P3. T4B. P1. T4F. **5th row:** K3. P3. T5F. T4B. P5.

C6F. P5. T4F. T5B. P3. K3.

7th row: T4F. P4. C6F. P5. T4B. T4F. P5. C6F. P4. T4B.

9th row: P1. T4F. P1. T5B. T4F. P3. T4B. P2. T4F. P3. T4B. T5F. P1. T4B. P1.

11th row: P2. T7B. (P3. K3) twice. P4. (K3. P3) twice. T7B. P2.

13th row: P1. T4B. P1. T5F. T4B. P3. T4F. P2. T4B. P3. T4F. T5B. P1. T4F. P1.

15th row: T4B. P4. C6F. P5. T4F. T4B. P5. C6F. P4. T4F.

17th row: K3. P3. T5B. T4F. P5. C6F. P5. T4B. T5F. P3. K3.

19th row: T4F. P1. T4B. P3. (T4F. P3. T4B) twice. P3. T4F. P1. T4B. **21st row:** (P1. K3) twice. P3. (P2. T4F. P1. T4B) twice. P5. (K3. P1) twice.

23rd row: P1. T7B. P6. T7B. P4. T7B. P6. T7B. P1.

24th row: As 2nd row.

These 24 rows form Panel Pat A.

Panel Pat B (worked over 6 sts) (see page 34).

1st row: (RS). C6B.

2nd and alt rows: P6.

3rd, 5th and 7th rows: K6.

8th row: As 2nd row.

These 8 rows form Panel Pat B.

Panel Pat C (worked over 6 sts) (see page 34).

1st row: (RS). C6F.

2nd and alt rows: P6.

3rd, 5th and 7th rows: K6.

8th row: As 2nd row.

These 8 rows form Panel Pat C.

BACK

With smaller needles, cast on 80 (92**-96-**108**-124-**144**) sts.

1st row: (RS). (P1. K1) 6 (**9**-10-**13**-17-**22**) times. P1. K5. P3. K6. P5. K6. P4. K6. P5. K6. P3. K5. (P1. K1) 6 (**9**-10-**13**-17-**22**) times. P1.

2nd row: (K1. P1) 6 (**9**-10-**13**-17-**22**) times. K1. P5. K3. P6. K5. P6. K4. P6. K5. P6. K3. P5. (K1. P1) 6 (**9**-10-**13**-17-**22**) times. K1.

Rep last 2 rows 10 times more.

Next row: (RS). (P1. K1) 6 (9-10-13-17-22) times. P1. K2. M1. K3. P1. M1P. P2. K3. M1. K3. P2. M1P. P3. K3. M1. K3. P4. K3. M1. K3. P3. M1P. P2. K3. M1. K3. P2. M1. P1. K3. M1. K2. (P1. K1) 6 (9-10-13-17-22) times. P1. 90 (102-106-118-134-154) sts.

Next row: (K1. P1) 6 (**9**-10-**13**-17-**22**) times. K1. P6. K4. P3. K1. P3. K6. P7. K4. P7. K6. P3. K1. P3. K4. P6. (K1. P1) 6 (**9**-10-**13**-17-**22**) times. K1.

Change to larger needles and proceed as follows:

1st row: (RS). K13 (**19**-21-**27**-35-**45**). Work 1st row of Panel Pat B. P3. Work 1st row of Panel Pat A. P3. Work 1st row of Panel Pat C. K13 (**19**-21-**27**-35-**45**).

2nd row: P13 (**19**-21-**27**-35-**45**). Work 2nd row of Panel Pat C. K3. Work 2nd row of Panel Pat A. K3. Work 2nd row of Panel Pat B. P13 (**19**-21-**27**-35-**45**).

Panel Pats A, B and C are now in position.

Cont in pat, inc 1 st each end of needle on 5th and following 14th row. 94 (**106**-110-**122**-138-**158**) sts.

Cont even in pat until work from beg measures 14½ (14½-14½-15½-16½-17½) ins [37 (37-37-39.5-42-44.5) cm], ending with a WS row.

Shape armholes: Keeping cont of pat, cast off 5 (8-8-10-12-16) sts beg of next 2 rows. 84 (90-94-102-114-126) sts.

Keeping cont of pat, dec 1 st each end of needle on next 3 (3-3-5-7-9) rows, then every following alt row 3 (5-5-4-5-7) times. 72 (74-78-84-90-94) sts.**

Cont even in pat until armholes measure 8 (8-8½-8½-9-9½) ins [20.5 (20.5-21.5-21.5-23-24) cm], ending with a WS row.

Shape shoulders: Cast off 7 (7-8-9-10-11) sts beg next 2 rows, then 8 (8-9-10-11-11) sts beg following 2 rows. Leave rem 42 (44-44-46-48-50) sts on a st holder.

FRONT

Work from ** to ** as given for Back.

Cont even in pat until armhole measures 5 (5-5-5-5½-5½) ins [12.5 (12.5-12.5-14-14) cm], ending with a WS row.

Shape neck: 1st row: Pat 20 (**20**-22**-24**-26**-27**) sts (neck edge). **Turn.** Leave rem sts on a spare needle.

Dec 1 st at neck edge on next 4 rows, then following alt row once. 15 (15-17-19-21-22) sts.

Cont even in pat until armhole measures 8 (8-8½-8½-9-9½) ins [20.5 (20.5-21.5-21.5-23-24) cm], ending with a WS row.

Shape shoulder: Cast off 7 (7-8-9-10-11) sts beg of next row. Work 1 row even. Cast off rem 8 (8-9-10-11-11) sts.

With RS of work facing, slip next 32 (**34**-34-**36**-38-**40**) sts onto a st holder. Join yarn to rem sts and pat to end of row.

Dec 1 st at neck edge on next 4 rows, then following alt row once. 15 (15-17-19-21-22) sts.

Cont even in pat until armhole measures 8 (8-8½-8½-9-9½) ins [20.5 (20.5-21.5-21.5-23-24) cm], ending with a RS row.

Shape shoulder: Cast off 7 (7-8-9-10-11) sts beg of next row. Work 1 row even. Cast off rem 8 (8-9-10-11-11) sts.

SLEEVES

With smaller needles, cast on 48 (48-48-52-56-56) sts.

1st row: (RS). (K1. P1) 8 (**8**-8-**9**-10-**10**) times. (K4. P2) twice. K4. (P1. K1) 8 (**8**-8-**9**-10-**10**) times.

2nd row: (P1. K1) 8 (**8**-8-**9**-10-**10**) times. (P4. K2) twice. P4. (K1. P1) 8 (**8**-8-**9**-10-**10**) times.

Rep last 2 rows 13 times more.

Next row: (RS). (K1. P1) 8 (**8**-8-**9**-10-**10**) times. (K1. M1. K2. M1. K1. P2) twice. K1. M1. K2. M1. K1. (P1. K1) 8 (**8**-8-**9**-10-**10**) times. 54 (**54**-54-58-62-**62**) sts.

Next row: (P1. K1) 8 (**8**-8-**9**-10-**10**) times. (P6. K2) twice. P6. (K1. P1) 8 (**8**-8-**9**-10-**10**) times.

Change to larger needles and proceed as follows:

1st row: (RS). K16 (**16**-16-**18**-20-**20**). (Work 1st row of Panel Pat B. P2) twice. Work 1st row of Panel Pat B. K16 (**16**-16-**18**-20-**20**).

2nd row: P16 (**16**-16-**18**-20-**20**). (Work 2nd row of Panel Pat B. P2) twice. Work 2nd row of Panel Pat B. P16 (**16**-16-**18**-20-**20**).

Panel Pat B is now in position.

Keeping cont of pat, inc 1 st each end of needle on next and every following 8th (6th-6th-4th-2nd-2nd) row to 64 (68-72-64-70-94) sts, then every following 10th (8th-8th-6th-4th-4th)

row to 66 (**72**-78-**82**-96-**106**) sts, taking inc sts into stocking st.

Cont even in pat until work from beg measures 17½ (**18**-18½-**18½**-17-**16**) ins [44.5 (**45.5**-47-**47**-43- **40.5**) cm], ending with a WS row.

Shape top: Cast off 3 (**4**-4-**5**-6-**8**) sts beg next 2 rows. 60 (**64**-70-**72**-84-**90**) sts.

Next row: (RS). K2. K2tog. Pat to last 4 sts. K2togtbl. K2.

Next row: Work even in pat. Rep last 2 rows 8 (9-8-9-15-18) times more. 42 (44-52-52-52-52) sts.

Next row: (RS). K2. K2tog. Pat to last 4 sts. K2togtbl. K2.

Next row: P2. P2togtbl. Pat to last 4 sts. P2tog. P2.

Rep last 2 rows to 10 (**12**-12-**16**-**16**) sts. Cast off.

FINISHING


Pin garment pieces to measurements. Cover with a damp cloth, leaving cloth to dry.


46-48-**50**) sts from back st holder. 104 (**108**-108-**116**-124-**128**) sts. **1st row:** (WS). Knit all knit sts and purl all purl sts across next 42 (**44**-44-46-48-**50**) sts. (K1. P1) 7 (7-7-**8**-9-**9**) times. K1. Knit all knit sts and purl all purl sts across next 32 (**34**-34-**36**-38-**40**) sts. (K1. P1) 7 (7-7-**8**-9-**9**) times. K1.


2nd row: Knit all knit sts and purl all purl sts as they appear.

Rep last 2 rows for 4 ins [10 cm]. Cast off in pat.


Sew left shoulder and collar seam. Sew in sleeves. Sew side and sleeve seams. DERNAT








PANEL PAT B



PANEL PAT C



Key

= Knit on RS and purl on WS = T4F = T4F = T5B = C6B = C6F = T5F = T7F = T7F