



Child's Retro Ribbed Pullover

designed by Kim Biddix





DESCRIPTION SIZING

This truly timeless retro pullover will remind you of your childhood and help you bring the same warmth and style to your own child's.

Abbreviations

Ch(s) = Chain(s) **Dc** = double crochet **Dc2tog** = (Yoh. Draw up a loop in next st. Yoh and draw through 2 loops on hook) twice. Yoh and draw through all loops on hook. **rem** = remain(ing) reverse sc = reverse
single crochet
sc = single crochet

Sc2tog = Draw up a loop in next st) twice. Yoh and draw through all loops on hook

SI st = Slip stitch

Details & Instructions

MEASUREMENTS

Finished Chest:

4 yrs 26" [66 cm] 6-8 yrs 29" [73.5 cm] 10 yrs 31" [78.5 cm] 12 yrs 34" [86.5 cm]

Finished Length:

4 yrs 16" [40.5 cm]

6-8 17.5" [44.5 yrs cm]

10 yrs 19" [48.5 cm]

12 yrs 20" [51 cm]

MATERIALS

One Pound (454 g/16. oz;742 m/812 yds)

	Sizes	Sizes 4 yrs		10 yrs 12 yrs		
Her	ange Color	1	2	2	2	

One size US I-9 (5.5 mm) crochet hook, or size to obtain gauge. Yarn needle.

GAUGE

In double crochet, 12 sts and 8 rows = 4"/10cm.

INSTRUCTIONS

BACK

Ribbing

Ch 8.

Row 1: Sc in 2nd ch from hook and in each remaining ch across, turn-7 sc.

Row 2: Ch 1, working in back loops only, sc in each sc across, turn. Rep last row until ribbing measures 10 (**11**, 12, **13**)"/25.5 (**28**, 30.5, **33**) cm from beginning. Do not turn at end of last row. Do not fasten off.

Body

Row 1: Rotate ribbing, ch 1, work 39 (**43**, 47, **51**) sc evenly spaced across long edge of ribbing, turn. **Row 2 (RS):** Ch 3 (counts as first dc here and throughout), dc in next 2 sc, *FPdc around next sc, dc in next 3 sc; repeat from * across, turn.

Row 3: Ch 1, so in each st across, turn. **Row 4:** Ch 3, dc in next 2 sc, *FPdc around next FPdc 2 rows below, dc in next 3 sc; repeat from * across, turn. Repeat last 2 rows until back measures 10 1/2 (**11 1/2**, 12 1/2, **13**)"/26.5 (**29**, 32, **33**) cm from beginning, end with a Row 4

Shape Armholes

Row 1: Ch 1, sc in each st across to last 4 sts, turn; leave last 4 sts unworked—35 (**39**, 43, **47**) sts. **Row 2:** Ch 3, dc in next 2 sc, *FPdc around next FPdc 2 rows below, dc in next 3 sc; repeat from * across to last 4 sts, turn; leave last 4 sts unworked-31 (35, 39, 43) sts.

Row 3: Ch 1, sc in each st across, turn. Row 4: Ch 3, dc in next 2 sc, *FPdc around next FPdc 2 rows below, dc in next 3 sc; repeat from * across, turn. Repeat last 2 rows until armhole measures 5 1/2 (6, 6 1/2, 7)"/14 (15, 16.5, 18) cm. Fasten off.

FRONT

Work same as back until armhole measures 3 1/2 (4, 4 1/2, 5)"/9 (10, 11.5, 12.5) cm, end with a Row 4. Shape Neck and First Shoulder Row 1: Ch 1, sc in first 8 (10, 12, 14) sts, turn; leave remaining sts unworked (for neck and 2nd shoulder)-8 (10, 12, **14)** sts **Row 2:** Ch 2 (does not count as a st), dc2tog, dc in each sc to next FPdc (2 rows below), *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc (2 rows below); repeat from * across, turn—7 (9, 11, 13) sts. **Row 3:** Ch 1, sc in each st across to last 2 sts, sc2tog, turn—6 (8, 10, 12) sts. **Row 4:** Ch 3, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc; repeat from * across, turn. Fasten off. Shape Neck and Second Shoulder Sk next 15 unworked sts following first shoulder, join yarn with sl st in next st. Row 1: Ch 1, sc in same st as join, sc in each remaining st across, turn—8 (10, 12, 14) sts. Row 2: Ch 3, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc; repeat from * across to last 2 sts, dc2tog, turn—7 (9, 11, 13) sts. Row 3: Ch 1, sc2tog, sc in each st across, turn—6 (8, 10, 12) sts. Row 4: Row 4: Ch 3, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc, *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc 3 rows below, dc in each sc to next FPdc 3 rows below, dc in each sc to next FPdc 3 rows below, dc in each sc to next FPdc 3 rows below, dc in each sc to next 5 rows below, dc in each sc to next 5 rows below, dc 3 FPdc; repeat from * across, turn. Fasten off. SLEEVE (make 2) Ribbing Work same as back ribbing, until piece measures 6 (**6**, 6 1/2, **7**)"/15 (**15**, 16.5, **18**)cm from beginning. **Row 1:** Rotate ribbing, ch 1, work 23 (**23**, 27, **27**) sc evenly spaced across long edge of ribbing, turn. **Row 2 (RS):** Ch 3 (counts as first dc here and throughout), dc in next 2 sc, *FPdc around next sc, dc in next 3 sc; repeat from * across, turn. **Row 3:** Ch 1, 2 sc in first st, sc in each st across to last st, 2 sc in last st, turn—25 **(25**, 29, **29)** sts. **Row 4:** Ch 3, dc in each sc to next FPdc (2 rows below), *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc (2 rows below); repeat from * across, turn. Repeat last 2 rows 4 (**6**, 6, 7) more times—33 (**37**, 41, **43**) sts. **Next Row:** Ch 1, sc in each st across, turn. **Next Row:** Ch 3, dc in each sc to next FPdc (2 rows below), *FPdc around next FPdc 2 rows below, dc in each sc to next FPdc (2 rows below); repeat from * across, turn. Repeat last 2 rows until sleeve measures 13 1/2 (**14 1/2**, 16 1/2, **17 1/2**)"/34.5 (**37**, 42, **44.5**)cm from beginning. Fasten off. FINISHING Sew shoulder seams. Neckband Row 1: With RS facing, join yarn with sl st in shoulder seam, ch 1, sc evenly spaced around neck edge; join with sl st in first sc. Row 2: Ch 1, rev sc in each sc around. Fasten off. Sew in sleeves. Sew side and sleeve seams. Using yarn needle, weave in all ends. 2 (21/2, 31/4, 4)" 101/2 (111/2, 13, 141/2)" 61/2" 61/2, 7)" 61/2, 7)" 51/2 (6, (9) 16 (17½, 19, 20)' 20)" 51/2 13) 16 (171/2, 19, 13) BACK FRONT 101/2 (111/2, 121/2, 01/2 (111/2, 121/2, 13 (141/2, 151/2, 17)" 13 (141/2, 151/2, 17)" 10 (11, 12, 13)" 10 (11, 12, 13)" 11 (121/2, 131/2, 141/2)" 171/2) 131/2 (141/2, 161/2, SLEEVE 6 (6, 61/2, 7)"