# **%**arnspirations<sup>™</sup>

spark your inspiration!

#### COATS & CLARK **HOLIDAY ORNAMENT PILLOW** *Designed by Linda Turner Griepentrog*



#### MATERIALS

**Coats & Clark™ Dual Duty XP® All-purpose thread** Coats & Clark<sup>™</sup> Dual Duty XP<sup>®</sup> Heavy thread Coats & Clark<sup>™</sup> All-purpose zipper, 16" (40.5cm)

5% yd (57cm) burlap 5⁄8 yd (57cm) muslin 1<sup>1</sup>/<sub>2</sub> yds (1.4m) rustic twine 1¼ yds (1m) grosgrain ribbon, <sup>1</sup>/<sub>8</sub>" (.5cm) Three scraps for ornaments, each 6" (15cm) square Three scraps medium-weight fusible interfacing, each 6" (15cm) square Paper-backed fusible web Temporary spray adhesive Zipper Foot Removable fabric marker



## Featuring Coats & Clark<sup>™</sup> Dual Duty XP<sup>®</sup> All-purpose thread

Add a little farmhouse chic to your holiday decorating with this fun ornament pillow. Customize the baubles using the specialty stitches in your machine. Use Coats & Clark<sup>™</sup> Dual Duty XP<sup>®</sup> Heavy Thread for more prominent decorative stitching.

#### MEASUREMENTS

12" x 18" (30.5cm x 48cm)

## CUTTING

## From muslin, cut:

(1) rectangle, 12<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>2</sub>" (32cm x 47cm) (2) strips, 7<sup>1</sup>/<sub>4</sub>" x 18<sup>1</sup>/<sub>2</sub>" (18.5cm x 47cm)

#### **Burlap Basics**

Because of its open weave, burlap allows inner construction details to show through. Underlining with 2. Using a medium-wide, long muslin eliminates the problem. The open weave is "squirmy" so try to cut pieces along a thread line to keep them squared, then finish the edges with a zigzag. If vour machine has an even-feet or walking foot, use it to help control the movement.

Burlap has natural imperfections in both weave and coloring, so embrace those qualities.

#### PREPARATION

- 1. Spray the wrong side of each muslin piece with temporary spray adhesive and adhere to the wrong side of the burlap, aligning the edges with the weave of the burlap. Trim the burlap to match the muslin piece edges.
  - zigzag stitch, sew around the perimeter of each layered piece to inhibit raveling.



spark your inspiration!

# COATS HOLIDAY ORNAMENT PILLOW Designed by Linda Turner Griepentrog

#### CCS0518-031948M | October 12, 2021

#### ASSEMBLING THE PILLOW FRONT

- Following the manufacturer's instructions, fuse an interfacing square to the wrong side of each ornament fabric square.
- 2. Using the removable fabric marker, trace each ornament on the desired interfaced fabric square, using the pattern provided.
- 3. Thread the sewing machine with Heavy Thread on top and embellish each ornament shape as desired using decorative machine stitches. Sew beyond the marked outline.

**Tip:** Test stitches on a scrap of fabric first. Adjust stitch length and tension as needed to achieve a balanced stitch.

4. Using a small straight stitch, sew around the ornament outline to secure the decorative stitching edges once the ornament is cut.

- 5. Following the manufacturer's instructions, fuse the web to the wrong side of the stitched ornament and trim very close to the stitched outline.
- From the grosgrain ribbon, cut

   lengths 5 ½" (14cm) and (1)
   length 6" (15cm). Mark the
  pillow vertical center line and
  place the longer ribbon along
  this line; stitch in place. Place
  the shorter ribbon lengths 4
  3/4" (38cm) on each side of the
  center line and stitch in place.
- 7. Position the ornaments as desired over the hanger ribbons, then fuse in place.
- 8. Using a medium-wide and close zigzag stitch, sew around the ornament outline, encasing the ends of the decorative stitching.
- 9. Cut the rustic twine into three equal lengths. Tie each into a bow, trim the ends and knot at the desired length. Trim the excess length.
- 10. Hand-stitch a bow at the top of each ornament.

Seam allowances are <sup>1</sup>/<sub>4</sub>" (.64cm).

#### ASSEMBLING THE PILLOW BACK


- 1. Sew the long edges of the layered strips right side together 1" (25.5cm) on each end of the seam, then switch to basting stitch length and finish the seam.
- Following the instructions included in the Coats & Clark™ zipper package, insert either a centered or lapped zipper application.

#### **ASSEMBLING THE PILLOW**

- 1. With the zipper partially open, pin the pillow front and back right sides together. If you used a lapped zipper application, the lap should face downward.
- 2. Sew around the pillow perimeter.
- 3. Turn the pillow right side out and press the edges to shape.
- 4. Insert the pillow form through the zipper opening and distribute the fullness evenly.







\*\*\* Measure templates before cutting to confirm printing at 100%\*\*\*