



MATERIALS

Coats & Clark™ Dual Duty XP™ All-purpose Thread

Coats & Clark™ Machine Embroidery thread

Coats & Clark™ Bobbin thread

Coats & Clark™ Metallic thread, silver

1 yard (.91m) for outer bags

3/8 yard (.34m) from EACH of THREE prints for lining

Scraps for applique

Paper backed fusible web

Tear away stabilizer



SEWING, APPLIQUE | SKILL LEVEL: **INTERMEDIATE**

Coats & Clark™ Dual Duty XP™ All-purpose Thread & Coats & Clark™ Machine Embroidery thread

Clear your work surface while keeping supplies close at hand with these cute hanging bins. Applique with sewing motifs to accent your creative space.

MEASUREMENTS

5" x 5" (12.5cm x 12.5cm)

Note: Instructions are for three bags as shown

CUTTING

From outer bag fabric:

Six rectangles 11" wide x 9½" (28cm x 24cm) high for outer bags
Six strips 2" x 8" (5cm x 20cm) for hangers

From each lining fabric:

Two rectangles 11" wide x 9½" (28cm x 24cm) high


PREPARE:

1. Trace the appliques (page 4) onto the paper side of fusible web or print them following the included instructions.
2. Remove the paper without the tracing and fuse to the wrong side of the applique fabrics following the manufacturer's instructions
3. Cut out the designs.
4. Remove the remaining paper backing and fuse the designs 3" (8cm) below the top, and centered side to side on the outer bag pieces following the manufacturer's instructions. Remember, the motifs are wider than they are high.

SEW:

1. All sewing uses a ½" (1cm) seam allowance unless otherwise noted.
2. Thread with Coats & Clark™ Machine Embroidery thread and Coats & Clark™ Bobbin thread in the bobbin. While Coats & Clark™ all-purpose thread can be used, machine embroidery thread adds sheen to the satin stitching around the applique. The bobbin thread is light weight and won't build up bulk under the satin stitch.
3. Select a zig zag stitch. Adjust the stitch length to .05 and the stitch width to 3.0. Place tear away stabilizer underneath a scrap of fabric and test your stitch. The stitches should lay one next to another, without space between them. If there is space, decrease the stitch length. If it isn't feeding by itself, increase the stitch length. When you are happy with the stitch, place stabilizer underneath the fabric and stitch a satin stitch around design.

4. Repeat with the other designs. On the sewing machine, add the spool pin and needle using a 2mm width stitch.
5. For the pin cushion, thread with Coats & Clark™ Metallic thread on top and Coats & Clark™ bobbin thread in the bobbin. Use it to stitch the pins using a straight stretch stitch. Stitch the heads of the pins with Coats & Clark™ Machine Embroidery thread using a ball decorative stitch.



6. For the thread spool, stitch some lines as shown to highlight the thread.



7. Tear off the excess stabilizer.
8. Thread with Coats & Clark™ Dual Duty XP thread on top and in the bobbin.
9. Place one of the applied 11" x 9½" (28cm x 24cm) rectangles right sides together with one of the plain 11" x 9½" (28cm x 24cm) rectangles.




10. Stitch the sides and bottom.
11. Repeat with the other two applique/plain sets.
12. For the lining pieces, begin at the top and stitch 2" (5cm). Back tack and cut the threads. Skip 2" (5cm) for turning and stitch the remaining length.
13. Box the corners by bringing the seams together on the bottom. Mark a line 2½" in from the point as shown. Stitch on the line.



14. Trim the excess fabric leaving a ¼" (.5cm) seam allowance.
15. Place the outer bag inside the lining with the right sides together.

16. Stitch around the top.
17. Turn through the opening in the lining.
18. Press the top seam.
19. Topstitch $\frac{1}{4}$ " (.5cm) from the edge, then $\frac{1}{2}$ " (1cm) from the first row, around the top of the bag.
20. Topstitch near the edge of the four corners, catching the lining in the seam. Start stitching just below the top topstitching.
21. Place two of the 2" x 8" (5cm x 20cm) rectangles right sides together. Stitch all the way around, leaving a 2" (5cm) opening along the long edge.
22. Repeat with the other four creating three finished strips.
23. Clip the corners and turn right side out.
24. Press and hand stitch the openings closed.
25. Topstitch around the strip $\frac{1}{4}$ " (.5cm) from the edge.
26. Fold in half and stitch to the back of the bag for hanging.





This square should measure 1" x 1" (2.54cm x 2.54cm) when printed.

***** Measure templates before cutting to confirm printing at 100%*****