



## MATERIALS

### Coats & Clark™ Dual Duty XP® All-purpose Thread

Assorted ribbons, varying widths and types

½ yd (46cm) lining fabric

½ yd (46cm) backing fabric

½ yd (46cm) medium-weight woven fusible interfacing

⅓ yd (30.5cm) grosgrain ribbon, ⅝" (16mm)

Pinnable, pressable surface, such as a wool pressing mat or cardboard

½" graph paper (optional)

 SEWING | SKILL LEVEL: **EASY**

### Featuring Coats & Clark™ Dual Duty XP® All-purpose Thread

Create an elegant holiday stocking by weaving ribbons together. Choose colors that are modern or traditional to complement your Christmas décor.

### MEASUREMENTS

14" x 11" (35.5cm x 28cm)

### CUTTING

#### Notes:

- Use ½" graph paper to draw pattern on page 3 OR print pattern on page 4 at 200% tiled and tape together.
- The stocking is directional, so cut all pieces in the appropriate direction—left or right facing.

#### From the lining fabric, cut:

(2) stockings

#### From the backing fabric, cut:

(1) stocking

#### From the fusible interfacing, cut:

(1) stocking

Seam allowances are ¼" (.64cm).

### ASSEMBLING THE STOCKING FRONT

1. Lay the fusible interfacing on the pinnable surface with the adhesive side facing up. Lay ribbons vertically along the stocking and pin at the upper and lower edges.
2. Using shorter lengths of ribbon, weave them over and under the vertical ribbons, pushing each row up snugly against the previous row. Pin the ends in place for each row as it's positioned.
3. When you are satisfied with the look of the stocking front, take the woven piece (still pinned to the surface) to the ironing board and fuse the ribbons in place. If any ribbons are nylon, use a press cloth or lower iron temperature to avoid melting.




4. Once the ribbons are secured, remove the pins and sew along the interfacing edges. Trim the ribbon ends to match the interfacing stocking shape.


### **ASSEMBLING THE STOCKING**

1. With right sides together, place the stocking front and back right sides together and sew around, leaving the upper edge open. Clip the curves.
2. Turn the stocking right side out and press the edges.
3. To make the hanger, choose a decorative machine stitch and sew down the center of the ribbon. Fold in half, wrong sides together and center the ends over the stocking side seam upper edge. Baste in place.
4. Sew the lining right sides together, leaving the upper edge open and leaving a 3" (7.5cm) opening along one side for turning. Begin and end with a ¼" (.64cm) seam but widen the seam allowance to ⅜" (1cm) for most of the stocking so that the lining will be slightly smaller than the stocking and fit smoothly inside it. Trim the seam allowances.
5. With right sides together, slip the lining over the stocking, matching the side seams and toe direction. Sew around the top of the stocking with the hanging loop between the lining and stocking layers.
6. Turn the stocking right side out, stitch the lining opening, and push the lining into the stocking. Press the upper edges.
7. If desired, add a nametag so Santa will know who the stocking belongs to.





1 - ½" square = 1 inch



This square should  
measure 1" x 1"  
(2.54cm x 2.54cm)  
when printed.

**\*\*\* Measure templates before cutting to confirm printed at 200%\*\*\***