



Svetlana Avrakh
Designer



CROCHET | SKILL LEVEL: INTERMEDIATE

ABBREVIATIONS

Beg = Begin(ning)
Ch = Chain(s)
Cont = Continue
Dc = Double crochet
Hdc = Half double crochet
Pat = Pattern
PM = Place marker
Rem = Remaining
Rep = Repeat
Rnd(s) = Round(s)
RS = Right side
Sc = Single crochet
Sctbl = Single crochet through back loop only
Sl st = Slip stitch
Sp(s) = Space(s)
St(s) = Stitches
Tog = Together

Tr = Treble crochet
WS = Wrong side
Yoh = Yarn over hook
Beg X-st = (Yoh) twice. Draw up a loop in 5th ch from hook.

Skip next ch. Yoh and draw up a loop in next ch.



Yoh and draw through 2 loops on hook.



(Yoh and draw through 2 loops on hook) 4 times – two “legs” and first “arm” made.



Video for stitch is [here](#)

MATERIALS

Patons® Grace™ (1.75 oz/50 g; 136 yds/125 m)

Sizes	XS/S	M	L	XL	2/3XL	4/5XL	
Clay (62044)	11	12	13	15	18	20	balls

Size U.S. G/6 (4 mm) crochet hook **or size needed to obtain gauge.**
 Split ring stitch markers. Yarn needle.

Ch 1. Yoh and draw up a loop through 2 front vertical bars of 2 "legs".



(Yoh and draw through 2 loops) twice.



- beg X-st made.

X-st = (Yoh) twice. Draw up a loop in first "arm" of next X-st. Yoh and draw through 2 loops on hook. Skip next ch-1 sp of same X-st. Yoh and draw up a loop in second "arm" of the same X-st. (Yoh and draw through 2 loops on hook) 4 times. Ch 1. Yoh and draw up a loop through 2 front vertical bars of 2 "legs". (Yoh and draw through 2 loops) twice - X-st made.

SIZES

To fit bust measurement

XS/S	28-34" [71-86.5 cm]
M	36-38" [91.5-96.5 cm]
L	40-42" [101.5-106.5 cm]
XL	44-46" [112-117 cm]
2/3XL	48-54" [122-137 cm]
4/5XL	56-62" [142-157.5 cm]

GAUGES

19 sc and 21 rows = 4" [10 cm].
6 X-sts and 5½ rows = 4" [10 cm] in pat

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes, the instructions are written thus (). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Cups (make 2)

Ch **12** (**13-14-14-15-16**).

See diagram on page 5.

1st row: (RS). 1 sc in 2nd ch from hook. 1 sc in each ch to last ch. 5 sc in last ch. PM on center sc. **Do not** turn. *Working into opposite side of ch*, work 1 sc in next and each rem loop of ch to end of ch. Turn. **25** (**27-29-29-31-33**) sc.

2nd row: Ch 1. 1 sc in each sc to end of row. Turn

3rd row: Ch 1. 1 sc in each sc to 1 sc before center sc. 2 sc in next sc. 3 sc in center sc. 2 sc in next sc. PM on center sc. 1 sc in each sc to end of row. Turn. **29** (**31-33-33-35-37**) sc.

Rep 2nd to 3rd rows **8** (**10-12-14-16-18**) times more (moving marker onto center sc after each row is worked), then rep 2nd row once. **61** (**71-81-89-99-109**) sc. Fasten off at end of first Cup. **Do not** fasten off at end of second Cup.



Joining Cups: Ch 1. Work **36** (**40-46-50-56-60**) sc across bottom edge of second Cup (ends of rows). Ch **0** (**1-0-1-1-1**). Work **36** (**40-46-50-56-60**) sc across bottom edge of first Cup. Fasten off.



Front Bodice

Ch **83 (**92-101-110-122-140**) (multiple of 3 ch + 5). See diagram on page 5.

1st row: (RS). Beg X-st in 5th ch from hook - (counts as tr and X-st). *X-st over next 3 ch. Rep from * to last ch. 1 tr in last ch. Turn. **26** (**29-32-35-39-45**) X-sts.

2nd to 4th rows: Ch 4. X-st in each X-st to last tr. 1 tr in last tr. Turn.



Shape armholes: 1st row: (RS). Sl st in first tr. (Sl st in next st, ch-1 sp, st) **1 (1-2-2-3-3)** time(s). Sl st in next st and ch-1 sp. Ch 4. Skip next st. X-st in each X-st to last **2 (2-3-3-4-4)** X-sts. 1 tr in ch-1 sp of next X-st. **Turn.** Leave rem sts unworked. **22 (25-26-29-31-37)** X-sts.

2nd row: Ch 4. 1 tr in ch-1 sp of next X-st. X-st in each X-st to last X-st. 1 tr in ch-1 sp of last X-st. 1 tr in last tr. Turn.

3rd row: Ch 4. Skip next tr. X-st in each X-st to last 2 tr. Skip next tr. 1 tr in last tr. Turn. **20 (23-24-27-29-35)** X-sts.

Rep last 2 rows **1 (1-1-2-2-3)** time(s) more. **18 (21-22-23-25-29)** X-sts.

Next row: Ch 4. X-st in each X-st to last tr. 1 tr in last tr. Turn.**

Rep last row **0 (0-1-0-0-0)** time(s) more.

Neck shaping: 1st row: Ch 4. X-st in each of next **5 (6-6-6-7-7)** X-sts. 1 tr in ch-1 sp of next X-st. **Turn.** Leave rem sts unworked.

2nd row: Ch 4. 1 tr in ch-1 sp of next X-st. X-st in each X-st to last tr. 1 tr in last tr. Turn.

3rd row: Ch 4. X-st in each X-st to last 2 tr. Skip next tr. 1 tr in last tr. Turn.

4th and 5th rows: Ch 4. X-st in each X-st to last tr. 1 tr in last tr. Fasten off at end of last row.

With RS or WS facing, skip next **6 (7-8-9-9-13)** X-sts. Join yarn with sl st to ch-1 sp of next unworked X-st.

1st row: Ch 4. X-st in each X-st to last tr. 1 tr in last tr. Turn.

2nd row: Ch 4. X-st in each X-st to last X-st. 1 tr in ch-1 sp of last X-st. 1 tr in last tr. Turn.

3rd row: Ch 4. Skip next tr. X-st in each X-st to last tr. 1 tr in last tr. Turn.

4th and 5th rows: Ch 4. X-st in each X-st to last tr. 1 tr in last tr. Fasten off at end of 5th row.

Back Bodice

Rep from ** to ** as given for Front Bodice.

Rep last row until armhole measures 1 row less than Front Bodice before shoulders.

Shape Neck: 1st row: Ch 4. X-st in each of next **4 (5-5-5-6-6)** X-sts. 1 tr in ch-1 sp of next X-st. Fasten off.

With RS or WS facing, skip next **8 (9-10-11-11-15)** X-sts. Join yarn with sl st to ch-1 sp of next unworked X-st. Ch 4. X-st in each X-st to last tr. 1 tr in last tr. Fasten off.

Join Cups, Front and Back Bodice
Sew Bodice side seams.

Note: Top of Cups will be sewn later when Dress is complete.

Attach bottom of Cups to Front:

With RS of Front and WS of Cups tog, center Cups on top of Front Bodice aligning foundation ch of Front with joining sc row of Cups - distributing sts evenly. Pin Cups in position.

Joining rnd: (RS). Join yarn with sl st to Front foundation ch at first "leg" of X-st.

Ch 1. 1 sc in same sp as sl st. 1 sc in each of next **2 (2-1-1-1-6)** foundation ch. *Working through both thicknesses*, 1 sc in each of next **36 (40-46-50-56-60)** sc of first Cup and foundation ch. 1 sc in next **0 (1-0-1-1-1)** foundation ch. *Working through both thicknesses*, 1 sc in each of next **36 (40-46-50-56-60)** sc of 2nd Cup and foundation ch. 1 sc in each of next **3 (3-2-2-2-7)** foundation ch. **Do not** fasten off.

Cont working across foundation ch of Back, 1 sc in each of next **78 (87-96-105-117-135)** foundation ch. Join with sl st to first sc. **156 (174-192-210-234-270)** sc. Turn. PM at end of rnd.

SKIRT

Note: Turn at each end of rnd.

1st rnd: (WS). Ch 1. 1 sc in each sc around. Join with sl st to first sc. Turn.

2nd rnd: (RS). Ch 3 (does not count as st). X-st over same sp as sl st and next 2 sc. *X-st over next 3 sc. Rep from * around. Join with sl st to top of first X-st. **52 (58-64-70-78-90)** X-sts. Turn.

3rd rnd: (WS). Ch 1. 1 sc in same sp as sl st and each st ("legs" of X-st and ch-1 sps) around. Join with sl st to first sc. Turn.

4th rnd: (RS). Ch 3 (counts as dc). 1 dc in same st as last sl st. [1 dc in each of next **12 (13-15-16-18-21)** sc. 2 dc in next sc] 11 times. 1 dc in each sc to end of rnd. **168 (186-204-222-246-282)** dc. Turn.

5th rnd: (WS). Ch 1. 1 sc in each dc around. Join with sl st to first sc. Turn.

6th and 7th rnds: As 2nd and 3rd rnds. **56 (62-68-74-82-94)** X-sts.

8th rnd: (RS). Ch 3 (counts as dc). 1 dc in same st as last sl st. [1 dc in each of next **13 (14-16-17-19-22)** sc. 2 dc in next sc] 11 times. 1 dc in each sc to end of rnd. **180 (198-216-234-258-294)** dc. Turn.

9th rnd: As 5th rnd.

10th and 11th rnds: As 2nd and 3rd rnds. **60 (66-72-78-86-98)** X-sts.

12th rnd: (RS). Ch 3 (counts as dc). [1 dc in each of next **13 (14-16-17-19-20)** sc. 2 dc in next sc] 12 times. 1 dc in each sc to end of rnd. **192 (210-228-246-270-306)** dc. Turn.

13th rnd: (WS). Ch 1. 1 sc in each dc around. Join with sl st to first sc. Turn.

14th rnd: (RS). Ch 3 (counts as dc). 1 dc in each sc around. Join with sl st to top of ch-3. Turn.

Rep last 2 rnds until Skirt from marked rnd measures 14" [35.5 cm], ending on 13th rnd.

Proceed as follows (see diagram on page 5):

1st rnd: (RS). Ch 3 (does not count as st). X-st over same sp as sl st and next 2 sc. *X-st over next 3 sc. Rep from * around. Join with sl st to top of first X-st. **64 (70-76-82-90-102)** X-sts. Turn.

2nd rnd: (WS). Ch 1. 1 sc in same sp as sl st and each st ("legs" of X-st and ch-1 sps) around. Join with sl st to first sc. Turn.

3rd rnd: (RS). Ch 3 (counts as dc). 1 dc in each sc around. Join with sl st to top of ch-3. Turn.

4th rnd: (WS). Ch 1. 1 sc in each dc around. Join with sl st to first sc. Turn.

Rep last 4 rnds until Skirt from marked rnd measures approx 25" [63.5 cm], ending on 2nd rnd. Turn.

Note: Do not turn at end of rnd for next 4 rnds.

Next 4 rnds: Ch 1. 1 scbl in each st around. Join with sl st to first sc. Fasten off at end of 4th rnd.

FINISHING


Pin all pieces to measurements and cover with a damp cloth leaving cloth to dry. Sew shoulder seams. Try on Dress. Sew Cups to Bodice.




Neck Edging: **1st rnd:** With RS facing, join yarn with sl st at left shoulder seam. Ch 1. Work 1 rnd of sc evenly around neck edge. Join with sl st to first sc.

Next 4 rnds: Ch 1. 1 scbl in each sc around. Join with sl st to first sc. Fasten off.

Armhole edging: **1st rnd:** With RS facing, join yarn with sl st at side seam. Ch 1. Work 1 rnd of sc evenly around armhole edge. Join with sl st to first sc.

Next 4 rnds: Ch 1. 1 scbl in each sc around. Join with sl st to first sc. Fasten off.





- STITCH KEY
- = chain (ch)
 - = slip stitch (sl st)
 - † = single crochet (sc)
 - ⌋ = double crochet (dc)
 - ⌋ = X-st
 - ⌋ = worked in back loop only
 - ↔ = direction of work

