Carnspirations™ spark your inspiration!

≜Patons[®] **CROCHET BEST IN MESH DRESS**

SHOP KIT



MATERIALS

Patons[®] Grace™ (1.75 oz/50 g; 136 yds/125 m)				
Sizes	XS/S	М	L	
Fiesta (62628)	10	11	12	balls
	1297/1186	1405/1284	1557/1423	yds/m
Sizes	XL	2/3XL	4/5XL	
Fiesta (62628)	13	14	16	balls
	1671/1527	1882/1720	2119/1937	yds/m

Size U.S. F/5 (3.75 mm) Susan Bates® Silvalume® crochet hook or size needed to obtain gauge. Susan Bates[®] stitch markers. Susan Bates[®] yarn needle.



Kat Brennan Designer



CROCHET I SKILL LEVEL: EASY

ABBREVIATIONS

Approx = Approximately **Beg** = Beginning Ch = Chain(s)**Cont** = Continue(ity) **Dc** = Double crochet **Pat** = Pattern **Rem** = Remaining **Rep** = Repeat **Rnd(s)** = Round(s) **RS** = Right side **Sc** = Single crochet

SI st = Slip stitch Sp(s) = Space(s)**St(s)** = Stitch(es) **Tog** = Together **WS** = Wrong side

SIZES

To fit chest measurement XS/S 28-34" [71-86.5 cm] Μ 36-38" [91.5-96.5 cm] L 40-42" [101.5-106.5 cm] 44-46" [112-117 cm] XL 2/3XL 48-54" [122-137 cm] 4/5XL 56-62" [142-157.5 cm]

Finished chest

(S/S	39½" [100.5 cm]
Ν	43" [109 cm]
-	47½" [120.5 cm]
(L	51" [129.5 cm]
2/3XL	57½" [146 cm]
ł/5XL	65" [165 cm]

GAUGES

21 sc and 24 rows = 4" [10 cm] 21 sts and 10 rows = 4" [10 cm] in Mesh Pat (dc and ch-1 sp).



spark your inspiration!

A Patons crochet best in mesh dress

PAC0114-036113M | February 23, 2024

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus **XS/S** (M-L-XL-2/3XL-4/5XL). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Notes:

- Ch 3 at beg of row counts as dc.
- Garment is worked flat in one piece and then seamed.
- Sleeves are worked onto Body in rnds. See assembly diagram on page 2.

BODY

Front Bottom Edge: Ch **106** (116-128-138-154-174). **1st row:** (RS). 1 sc in 2nd ch from hook and in each ch to end of chain. Turn. **105** (115-127-137-

153-173) sc.

2nd and 3rd rows: Ch 1. 1 sc in each sc to end of row. Turn.

Mesh Front Section: 1st row: (WS).

Ch 3. *1 dc in next sc. Ch 1. Skip next sc. Rep from * to last 2 sc. 1 dc in each of last 2 sc. Turn. **54** (**59-65-70-78-88**) dc and **51** (**56-62-67-75-85**) ch-1 sps.

2nd row: Ch 3. *1 dc in next dc. Ch 1. Skip next ch-1 sp. Rep from * to last 2 dc. 1 dc in each of last 2 dc. Turn.

Rep 2nd row for Mesh Pat **81** (81-78-75-73-70) times more, ending on **WS** (WS-RS-WS-WS-RS) row.

Solid Front Section: ***1st row:

Ch 3. *1 dc in next dc. 1 dc in next ch-1 sp. Rep from * to last 2 dc. 1 dc in each of last 2 dc. Turn. **105** (115-127-137-153-173) dc.

2nd row: Ch 3. 1 dc in each dc to end of row. Turn.

Rep 2nd row **13** (**13-16-16-18-21**) times more for Solid Pat,*** ending on **RS** (**RS-RS-WS-WS-WS**) row.

Upper Mesh Section:

1st row: Ch 3. *1 dc in next dc. Ch 1. Skip next dc. Rep from * to last 2 dc. 1 dc in each of last 2 dc. Turn. **54** (**59-65-70-78-88**) dc and **51** (**56-62-67-75-85**) ch-1 sps. Work **13** (**13-13-16-16-16**) rows in Mesh Pat, ending on RS row. Next row: (WS). Ch 3. *1 dc in next dc. Ch 1. Skip next ch-1 sp.* Rep from * to * 11 (13-15-17-21-26) times more. 1 dc in next dc. Ch 53 (55-59-61-61-61) for neck opening. Skip next 53 (55-59-61-61-61) sts (dc and ch-1 sps). Rep from * to * to last 2 dc. 1 dc in each of last 2 dc. Turn. 27 (31-35-39-47-57) dc, 25 (29-33-37-45-55) ch-1 sp, 1 ch **53** (55-59-61-61-61) sp. Next row: Ch 3. *1 dc in next dc. Ch 1. Skip next ch-1 sp.* Rep from * to * 11 (13-15-17-21-26) times more. 1 dc in next dc. **Skip next ch. 1 dc in next ch. Ch 1.** Rep from ** to ** to end of ch 53 (55-59-61-**61-61**) sp. Rep from * to * to last 2 dc. 1 dc in each of last 2 dc. Turn. Work 14 (14-14-17-17-17) rows in Mesh Pat, ending on RS (RS-RS-WS-WS-WS) row.

Solid Back Section: Work from *** to *** as given for Solid Front Section, ending on WS (WS-RS-WS-WS-RS) row.

Mesh Back Section: 1st row: Ch 3.

*1 dc in next dc. Ch 1. Skip next dc. Rep from * to last 2 dc. 1 dc in each of last 2 dc. Turn. **54** (**59-65-70-78-88**) dc and **51** (**56-62-67-75-85**) ch-1 sps. Work **82** (**82-79-76-74-71**) rows in Mesh Pat, ending on RS row.

Back Bottom Edge:

1st row: (WS). Ch 1. 1 sc in each of first 2 dc. *1 sc in next ch-1 sp. 1 sc in next dc. Rep from * to last dc. 1 sc in last dc. Turn.

2nd and 3rd rows: Ch 1. 1 sc in each sc to end of row. Turn. Fasten off at end of 3rd row.

FINISHING

Pin garment to measurements. Cover with a damp cloth leaving cloth to dry.

Fold work in half longways, with RS tog. Place markers for side slits on each side of Front and Back 15" [38 cm] up from bottom edge. Place markers for armholes on each side of Front and Back 7¹/₂ (7¹/₂-8¹/₂-9-10-10¹/₂)" [17 (17-19-20.5-25.5-26.5) cm] down from shoulder fold line. Sew side seams between markers using whip stitch. Turn work RS out.

Yarnspirations™ spark your inspiration!

A Patons[®] CROCHET BEST IN MESH DRESS

PAC0114-036113M | February 23, 2024

SLEEVES

Note: Sleeves are worked in rnds. Turn at end of each rnd to match Body Pat.

1st rnd: (RS). Join yarn with sl st to side seam of armhole.Working around dc posts, ch 1. Work 78 (78-90-94-104-110) sc evenly around armhole. Join with sl st to first sc. Turn.

2nd rnd: Ch 4 (counts as dc and ch-1). Skip next st. *1 dc in next st. Ch 1. Skip next st. Rep from * around. Join with sl st to 3rd ch of ch-4. Turn.

Rep 2nd rnd until Sleeve measures 3" [7.5 cm], ending on WS rnd. **Do not** fasten off.

Sleeve Edging: 1st rnd: (RS). Ch 1. 1 sc in first dc. *1 sc in next ch-1 sp. 1 sc in next dc. Rep from * to last ch-1 sp. 1 sc in last ch-1 sp. Join with sl st to first sc. Turn.

2nd and 3rd rnds: Ch 1.1 sc in each sc around. Join with sl st to first sc. Turn. Fasten off at end of 3rd rnd. Rep for other Sleeve.

