



Svetlana Avrakh
Designer



CROCHET | SKILL LEVEL: **INTERMEDIATE**

ABBREVIATIONS

Approx = Approximately
Beg = Beginning
Bobble = (Yoh and draw up a loop. Yoh and draw through 2 loops on hook) 5 times in indicated stitch. Yoh and draw through all 6 loops on hook. Ch 1 to close bobble. Push bobble to RS of work.
Ch = Chain(s)
Cont = Continue(ity)
Hdc = Half double crochet
Hdc2tog = (Yoh and draw up a loop in next stitch) twice. Yoh and draw through all loops on hook

Inc = Increase(ing)
Pat = Pattern
PM = Place marker
Rem = Remain(ing)(s)
Rep = Repeat
RS = Right side
Sl st = Slip stitch
Sp(s) = Space(s)
St(s) = Stitch(es)
WS = Wrong side
Yoh = Yarn over hook

MATERIALS

Patons® Classic Wool Worsted™ (3.5 oz/100 g; 194 yds/177 m)

Sizes	XS/S	M	L	XL	2/3XL	4/5XL	
Claret (77747)	10	11	11	12	13	14	balls

Sizes U.S. 7 (4.5 mm) and U.S. H/8 (5 mm) crochet hooks **or size needed to obtain gauge**. Stitch markers.

SIZES

To fit bust measurement

XS/S	28-34" [71-86.5 cm]
M	36-38" [91.5-96.5 cm]
L	40-42" [101.5-106.5 cm]
XL	44-46" [112-117 cm]
2/3XL	48-54" [122-137 cm]
4/5XL	56-62" [142-157.5 cm]

Finished bust

XS/S	40" [101.5 cm]
M	44" [112 cm]
L	49" [124.5 cm]
XL	53" [134.5 cm]
2/3XL	58" [147.5 cm]
4/5XL	65" [165 cm]

GAUGE

14 hdc and 10½ rows = 4" [10 cm] with larger hook

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus (). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Notes: Ch 2 at beg of row **does not** count as st.

Cardigan is worked in one piece to armholes, then divided for Back and Fronts.

Bobbles are created on WS of work and pushed to RS of work.

POCKET LINING (make 2)

With larger hook, ch 25.

1st row: (RS). 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of chain. Turn. 23 hdc.

2nd row: Ch 2. 1 hdc in each hdc to end of row. Turn.


Rep last row until work from beg measures 4½" [11.5 cm], ending on a WS row. Fasten off.

BODY

Ribbing: With smaller hook, ch 14.

1st row: (RS). 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of chain. 12 hdc.

2nd row: Ch 2. *Work 1 hdc into horizontal bar created below st in



Wrong side of Diagram shown.

previous row on WS of work (bar is below loops normally worked on WS – see diagram). Rep from * to end of row. Turn.

Rep last row until work, when slightly stretched, measures **40 (44-49-53-58-65)" [101.5 (112-124.5-134.5-147.5-165) cm]**, ending on a RS row. **Do not** fasten off.

Change to larger hook and proceed as follows:

1st row: (RS). Turn work sidewise, ch 2. Work **139 (155-171-187-203-227)** hdc evenly across side of Ribbing. Turn. **139 (155-171-187-203-227)** hdc. Turn.

2nd row: Ch 2. 1 hdc in first hdc. *Bobble in next hdc, pushing bobble to RS of work. 1 hdc in each of next 3 hdc. Rep from * to last 2 hdc. Bobble in next hdc. 1 hdc in last hdc. Turn.

3rd row: Ch 2. 1 hdc in each st to end of row. Turn.

4th row: Ch 2. 1 hdc in each of first 3 hdc. *Bobble in next hdc, pushing bobble to RS of work. 1 hdc in each of next 3 hdc. Rep from * to end of row. Turn.

5th row: As 3rd row.

6th to 8th rows: As 2nd to 4th rows.

9th row: As 3rd row.

10th row: Ch 2. 1 hdc in first hdc. *Bobble in next hdc. 1 hdc in each of next 7 hdc. Rep from * to last 2 hdc. Bobble in next hdc. 1 hdc in last hdc. Turn.

11th row: As 3rd row.

12th row: Ch 2. 1 hdc in each of first 5 hdc. *Bobble in next hdc. 1 hdc in each of next 7 hdc. Rep from * to last 6 hdc. Bobble in next hdc. 1 hdc in each of last 5 hdc. Turn.

13th to 21st rows: Rep 9th to 12th rows twice more, then 9th row once.

Note: Work from beg measures approx 11½" [29 cm].

Place pocket: Next row: (WS). Ch 2. 1 hdc in each of first **10 (12-12-14-16-18)** hdc. 1 hdc in each of 23 hdc from Pocket Lining. Skip next 23 hdc. 1 hdc in each hdc to last **33 (35-35-37-39-41)** hdc. 1 hdc in each of 23 hdc from 2nd Pocket Lining. Skip next 23 hdc. 1 hdc in each of last **10 (12-12-14-16-18)** hdc. Turn. **139 (155-171-187-203-227)** hdc.

Cont in Bobble Pat as follows:

1st row: (RS). Ch 2. 1 hdc in each st to end of row. Turn.

2nd row: Ch 2. 1 hdc in first hdc. *Bobble in next hdc. 1 hdc in each of next 7 hdc. Rep from * to last 2 hdc. Bobble in next hdc. 1 hdc in last hdc. Turn.

3rd to 5th rows: Ch 2. 1 hdc in each st to end of row. Turn.

6th row: Ch 2. 1 hdc in each of first 5 hdc. *Bobble in next hdc. 1 hdc in each of next 7 hdc. Rep from * to last 6 hdc. Bobble in next hdc. 1 hdc in each of last 5 hdc. Turn.

7th and 8th rows: Ch 2. 1 hdc in each st to end of row. Turn. Rep 1st to 6th rows once more.

Next row: (RS). Ch 2. 1 hdc in each st to end of row. Turn. Rep last row until work from beg measures 19" [48.5 cm], ending on a WS row.

Divide for Fronts and Back:
Right front V-neck and armhole shaping: 1st row: (RS). Ch 2. 1 hdc in first hdc. Hdc2tog. 1 hdc in each of next 29 (33-36-39-42-47) hdc. **Turn.** Leave rem sts unworked. 31 (34-38-41-44-49) sts.

2nd row: Ch 2. 1 hdc in each hdc to last 3 sts. Hdc2tog. 1 hdc in last hdc. Turn.

3rd row: Ch 2. 1 hdc in first hdc. Hdc2tog. 1 hdc in each hdc to end of row. Turn.

4th row: Ch 2. 1 hdc in each st to end of row. Turn.

5th row: As 3rd row. Rep 2nd to 5th rows 4 (4-4-4-5-5) times more. 16 (19-23-26-26-31) sts.

Sizes L, XL, 2/3XL and 4/5XL only: Rep 2nd and 3rd rows once. (21-24-24-29) sts.

All sizes: Cont even until armhole measures 9 (9-10-10-11-11½)" [23 (23-25.5-25.5-28-29) cm], ending on a WS row. Fasten off.

Back: Next row: (WS). Skip next 6 (8-8-10-12-14) hdc. Join yarn with sl st to next hdc. Ch 2. 1 hdc in same sp as sl st. 1 hdc in each of next 62 (68-76-82-88-98) hdc. **Turn.** Leave rem sts unworked. 63 (67-77-83-89-99) hdc.

Next row: Ch 2. 1 hdc in each st to end of row. Turn.

Rep last row until Back measures same length as Right Front to shoulder, ending on a WS row. Fasten off.

Left Front V-neck and armhole shaping: 1st row: (RS). Skip next 6 (8-8-10-12-14) hdc. Join yarn with sl st to next hdc. Ch 2. 1 hdc in same sp as sl st. 1 hdc in each hdc to last 3 hdc. Hdc2tog. 1 hdc in last hdc. Turn. 31 (34-38-41-44-49) sts.

2nd row: Ch 2. 1 hdc in first hdc. Hdc2tog. 1 hdc in each hdc to end of row. Turn.

3rd row: Ch 2. 1 hdc in each hdc to last 3 sts. Hdc2tog. 1 hdc in last hdc. Turn.


4th row: Ch 2. 1 hdc in each st to end of row. Turn.

5th row: As 3rd row. Rep 2nd to 5th rows 4 (4-4-4-5-5) times more. 16 (19-23-26-26-31) sts.

Sizes L, XL, 2/3XL and 4/5XL only: Rep 2nd and 3rd rows once. (21-24-24-29) sts.

All sizes: Cont even until armhole measures 9 (9-10-10-11-11½)" [23 (23-25.5-25.5-28-29) cm], ending on a WS row. Fasten off.

SLEEVES
Ribbing: With smaller hook, ch 14.
1st row: (RS). 1 hdc in 3rd ch from hook and each ch to end of chain. 12 hdc.
2nd row: Ch 2. *Work 1 hdc into horizontal bar created below st in previous row on WS of work (bar is below loops normally worked on WS – see diagram). Rep from * to end of row. Turn.



Wrong side of Diagram shown.

Rep last row until work, when slightly stretched, measures 10 (10-10-12-12-12)" [25.5 (25.5-25.5-30.5-30.5-30.5) cm], ending on a RS row. **Do not** fasten off.

Change to larger hook and proceed in pat, noting side incs as follows:

1st row: (RS). Turn work sidewise, ch 2. Work **35 (35-35-35-43-43)** hdc evenly across side of Ribbing. Turn. **35 (35-35-35-43-43)** hdc.

2nd row: Ch 2. 1 hdc in first hdc. *Bobble in next hdc, pushing bobble to RS of work. 1 hdc in each of next 3 hdc. Rep from * to last 2 hdc. Bobble in next hdc. 1 hdc in last hdc. Turn.

3rd row: Ch 2. 2 hdc in first hdc. 1 hdc in each st to last hdc. 2 hdc in last hdc. Turn.

4th row: Ch 2. 1 hdc in each of first 4 hdc. *Bobble in next hdc. 1 hdc in each of next 3 hdc. Rep from * to last hdc. 1 hdc in last hdc. Turn.

5th row: As 3rd row.

6th row: Ch 2. 1 hdc in each of first 3 hdc. *Bobble in next hdc. 1 hdc in each of next 3 hdc. Rep from * to end of row. Turn.

7th row: As 3rd row. **41 (41-41-41-49-49)** hdc.

8th row: Ch 2. 1 hdc in each of first 2 hdc. *Bobble in next hdc. 1 hdc in each of next 3 hdc. Rep from * to last 3 hdc. Bobble in next hdc. 1 hdc in each of last 2 hdc. Turn. Bobble Pat is now complete.

Cont to inc sides as follows:

Next row: (RS). Ch 2. 2 hdc in first hdc. 1 hdc in each st to last hdc. 2 hdc in last hdc. Turn.

Next row: Ch 2. 1 hdc in each hdc to end of row. Turn.

Rep last 2 rows **0 (0-4-4-4-8)** times more. **43 (43-51-51-59-67)** hdc.

Next row: (RS). Ch 2. 2 hdc in first hdc. 1 hdc in each st to last hdc. 2 hdc in last hdc. Turn.

Next 3 rows: Ch 2. 1 hdc in each hdc to end of row. Turn.

Rep last 4 rows **4 (4-3-3-3-1)** time(s) more. **53 (53-59-59-67-71)** hdc.

Cont even until Sleeve measures **17 (17-18-18-17-16)" [43 (43-45.5-45.5-43-40.5) cm]**, ending on a WS row. PM each end of last row.

Work **2 (2-3-4-5-6)** rows even.

Shape top: 1st row: Ch 2. Hdc2tog. 1 hdc in each hdc to last 2 sts. Hdc2tog. Turn.

Rep last row 7 times more. **37 (37-43-43-51-55)** sts. Fasten off.


FINISHING

Push all bobbles to RS of work. Pin all pieces to measurements. Cover with a damp cloth leaving cloth to dry. Sew shoulder seams.

Collar: Sew shoulder seams.

1st row: (RS). With smaller hook, join yarn with sl st at lower edge of Right Front. Ch 2. Work 1 row of hdc evenly up Right Front, across back neck edge, and down Left Front. Turn.

2nd row: Ch 2. *Work 1 hdc into horizontal bar created below st in previous row on WS of work (bar is below loops normally worked on WS – see diagram). Rep from * to end of row. Turn.



Wrong side of Diagram shown.

Rep 2nd row until Collar measures **4 (4-4½-4½-5-5)" [10 (10-11.5-11.5-12.5-12.5) cm]**. Fasten off.

Sew in Sleeves placing rows above markers along unworked sts of Front and Back and shaped edge along sides of armhole. Sew sleeve seams. Sew Pocket Linings in position on WS of Fronts.



