



CROCHET
SKILL LEVEL: INTERMEDIATE



Nicole Winer
Designer

ABBREVIATIONS

Approx = Approximately

Ch = Chain(s)

Dc = Double crochet

Dc2tog = (Yoh and draw up a loop in next stitch. Yoh and draw through 2 loops on hook) twice. Yoh and draw through 3 loops on hook.

Dcbp = Yoh and draw up a loop around post of next stitch at back of work, inserting hook from right to left. (Yoh and draw through 2 loops on hook) twice.

Dcfp = Yoh and draw up a loop around post of next stitch at front of work, inserting hook from right to left. (Yoh and draw through 2 loops on hook) twice.

Dec = Decrease(ing)

Hdc = Half double crochet

Rem = Remain(ing)

Rep = Repeat

RS = Right side

Sc = Single crochet

Sl st = Slip stitch

St(s) = Stitch(es)

Trfp = (Yoh) twice and draw up a loop around post of indicated stitch at front of work, inserting hook from right to left. (Yoh and draw through 2 loops on hook) 3 times.

WS = Wrong side

Yoh = Yarn over hook

MATERIALS

Patons® Norse™ (3.5 oz/100 g; 211 yds/193 m)

Sizes	XS/S	M	L	XL	2/3XL	4/5XL	
Camel (91005)	5	5	6	6	7	8	balls

Sizes U.S. J/10 (6 mm) and U.S. K/10½ (6.5 mm) crochet hooks **or size needed to obtain gauge.** Yarn needle. Stitch markers.

SIZES

To fit bust measurement

XS/S	28-34" [71-86.5 cm]
M	36-38" [91.5-96.5 cm]
L	40-42" [101.5-106.5 cm]
XL	44-46" [112-117 cm]
2/3XL	48-54" [122-137 cm]
4/5XL	56-62" [142-157.5 cm]

Finished bust

XS/S	40" [101.5 cm]
M	44" [112 cm]
L	48" [123 cm]
XL	53" [134.5 cm]
2/3XL	58" [151 cm]
4/5XL	65" [165 cm]

GAUGE

10 dc and 6 rows = 4" [10 cm] with larger hook.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus (.). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Notes:

- Ribbing for Back, Fronts and Sleeves are worked first, and then sts for each piece are worked across long side edge of Ribbing.
- Ch 2 at beg of row **does not** count as st
- Ch 3 at beg of row counts as dc


BACK

Ribbing: With smaller hook, ch 20.

1st row: (RS). 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of chain. Turn. 18 hdc.

2nd row: Ch 2. *Work 1 hdc into horizontal bar created below st in previous row on WS of work (bar is below loops normally worked on

WS – see diagram). Rep from * to end of row. Turn.



Rep last row until work, when slightly stretched, measures **20 (22-24-26½-29-32½)" [51 (56-61-67.5-73.5-78.5) cm]**, ending on a RS row. **Do not** fasten off.

Change to larger hook and proceed as follows:

1st row: (RS). Turn work sideways. Ch 2 (**does not** count as st). Work **50 (56-62-66-74-82)** hdc evenly across side of Ribbing. Turn.

2nd row: Ch 2 (**does not** count as st). *Work 1 hdc into horizontal bar created below st in previous row on WS of work (bar is below loops normally worked on WS). Rep from * to end of row. Turn.

3rd row: Ch 3 (counts as dc). 1 dc in each hdc to end of row. Turn.

4th row: Ch 3. 1 dc in each dc to end of row. Turn.

Rep last row until work from top edge of Ribbing measures 18" [45.5 cm], ending on a WS row.

Shape armholes: Next row: (RS). Sl st in each of first **7 (7-9-9-12-13)** dc. Ch 3 (counts as dc). 1 dc in each dc to last **6 (6-8-8-11-12)** dc. **Turn.** Leave rem dc unworked. **38 (44-46-50-52-58)** dc rem.

Next row: Ch 2. Yoh and draw up a loop in next st. (Yoh and draw through 2 loops on hook) twice – beg dc2tog made. 1 dc in each dc to last 2 sts. Dc2tog. Turn. **36 (42-44-48-50-56)** sts.

Rep last row **1 (3-3-3-3-5)** time(s) more. **34 (36-38-42-44-46)** sts.

Next row: Ch 3. 1 dc in each st to end of row. Turn.

Rep last row until armhole measures **8 (8-9-9-10-10)" [20.5 (20.5-23-23-25.5-25.5) cm]**, ending on a WS row. Fasten off.

POCKET LININGS (make 2)

With larger hook, ch **14 (14-14-16-18-18)**.

1st row: 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of chain. Turn. **12 (12-12-14-16-16)** hdc.

2nd row: Ch 2. 1 hdc in each hdc to end of row. Turn.

Rep last row until work from beg measures 5" [12.5 cm], ending on a WS row. Fasten off.

RIGHT FRONT

****Ribbing:** With smaller hook, ch 20.

1st row: (RS). 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of chain. Turn. 18 hdc.

2nd row: Ch 2. *Work 1 hdc into horizontal bar created below st in previous row on WS of work (bar is below loops normally worked on WS). Rep from * to end of row. Turn.

Rep last row until work, when slightly stretched, measures **6 (7-8-9¼-10½-13)" [15 (17.5-20.5-23.5-26.5-33) cm]**, ending on a RS row. **Do not** fasten off.

Change to larger hook and proceed as follows:

1st row: (RS). Turn work sideways. Ch 2 (**does not** count as st). Work **16 (18-21-24-26-32)** hdc evenly across side of Ribbing. Turn.

2nd row: Ch 2. *Work 1 hdc into horizontal bar created below st in previous row on WS of work (bar is below loops normally worked on WS). Rep from * to end of row. Turn.

3rd row: Ch 3. 1 dc in each hdc to end of row. Turn.

4th row: Ch 3. 1 dc in each dc to end of row. Turn.**

Place pocket: Next row: (RS). Ch 3. 1 dc in each of next **1 (2-2-3-3-5)** dc. Skip next **12 (12-12-14-16-16)** dc. 1 dc in each hdc from Pocket Lining. 1 dc in each of last **2 (3-6-6-7-10)** dc. Turn.

Next row: Ch 3. 1 dc in each st to end of row. Turn. **16 (18-21-24-26-32)** dc.

Rep last row until work from top edge of Ribbing measures 18" [45.5 cm], ending on a WS row.

Shape armhole: Next row: (RS). Ch 3. 1 dc in each dc to last **6 (6-8-8-11-12)** dc. Turn. Leave rem **6 (6-8-8-11-12)** sts unworked. **10 (12-13-16-16-20)** dc rem.

Next row: Beg dc2tog. 1 dc in each dc to end of row. Turn. **9 (11-12-15-15-19)** sts.

Next row: Ch **3** (counts as dc). 1 dc in each dc to last 2 sts. Dc2tog. Turn. **8 (10-11-14-14-18)** sts.

Rep last 2 rows **0 (1-1-1-1-2)** time(s) more. **8 (8-9-12-12-14)** sts.

Next row: Ch 3. 1 dc in each st to end of row. Turn.

Rep last row until Armhole measures **8 (8-9-9-10-10)" [20.5 (20.5-23-23-25.5-25.5) cm]**, ending on a WS row. Fasten off.

LEFT FRONT

Work from ** to ** as given for Right Front.

Place pocket: Next row: (RS). Ch 3. 1 dc in each of next **1 (2-5-5-6-9)** dc. Skip next **12 (12-12-14-16-16)** dc. 1 dc in each hdc from Pocket Lining. 1 dc in each of last **2 (3-3-4-4-6)** dc. Turn.

Next row: Ch 3. 1 dc in each st to end of row. Turn. **16 (18-21-24-26-32)** dc.

Rep last row until work from top edge of Ribbing measures 18" [45.5 cm], ending on a WS row.

Shape armhole: Next row: (RS). Sl st in each of first **7 (7-9-9-12-13)** dc. Ch 3. 1 dc in each dc to end of row. Turn. **10 (12-13-16-16-20)** dc rem.

Next row: Ch 3. 1 dc in each dc to last 2 sts. Dc2tog. Turn. **9 (11-12-15-15-19)** sts.

Next row: Beg dc2tog. 1 dc in each dc to end of row. Turn. **8 (10-11-14-14-18)** sts.

Rep last 2 rows **0 (1-1-1-1-2)** time(s) more. **8 (8-9-12-12-14)** sts.

Next row: Ch 3. 1 dc in each st to end of row. Turn.

Rep last row until armhole measures **8 (8-9-9-10-10)" [20.5 (20.5-23-23-25.5-25.5) cm]**, ending on a WS row. Fasten off.

SLEEVES

Ribbing: With smaller hook, ch 12.

1st row: (RS). 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of ch. 10 hdc.

2nd row: Ch 2. *Work 1 hdc into horizontal bar created below st in previous row on WS of work (bar is below loops normally worked on WS). Rep from * to end of row. Turn.

Rep last row until work, when slightly stretched, measures **9 (9-10-10-11-11)" [23 (23-25.5-25.5-28-28) cm]**, ending on a RS row. **Do not** fasten off.

Turn work sideways. Change to larger hook. and proceed as follows:

1st row: (RS). Ch 2. Work **24 (24-26-26-28-28)** hdc evenly across side of Ribbing. Turn.

2nd row: Ch 2. *Work 2 hdc into each horizontal bar created below st in previous row on WS of work

(bar is below loops normally worked on WS). Rep from * to end of row. Turn. **48 (48-52-52-56-56)** hdc.

3rd row: Ch 3. 1 dc in each hdc to end of row. Turn.

4th row: Ch 3. 1 dc in each dc to end of row. Turn.

Shape sides: Next row: (RS-dec row). Beg dc2tog. 1 dc in each dc to last 2 sts. Dc2tog. Turn. **46 (46-50-50-54-54)** hdc.

Next row: Ch 3. 1 dc in each st to end of row. Turn.

Rep last 2 rows **6 (5-5-5-6-5)** times more. **34 (36-40-40-42-44)** sts.

Next row: Ch 3. 1 dc in each st to end of row. Turn.

Rep last row until Sleeve from beg measures 18" [45.5 cm], ending on a WS row.

Shape top: 1st row: (RS). Sl st in each of first **5 (5-6-6-5-5)** dc.

Ch 3. 1 dc in each dc to last **4 (4-5-5-4-4)** sts. **Turn.** Leave rem sts unworked. **26 (28-30-30-34-36)** dc.

2nd row: Beg dc2tog. 1 dc in each dc to last 2 sts. Dc2tog. Turn. **24 (26-28-28-32-34)** sts.

Rep last row **7 (8-9-9-11-12)** times more. 10 sts rem. Fasten off.

FINISHING

Sew shoulder seams. Sew side seams. Sew sleeve seams. Sew in sleeves.

Front Band

With larger hook, ch 14.

1st row: (WS). 1 dc in 4th ch from hook (counts as 2 dc). 1 dc in each ch to end of chain. Turn. 12 dc.

2nd row: Ch 2. 1 hdc in first dc. Dcftp around next st. 1 hdc in next st. Skip next 3 sts. Trfp around each of next 3 sts. Working in front of sts just worked, 1 trfp around each of 3 skipped sts. 1 hdc in next dc. 1 dcfp around next dc. 1 hdc in last st. Turn.

3rd row: Ch 2. 1 hdc in first hdc. 1 dcbp around next st. 1 hdc in next st. 1 dcbp around each of next 6 sts. 1 hdc in next st. 1 dcbp around next st. 1 hdc in last hdc. Turn.

4th row: Ch 2. 1 hdc in first hdc. 1 dcfp around next st. 1 hdc in next st. 1 dcfp around each of next 6 sts. 1 hdc in next st. 1 dcfp around next st. 1 hdc in last hdc. Turn.

5th row: As 3rd row.

Rep 2nd to 5th rows for pat, until band, when slightly stretched, measures length to fit up Left Front, across back neck edge and down

Right Front edge, joining as you work (see below). Fasten off at end of last row.

Joining Front Band to Cardigan:

With WS of Band and Cardigan tog, join yarn with sl st at bottom of Left Front. Ch 1. Working through both thicknesses, work sc to join front edges with Front Band.

Pocket Borders

With RS facing, join yarn with sl st to first dc at pocket opening.

1st row: (RS). Ch 2. 1 hdc in each of next 12 (12-12-14-16-16) dc. Turn.

2nd row: Ch 2. *Work 1 hdc into horizontal bar created below st in previous row on WS of work (bar is below loops normally worked on WS). Rep from * to end of row. Fasten off.

Sew pocket linings in position on WS.

