



**PATONS® GRACE™
LIGHT LAYERS TANK (TO CROCHET)**

SIZES

To fit bust measurement

Extra-Small/Small	28-34" [71-86.5 cm]
Medium	36-38" [91.5-96.5 cm]
Large	40-42" [101.5-106.5 cm]
Extra-Large	44-46" [112-117 cm]
2/3 X-Large	48-54" [122-137 cm]
4/5 X-Large	56-62" [142-157.5 cm]

Finished bust

Extra-Small/Small	37" [94 cm]
Medium	41" [104 cm]
Large	45" [114.5 cm]
Extra-Large	48" [122 cm]
2/3 X-Large	56" [142 cm]
4/5 X-Large	64" [162.5 cm]

MATERIALS

Patons® Grace™ (50 g/1.75 oz; 125 m/136 yds)

Sizes **XS/S M L XL 2/3XL 4/5XL**

Main Color (MC)

Clay (62044) **3 3 4 4 4 5 balls**

Contrast A

Lemon Lime (62222) **4 4 4 5 5 6 balls**

Size 4 mm (U.S. G/6) crochet hook **or size needed to obtain tension.**

TENSION

15 sc and 17 rows = 4" [10 cm].

STITCH GLOSSARY

www.patonsyarns.com/abbreviations

- Beg** = Beginning
- Ch(s)** = Chain(s)
- Cont** = Continue(ity)
- Dc** = Double crochet
- Dc2tog** = (Yoh and draw up a loop in next stitch. Yoh and draw through 2 loops on hook) twice. Yoh and draw through all loops on hook.
- DcTr2tog** = Yoh and draw up a loop in indicated dc. Miss next ch-2 space. (Yoh) twice and draw up a loop in next dc. (Yoh and draw through 2 loops on hook) twice. Yoh and draw through all loops on hook
- Pat** = Pattern
- Rem** = Remaining
- Rep** = Repeat(s)
- Rnd(s)** = Round(s)
- RS** = Right side
- Sc** = Single crochet
- Sl st** = Slip stitch
- Sp(s)** = Space(s)
- Tog** = Together
- Tr** = Treble crochet
- WS** = Wrong side
- Yoh** = Yarn over hook

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus (). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Spiderweb Tank

Note: Body is worked in rnds until armholes, then divided for Front and Back and worked in rows.

Body: With MC, ch **216 (234-252-270-306-342)**. Join in rnd with sl st to first ch, taking care to not twist chain. (See chart on page 3).

Foundation rnd: Ch 5 (counts as dc and ch 2 here and at beg of following rnds or rows). Miss next 2 ch. *1 dc in next ch. Ch 2. Miss next 2 ch. Rep from * around. Join with sl st to 3rd ch of ch 5. **72 (78-84-90-102-114)** dc.

1st rnd: Ch 5. 1 dc in next dc. *Ch 4. 1 tr in each of next 4 dc. Ch 4. 1 dc in next dc. Ch 2. 1 dc in next dc. Rep from * to last 4 dc. Ch 4. 1 tr in each of last 4 dc. Ch 4. Join with sl st to 3rd ch of ch 5.

2nd rnd: Ch 5. 1 dc in next dc. *Ch 4. 1 sc in each of next 4 tr. Ch 4. 1 dc in next dc. Ch 2. 1 dc in next dc. Rep from * to last 4 tr. Ch 4. 1 sc in each of next 4 tr. Ch 4. Join with sl st to 3rd ch of ch 5.

3rd and 4th rnds: Ch 5. 1 dc in next dc. *Ch 4. 1 sc in each of next 4 sc. Ch 4. 1 dc in next dc. Ch 2. 1 dc in next dc. Rep from * to last 4 sc. Ch 4. 1 sc in each of last 4 sc. Ch 4. Join with sl st to 3rd ch of ch 5.

5th rnd: Ch 5. 1 dc in next dc. *(Ch 2. 1 tr in next sc) 4 times. (Ch 2. 1 dc in next dc) twice. Rep from * to last 4 sc. (Ch 2. 1 tr in next sc) 4 times. Ch 2. Join with sl st to 3rd ch of ch 5.

6th rnd: Ch 5. 1 dc in next dc. *(Ch 2. 1 dc in next tr) 4 times. (Ch 2. 1 dc in next dc) twice. Rep from * to last 4 tr. (Ch 2. 1 dc in next tr) 4 times. Ch 2. Join with sl st to 3rd ch of ch 5. Rep 1st to 6th rnds for pat **3 (3-4-4-5-5)** times more. Fasten off.

Divide for Back: 1st row: (RS). Miss first **3 (3-4-4-5-5)** dc. Join MC with sl st to next dc. Ch 3. 1 dc in next dc – counts as Beg DcTr2tog. (Ch 2. 1 dc in next dc) **27 (30-31-34-38-44)** times. Ch 2. DcTr2tog over next 2 dc. **Turn.** Leave rem sts unworked.

2nd row: Beg DcTr2tog. *Ch 2. 1 dc in next dc. Rep from * to last dc and DcTr2tog. Ch 2. DcTr2tog over last 2 sts. **Turn.** Rep last row **4 (4-4-4-5-5)** times more.

Next row: Ch 5. *1 dc in next dc. Ch 2. Rep from * to last st. 1 dc in last st. **Turn. 19 (22-23-26-28-34)** dc.

Rep last row until armhole measures **7 (7-8-8-9-9)" [18 (18-20.5-20.5-23-23) cm]**, ending with a WS row.

Shape back neck: 1st row: Ch 5. (1 dc in next dc. Ch 2) **3 (3-3-4-4-4)** times. DcTr2tog over next 2 dc. **Turn.** Leave rem sts unworked.

2nd row: Beg DcTr2tog. *Ch 2. 1 dc in next dc. Rep from *, ending with 1 dc in 3rd ch of ch 5. **Turn.**

Next 3 rows: Ch 5. (1 dc in next dc. Ch 2) **2 (2-2-3-3-3)** times. dc in last st. **Turn.** Fasten off at end of last row.

With RS facing, miss next **8 (10-11-12-14-20)** dc. Join MC with sl st to next dc. Beg DcTr2tog. *Ch 2. 1 dc in next dc. Rep from * to end of row. **Turn.**

Next row: Ch 5. (1 dc in next dc. Ch 2) **2 (2-2-3-3-4)** times. DcTr2tog over next 2 dc. **Turn.**

Next 3 rows: Ch 5. *1 dc in next dc. Ch 2. Rep from * to last st. 1 dc in last st. **Turn.** Fasten off at end of last row.



P.O. Box 40, Listowel ON N4W 3H3

www.patonsyarns.com



LIGHT LAYERS TANK

1 of 3

Front: 1st row: (RS). Miss first 6 (6-8-8-10-10) dc. Join MC with sl st to next dc. Beg DcTr2tog. (Ch 2. 1 dc in next dc) 27 (30-31-34-38-44) times. Ch 2. DcTr2tog over next 2 dc. **Turn.** Leave rem sts unworked.
2nd row: Beg DcTr2tog. *Ch 2. 1 dc in next dc. Rep from * to last dc and DcTr2tog. Ch 2. DcTr2tog over last 2 sts. Turn.
 Rep last row 4 (4-4-4-5-5) times more.

Shape front neck: 1st row: Ch 5. (1 dc in next dc. Ch 2) 4 (4-4-5-5-5) times. DcTr2tog over next 2 dc. **Turn.** Leave rem sts unworked.
2nd row: Beg DcTr2tog. *Ch 2. 1 dc in next dc. Rep from *, ending with 1 dc in 3rd ch of ch 5. Turn.
3rd row: Ch 5. *1 dc in next dc. Ch 2. Rep from * to last dc and DcTr2tog. DcTr2tog over last 2 sts. Turn.
4th row: As 2nd row.
5th row: Ch 5. (1 dc in next dc. Ch 2) 2 (2-2-3-3-3) times. 1 dc in last st. Turn.
 Rep last row until armhole measures same length as back before shoulder, ending with a WS row. Fasten off.

With RS facing, miss next 6 (8-9-10-12-18) dc. Join MC with sl st to next dc. Ch 3. 1 dc in next dc – counts as DcTr2tog. *Ch 2. 1 dc in next dc. Rep from * to end of row. Turn.
2nd row: Ch 5. *1 dc in next dc. Ch 2. Rep from * to last dc and DcTr2tog. DcTr2tog over last 2 sts. Turn.
3rd row: Beg DcTr2tog. *Ch 2. 1 dc in next dc. Rep from *, ending with 1 dc in 3rd ch of ch 5. Turn.
4th row: As 2nd row.
5th row: Ch 5. (1 dc in next dc. Ch 2) 2 (2-2-3-3-3) times. 1 dc in last st. Turn.
 Rep last row until armhole measures same length as back before shoulder, ending with a WS row. Fasten off.

Solid Tank

Notes:

- Body is worked in rnds until armholes, then divided for Front and Back and worked in rows.
- Ch 3 at beg of rnd or row counts as dc throughout.

Body: With A, ch 140 (156-170-186-210-250). Join in rnd with sl st to first ch, taking care not to twist chain.

Foundation rnd: Ch 3. 1 dc in each ch around. Join with sl st to top of ch 3. 140 (156-170-186-210-250) dc.

1st rnd: Ch 1. 1 sc in each dc around. Join with sl st to first sc.

2nd rnd: Ch 3. 1 dc in each sc around. Join with sl st to top of ch 3.
 Rep last 2 rnds for pat until work from beg measures 7 (7-8-9-10-10)" [18 (18-20.5-23-25.5-25.5) cm], ending with 1st rnd (sc rnd). Fasten off.

Divide for Back: 1st row: (RS). Miss first 3 (3-4-4-5-5) sc. Join A with sl st to next sc. Ch 3. Dc2tog. 1 dc in each of next 58 (66-71-79-89-109) sc. Dc2tog. 1 dc in next sc. **Turn.** Leave rem sts unworked.

2nd row: Ch 1. 1 sc in each st to end of row. Turn.

3rd row: Ch 3. Dc2tog. 1 dc in each sc to last 3 sc. Dc2tog. 1 dc in next sc. Turn.

Rep last 2 rows until there are 46 (50-55-57-61-65) sts.

Cont even in pat until armhole measures 6½ (7-7½-8-8½-9)" [16.5 (18-19-20.5-21.5-23) cm], ending with a WS row (sc row).

Shape back neck: 1st row: Ch 3. 1 dc in each of next 10 (11-12-13-14-15) sc. Dc2tog. **Turn.** Leave rem sts unworked.

2nd row: Ch 1. 1 sc in each st to end of row. Turn.

3rd row: Ch 3. 1 dc in each sc to last 2 sc. Dc2tog. Turn. 11 (12-13-14-15-16) sts rem.

4th row: As 2nd row. Fasten off.

With RS facing, miss next 20 (22-25-25-27-29) dc. Join A with sl st to next dc. Ch 3. Dc2tog. 1 dc in each sc to end of row. Turn.

2nd row: Ch 1. 1 sc in each st to end of row. Turn.

3rd row: Ch 3. Dc2tog. 1 dc in each sc to end of row. Turn. 11 (12-13-14-15-16) sts rem.

4th row: As 2nd row. Fasten off.

Front: 1st row: (RS). Miss next 6 (6-8-8-10-10) sc. Join A with sl st to next sc. Ch 3. Dc2tog. 1 dc in each of next 58 (66-71-79-89-109) sc. Dc2tog. 1 dc in next sc. **Turn.** Leave rem sts unworked.

2nd row: Ch 1. 1 sc in each st to end of row. Turn.

3rd row: Ch 3. Dc2tog. 1 dc in each sc to last 3 sc. Dc2tog. 1 dc in next sc. Turn.

Rep last 2 rows until 46 (50-55-57-61-65) sts rem.

Cont even in pat until armhole measures 4½ (5-5½-6-6½-6½)" [11.5 (12.5-14-15-16.5-16.5) cm], ending with a WS row (sc row).

Shape front neck: 1st row: Ch 3. 1 dc in each of next 12 (13-15-16-17-18) sc. Dc2tog. **Turn.** Leave rem sts unworked.

2nd row: Ch 1. 1 sc in each st to end of row. Turn.

3rd row: Ch 3. 1 dc in each sc to last 2 sc. Dc2tog. Turn.

4th row: As 2nd row.

Rep last 2 rows until 11 (12-13-14-15-16) sts rem.

Cont even in pat until armhole measures same length as Back before shoulder, ending with a WS row. Fasten off.

With RS facing, miss next 16 (18-19-19-21-23) sc. Join A with sl st to next sc. Ch 3. Dc2tog. 1 dc in each sc to end of row. Turn.

2nd row: Ch 1. 1 sc in each st to end of row. Turn.

3rd row: Ch 3. Dc2tog. 1 dc in each sc to end of row. Turn.

4th row: As 2nd row.


Rep last 2 rows until 11 (12-13-14-15-16) sts rem.

Cont even in pat until armhole measures same length as Back before shoulder, ending with a WS row. Fasten off.

Sew shoulder seams of Spiderweb and Solid Tanks tog to join.



CHART



STITCH KEY

- = chain (ch)
- = slip st (sl st)
- † = single crochet (sc)
- ┆ = double crochet (dc)
- ┆ = treble crochet (tr)