



Nicole Winer
Designer



CROCHET | SKILL LEVEL: EASY

ABBREVIATIONS

Approx = Approximately
Beg = Begin(ing)
Ch = Chain(s)
Cont = Continue
Dc = Double crochet
Dc2tog = (Yoh and draw up a loop in next stitch. Yoh and pull through 2 loops on hook) twice. Yoh and draw through all loops on hook.
Dec = Decrease(ing)
Hdc = Half double crochet
Inc = Increase(ing)
Pat = Pattern

Rem = Remain(ing)
Rep = Repeat
Rnd = Round
RS = Right side
Sc = Single crochet
Sctbl = Single crochet through back loop only
Sc2tog = Draw up a loop in each of next 2 stitches. Yoh and draw through all loops on hook.
Sl st = Slip stitch
St(s) = Stitch(es)
WS = Wrong side
Yoh = Yarn over hook

MATERIALS

Patons® Classic Wool DK Superwash™ (1.75 oz/50 g; 125 yds/114 m)

Sizes	XSS	M	L	XL	2/3XL	4/5XL	
Contrast A Dark Gray Heather (12042)	6	6	7	7	8	8	balls
Contrast B Black (12040)	6	6	7	7	8	8	balls
Contrast C Claret (12532)	1	1	1	1	1	1	ball

Size U.S. G/6 (4 mm) crochet hook or size needed to obtain gauge. Stitch markers.

SIZES

To fit bust measurement
XS/S 28-34" [71-86.5 cm]
M 36-38" [91.5-96.5 cm]
L 40-42" [101.5-106.5 cm]
XL 44-46" [112-117 cm]
2/3XL 48-54" [122-137 cm]
4/5XL 56-62" [142-157.5 cm]

Finished bust measurement
XS/S 42" [106.5 cm]
M 44" [112 cm]
L 48" [122 cm]
XL 50" [127 cm]
2/3XL 58" [147.5 cm]
2/3XL 66" [167.5 cm]

GAUGE

17 sts and 16 rows = 4" [10 cm] in pat.

INSTRUCTIONS

Notes

Ch 2 at beg of row **does not** count as hdc.

When joining new color, work to last loops on hook of last st. Draw new color through loops, then proceed in new color.

POCKET LINING (make 1)

With C, ch **18 (18-18-22-22-24)**.

1st row: 1 sc in 2nd ch from hook. 1 sc in each ch to end of ch. Turn.

17 (17-17-21-21-23) sc.

2nd row: Ch 1. 1 sc in each sc to end of row. Turn.

Rep last row until piece measures 5" [12.5 cm]. Fasten off.

FRONT

****Ribbing:** With A, ch 18.

1st row: 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of chain. Turn. 16 hdc.

2nd row: Ch 2. Work 1 hdc in horizontal bar created below st in previous row (bar is below loops normally worked on WS – see diagram on page 4) in each hdc to end of row. Turn.

Rep last row until Ribbing measures **21 (22-24-25-29-33)" [53.5 (56-61-63.5-73.5-84) cm]** long (when slightly stretched), ending on a WS row.

Do not fasten off.

Turn Ribbing to work across long straight edge.

1st row: (RS). Ch 1. Work **90 (94-102-106-124-140)** sc evenly across long straight edge. Turn.

2nd row: Ch 1. 1 sc in each sc to end of row. Turn.

3rd row: Ch 3 (counts as dc). 1 dc in each sc to end of row. Turn.

4th row: Ch 1. 1 sc in each dc to end of row. Turn.

5th row: Ch 1. 1 sc in each sc to end of row. Turn.

Rep 2nd to 5th rows to form pat. Cont in pat until piece from lower edge measures approx 7" [18 cm], ending on a 4th row. Break A, join B.**

Place Pocket Lining: **1st row:** (RS).

With B, ch 1. 1 sc in each of first **16 (18-18-20-22-22)** sc. Skip next **17 (17-17-21-21-23)** sc. 1 sc in each of next **17 (17-17-21-21-23)** sc from Pocket Lining. 1 sc in each sc to end of row. Turn. With B, cont in pat until Front measures approx 20" [51 cm], ending on a 4th row. Break B, join A.

Shape armholes: 1st row: (RS).

With A, sl st in each of first **4 (6-6-5-5-6)** sc. Ch 1. 1 sc in each of next **82 (82-90-96-114-128)** sc. **Turn.** Leave rem sts unworked.

2nd row: Ch 2. Yoh and draw up a loop in next st. Yoh and draw through all loops on hook – beg dc2tog made. 1 dc in each sc to last 2 sc. Dc2tog over last 2 sc. Turn. **80 (80-88-94-112-126)** sts.

3rd row: Ch 1. Sc2tog. 1 sc in each st to last 2 sts. Sc2tog. Turn. **78 (78-86-92-110-124)** sts. Keeping cont of pat, dec 1 st at each end of every row to **74 (74-80-88-106-110)** sts.

Cont even in pat until armhole measures approx **7 (7-8-8-8½-8½)" [18 (18-20.5-20.5-21.5-21.5) cm]**, ending on a 4th row.

Shape neck: 1st row: (RS). Ch 1. 1 sc in each of first **26 (26-28-32-40-42)** sts (neck edge). **Turn.** Leave rem sts unworked.

2nd row: Ch 1. Sc2tog. 1 sc in each sc to end of row. Turn.

3rd row: Ch 3 (counts as dc). 1 dc in each sc to last 2 sts. Dc2tog. Turn. Cont in pat, dec 1 st at neck edge only to **20 (20-22-26-34-36)** sts. Work **2 (2-1-2-2-2)** row(s) even. Fasten off.

With RS facing, skip next **22 (22-24-24-26-26)** sc. Join A with sl st to next sc. Ch 1. 1 sc in same sp as last sl st. 1 sc in each sc to end of row. Turn.

Next row: Ch 1. 1 sc in each sc to last 2 sc. Sc2tog. Turn.

Next row: Beg dc2tog. 1 dc in each sc to end of row. Turn. Cont in pat, dec 1 st at neck edge only to **20 (20-22-26-34-36)** sts. Work **2 (2-1-2-2-2)** row(s) even. Fasten off.

BACK

Work from ** to ** as given for Front.

With B, cont in pat until Back measures same length as Front to armholes, ending on a 4th row. Break B, join A.

Shape armholes: 1st row: (RS).

With A, sl st in each of first **4 (6-6-5-5-6)** sc. Ch 1. 1 sc in each of next **82 (82-90-96-114-128)** sc. **Turn.** Leave rem sts unworked.

2nd row: Beg dc2tog. 1 dc in each sc to last 2 sc. Dc2tog over last 2 sc. Turn. **80 (80-88-94-112-126)** sts.

3rd row: Ch 1. Sc2tog. 1 sc in each st to last 2 sts. Sc2tog. Turn. **78 (78-86-92-110-124)** sts. Keeping cont

of pat, dec 1 st at each end of every row to **74 (74-80-88-106-110)** sts. Cont even in pat until armhole measures approx **8 (8-9-9-9½-9½)" [20.5 (20.5-23-23-24-24) cm]**, ending on a 4th row.

Shape neck: 1st row: (RS). Ch 1. Pat across each of first **26 (26-28-32-40-42)** sts (neck edge). **Turn.** Leave rem sts unworked.

2nd row: Ch 1. Sc2tog. 1 sc in each sc to end of row. Turn.

3rd row: Ch 3 (counts as dc). 1 dc in each sc to last 2 sc. Dc2tog. Turn. Cont as established, dec 1 st at neck edge only to **20 (20-22-26-34-36)** sts.

Work **2 (2-1-2-2-2)** row(s) even. Fasten off.

With RS facing, skip next **22 (22-24-24-26-26)** sc. Join A with sl st to next sc. Ch 1. 1 sc in same sp as last sl st. 1 sc in each sc to end of row. Turn.

Next row: Ch 1. 1 sc in each sc to last 2 sc. Sc2tog. Turn.

Next row: Beg dc2tog. 1 dc in each sc to end of row. Turn. Cont as established, dec 1 st at neck edge only to **20 (20-22-26-34-36)** sts. Work **2 (2-1-2-2-2)** row(s) even. Fasten off.

SLEEVES

Ribbing: With A, ch 18.

1st row: 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of chain. Turn. 16 hdc.

2nd row: Ch 2. Work 1 hdc in horizontal bar created below st in previous row (bar is below loops normally worked on WS – see diagram) in each hdc to end of row. Turn.

Rep last row until Ribbing measures approx **8½ (8½-9-9-10-10)" [21.5 (21.5-23-23-25.5-25.5) cm]** long when slightly stretched, ending on a WS row. **Do not** fasten off.

Turn Ribbing to work across long straight edge.

1st row:(RS). Ch 1. Work **38 (38-40-40-44-46)** sc evenly across long straight edge. Turn.

2nd row: Ch 1. 1 sc in each sc to end of row. Turn.

3rd row: Ch **3** (counts as dc). 1 dc in first sc (inc made). 1 dc in each sc to last sc. 2 dc in last sc. Turn. **40 (40-42-42-46-48)** dc.

4th row: Ch 1. 1 sc in each dc to end of row. Turn.

5th row: Ch 1. 2 sc in first sc. 1 sc in each sc to last sc. 2 sc in last sc. Turn. **42 (42-44-44-48-50)** sc.

Cont in pat as established, inc 1 st at each end of row on every 4th row to **68 (72-76-76-80-84)** sts.

Cont even in pat until Sleeve from beg measures **20 (20-20-21-21-21)" [51 (51-51-53.5-53.5-53.5) cm]**. Fasten off.

FINISHING

Pin pieces to measurements. Cover with a damp cloth, leaving cloth to dry.

Sew shoulder seams. Sew in Sleeves, centering sleeve at shoulder and easing sleeve into armholes. Sew Pocket Lining in position on WS.

Neckband: With A, ch 8.

1st row: (RS). 1 sc in 2nd ch from hook. 1 sc in each ch to end of chain. Turn. 7 sc.

2nd row: Ch 1. 1 sctbl in each sc to end of row. Turn.

Rep last row until Neckband measures length to fit around neck edge, when slightly stretched, ending on a WS row. Fasten off. Sew neckband seam. Place neckband seam at left shoulder seam and sew long edge of neckband to neck edge, stretching neckband slightly to fit.



