



Kat Brennan
Designer



CROCHET | SKILL LEVEL: **BEGINNER**

ABBREVIATIONS

Approx =	Pat = Pattern	Sl st = Slip stitch
Approximately	Rem = Remaining	Sp(s) = Space(s)
Beg = Beginning	Rep = Repeat	St(s) = Stitch(es)
Ch = Chain(s)	Rnd(s) = Round(s)	Tog = Together
Cont = Continue(ity)	RS = Right side	WS = Wrong side
Dc = Double crochet	Sc = Single crochet	

SIZES

To fit chest measurement

XS/S	28-34" [71-86.5 cm]
M	36-38" [91.5-96.5 cm]
L	40-42" [101.5-106.5 cm]
XL	44-46" [112-117 cm]
2/3XL	48-54" [122-137 cm]
4/5XL	56-62" [142-157.5 cm]

Finished chest

XS/S	40" [101.5 cm]
M	44" [112 cm]
L	48" [122 cm]
XL	52" [132 cm]
2/3XL	58" [147.5 cm]
4/5XL	66" [167.5 cm]

Note: Model is wearing size **XS/S** and has 34" [86.5 cm] chest.

GAUGES

17 sc and 22 rows = 4" [10 cm].
17 sts and 8 rows = 4" [10 cm] in Mesh Pat.

MATERIALS

Patons® Linen™ (3.5 oz/100 g; 275 yds/251 m)

Sizes	XS/S	M	L	
Sage (14013)	3	3	3	balls
	624/570	681/622	745/681	yds/m
Sizes	XL	2/3XL	4/5XL	
Sage (14013)	4	4	5	balls
	844/772	941/860	1114/1018	yds/m

Size U.S. G/6 (4 mm) Susan Bates® Silvalume® crochet hook **or size needed to obtain gauge.** Susan Bates® yarn needle.

INSTRUCTIONS

The instructions are written for **XS/S**. If changes are necessary for larger sizes the instructions will be written **XS/S (M-L-XL-2/3XL-4/5XL)**. Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Notes:

- Chain (ch) 3 at beginning (beg) of row counts as double crochet (dc).
- Body is worked in one piece with side seams. Sleeves are worked onto body in rounds (rnds). See assembly diagram on page 3.

BODY

Front Bottom Edge: Chain (ch) **86 (94-104-112-124-140)**.

1st row: [Right Side (RS)]. 1 single crochet (sc) in 2nd ch from hook. 1 sc in each ch to end of chain. Turn. **85 (93-103-111-123-139)** sc.

2nd row: Ch 1. 1 sc in each sc to end of row. Turn

3rd row: As 2nd row.

Lower Mesh Front Section:

1st row: Ch 3 (counts as double crochet (dc) here and throughout). *1 dc in next sc. Ch 1. Skip next sc. Repeat (rep) from * to last 2 sc. 1 dc in each of last 2 sc. Turn. **44 (48-53-57-63-71)** dc and **41 (45-50-54-60-68)** ch-1 spaces (sps).

2nd row: Ch 3. *1 dc in next dc. Ch 1. Skip next ch-1 sp. Rep from * to last 2 dc. 1 dc in each of last 2 dc. Turn.

Rep 2nd row for Mesh Pat **12 (12-10-10-8-8)** times more.

Solid Front Section:

*****1st row:** Ch 3. *1 dc in next dc. 1 dc in next ch-1 sp. Rep from * to last 2 dc. 1 dc in each of last 2 dc. Turn. **85 (93-103-111-123-139)** dc.

2nd row: Ch 3. 1 dc in each dc to end of row. Turn.

Rep 2nd row **10 (10-12-12-14-16)** times more for Solid Section.***

Upper Mesh Front Section:

1st row: Ch 3. *1 dc in next dc. Ch 1. Skip next dc. Rep from * to last 2 dc. 1 dc in each of last 2 dc. Turn. **44 (48-53-57-63-71)** dc and **41 (45-50-54-60-68)** ch-1 sps.

2nd row: Ch 3. *1 dc in next dc. Ch 1. Skip next ch-1 sp. Rep from * to last 2 dc. 1 dc in each of last 2 dc. Turn.

Rep 2nd row for Mesh Pat **9 (9-9-11-11-11)** times more.

Next row: Ch 3. *1 dc in next dc. Ch 1. Skip next ch-1 sp.** Rep from * **8 (10-12-14-16-20)** times more. 1 dc in next dc. Ch **45 (45-47-47-51-51)**. Skip next **45 (45-47-47-51-51)** dc and ch-1 sps - Neck Opening made. Rep from * to ** to last 2 dc. 1 dc in each of last 2 dc. Turn. **22 (26-30-34-38-46)** dc, **18 (22-26-30-34-42)** ch-1 sps and 1 ch-**45 (45-47-47-51-51)** sp for Neck Opening.

Next row: Ch 3. *1 dc in next dc. Ch 1. Skip next ch-1 sp.** Rep from * **8 (10-12-14-16-20)** times more. 1 dc in next dc. *Skip next ch. 1 dc in next ch. Ch 1. Rep from * to end of ch-**45 (45-47-47-51-51)** sp. Rep from * to ** to last 2 dc. 1 dc in each of last 2 dc.

Next row: Ch 3. *1 dc in next dc. Ch 1. Skip next ch-1 sp. Rep from * to last 2 dc. 1 dc in each of last 2 dc. Turn.

Rep last row **10 (10-10-12-12-12)** times more.

Solid Back Section:

Work from *** to *** as given for Solid Front Section.

Lower Mesh Back Section:

1st row: Ch 3. *1 dc in next dc. Ch 1. Skip next dc. Repeat (rep) from * to last 2 dc. 1 dc in each of last 2 dc. Turn. **44 (48-53-57-63-71)** dc and **41 (45-50-54-60-68)** ch-1 sps.

2nd row: Ch 3. *1 dc in next dc. Ch 1. Skip next ch-1 sp. Rep from * to last 2 dc. 1 dc in each of last 2 dc. Turn.

Rep 2nd row **12 (12-10-10-8-8)** times more.

Back Bottom Edge: 1st row:

Ch 1. 1 sc in each of first 2 dc. *1 sc in next ch-1 sp. 1 sc in next dc. Rep from * to last dc. 1 sc in last dc. Turn

2nd row: Ch 1. 1 sc in each sc to end of row. Turn

3rd row: As 2nd row. Fasten off.

FINISHING

Pin Body to measurements. Cover with a damp cloth leaving cloth to dry.

Fold work in half along shoulders, with RS together (tog). Place markers **7½ (7½-8½-9-10-10½)"** [19 (19-21.5-23-25.5-26.5) cm] down from shoulders on sides of Body for armholes. Sew side seams using whip st, beg at Bottom Edge to markers. Turn work RS out.

SLEEVES

Join yarn with slip stitch (sl st) to bottom of armhole.

1st rnd: Working around sts at end of Body rows, ch 1. Work **64 (64-72-76-86-90)** sc evenly around armhole edge for Sleeve. Join with sl st to first sc. Turn.

2nd to 8th rnds: Ch 4 (counts as dc and ch-1). Skip next sc. *1 dc in next sc. Ch 1. Skip next sc. Rep from * around. Join with sl st to 3rd ch of starting ch-4. Turn.

9th rnd: Ch 1. 1 sc in first dc. *1 sc in next ch-1 sp. 1 sc in next dc. Rep from * to last ch-1 sp. 1 sc in last ch-1 sp. Join with sl st to first sc. Turn.

10th rnd: Ch 1. 1 sc in each sc around. Join with sl st to first sc. Turn.

11th rnd: As 10th rnd. Fasten off.

