



Gayle Bunn  
Designer



KNIT | SKILL LEVEL: INTERMEDIATE

### MATERIALS

Patons® Classic Wool Worsted™ (3.5 oz/100 g; 194 yds/177 m)

Sizes	XS/S	M	L	XL	2/3XL	4/5XL	
Rich Teal (77768)	3	4	4	5	5	6	<b>balls</b>
	575	680	750	820	940	1030	<b>yds</b>
	524	620	682	747	855	937	<b>m</b>

Size U.S. 7 (4.5 mm) Susan Bates® Silvalume® circular knitting needle 36" [91.5 cm] long **or size needed to obtain gauge.** Susan Bates® stitch marker. Susan Bates® cable needle. Susan Bates® yarn needle. Length of ¾" [2 cm] wide elastic to fit waist measurement.

### SIZES

To fit hip measurement (Skirt will stretch slightly to fit)

XS/S	34-36" [86.5-91.5 cm]
M	38-40" [96.5-101.5 cm]
L	42-44" [106.5-112 cm]
XL	46-48" [117-122 cm]
2/3XL	52-56" [132-142 cm]
4/5XL	58-64" [147.5-162.5 cm]

### GAUGE

20 sts and 26 rows = 4" [10 cm] in stocking st.

## ABBREVIATIONS

**Approx** = Approximately

**Beg** = Beginning

**C2B** = Slip next stitch onto cable needle and leave at back of work. K1, then K1 from cable needle.

**C2F** = Slip next stitch onto cable needle and leave at front of work. K1, then K1 from cable needle.

**Cr3BK** = Slip next stitch onto cable needle and leave at back of work. K2, then K1 from cable needle.

**Cr3FK** = Slip next 2 stitches onto cable needle and leave at front of work. K1, then K2 from cable needle.

**Cr4B** = Slip next 2 stitches onto cable needle and leave at back of work. K2, then (P1. K1) from cable needle.

**Cr4F** = Slip next 2 stitches onto cable needle and leave at front of work. K1. P1, then K2 from cable needle.

**Cont** = Continue(ity)

**Dec** = Decrease(ing)


**Inc** = Increase(ing)

**K** = Knit

**K1tbl** = Knit next stitch through back of loop

**K2(3)tog** = Knit next 2(3) stitches together

**M1** = Make 1 stitch by picking up horizontal loop lying before next stitch and knitting into back of loop.



**P** = Purl

**P2tog** = Purl next 2 stitches together

**Pat** = Pattern

**Rem** = Remaining

**Rep** = Repeat

**Rnd(s)** = Round(s)

**RS** = Right side

**St(s)** = Stitch(es)

**T3B** = Slip next stitch onto cable needle and leave at back of work. K2, then P1 from cable needle.

**T3F** = Slip next 2 stitches onto cable needle and leave at front of work. P1, then K2 from cable needle.

**T4B** = Slip next 2 stitches onto cable needle and leave at back of work. K2, then P2 from cable needle.

**T4F** = Slip next 2 stitches onto cable needle and leave at front of work. P2, then K2 from cable needle.

**Tw2R** = Knit into front of 2nd stitch on needle, then knit into front of first stitch and slip both stitches off needle together

**WS** = Wrong side

## INSTRUCTIONS

*The instructions are written for XS/S. If changes are necessary for larger sizes the instructions will be written XS/S (M-L-XL-2/3XL-4/5XL). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.*

**Note:** All rows of Panel Pats are worked with RS facing.

**PANEL PAT A** (worked over 24 sts). See chart on page 4.

**1st row:** T4F. T4B. P3. Tw2R. P3. T4F. T4B.

**2nd row:** P2. K4. P5. K2. P5. K4. P2.

**3rd row:** P2. T4B. P4. C2B. C2F. P4. T4F. P2.

**4th row:** P2. K2. P6. K4. P6. K2. P2.

**5th row:** T4B. P4. Cr4B. Cr4F. P4. T4F.

**6th row:** K2. P6. (K2. P1) twice. K2. P6. K2.

**7th row:** K2. P4. T4B. P1. Tw2R. P1. T4F. P4. K2.

**8th row:** K2. P4. K2. P3. K2. P3. K2. P4. K2.

These 8 rows form Panel Pat A.

**PANEL PAT B** (worked over 10 sts).  
See chart on page 4.

**1st and 2nd rows:** K2. P1. K4. P1. K2.

**3rd row:** K2. P1. C4F. P1. K2.

**4th row:** As 1st row.

**5th row:** T3F. K4. T3B.

**6th row:** P1. K8. P1.

**7th row:** P1. Cr3FK. K2. Cr3BK. P1.

**8th row:** As 6th row.

**9th row:** P1. K1. Cr3FK. Cr3BK. K1. P1.

**10th row:** As 6th row.

**11th row:** T3B. C4F. T3F.

**12th to 14th rows:** As 1st row.  
These 14 rows form Panel Pat B.

## SKIRT

Beg at lower edge, cast on **180 (204-224-246-264-280)** sts. Join in rnd, placing a marker on first st.

**1st rnd:** \*K1tbl. P1. Rep from \* around.

Rep last rnd for Twisted Ribbing for 1¼" [3 cm].

**Next rnd:** (Inc rnd). \*Rib across **8 (11-12-12-10-9)** sts. M1. Rep from \* to last **4 (6-8-6-4-10)** sts. Rib to end of rnd. **202 (222-242-266-290-310)** sts.

Proceed in pat as follows:

**1st rnd:** (P1. K1) **2 (5-7-11-8-10)** times. P1. \*\*Tw2R. P2. (Work 1st row Panel Pat B. P2) **1 (1-1-1-2-2)** time(s). Tw2R. (P1. K1) 5 times. P1. Tw2R. P2. Work 1st row Panel Pat A. P2. Tw2R. (P1. K1) 5 times. P1. Tw2R. (P2. Work 1st row Panel Pat B) **1 (1-1-1-2-2)** time(s). P2. Tw2R.\*\* (P1. K1) **5 (10-15-21-15-20)** times. P1. Rep from \*\* to \*\* once more. (P1. K1) **3 (5-8-10-7-10)** times.

**2nd rnd:** (P1. K1) **2 (5-7-11-8-10)** times. P1. \*\*K2. P2. (Work 2nd row Panel Pat B. P2) **1 (1-1-1-2-2)** time(s). K2. (P1. K1) 5 times. P1. K2. P2. Work 2nd row Panel Pat A. P2. K2. (P1. K1) 5 times. P1. K2. (P2. Work 2nd row Panel Pat B) **1 (1-1-1-2-2)** time(s). P2. K2.\*\* (P1. K1) **5 (10-15-21-15-20)** times. P1. Rep from \*\* to \*\* once more. (P1. K1) **3 (5-8-10-7-10)** times.

**3rd rnd:** (K1. P1) **2 (5-7-11-8-10)** times. P1. \*\*Tw2R. P2. (Work 3rd row Panel Pat B. P2) **1 (1-1-1-2-2)** time(s). Tw2R. P2. (K1. P1) 4 times. P1. Tw2R. P2. Work 3rd row Panel Pat A. P2. Tw2R. P2. (K1. P1) 4 times. P1. Tw2R. (P2. Work 3rd row Panel Pat B) **1 (1-1-1-2-2)** time(s). P2. Tw2R.\*\* P2. (K1. P1) **4 (9-14-20-14-19)** times. P1. Rep from \*\* to \*\* once more. (K1. P1) **3 (5-8-10-7-10)** times.

**4th rnd:** (K1. P1) **2 (5-7-11-8-10)** times. P1. \*\*K2. P2. (Work 4th row Panel Pat B. P2) **1 (1-1-1-2-2)** time(s). K2. P2. (K1. P1) 4 times. P1. K2. P2. Work 4th row Panel Pat A. P2. K2. P2. (K1. P1) 4 times. P1. K2. (P2. Work 4th row Panel Pat B) **1 (1-1-1-2-2)** time(s). P2. K2.\*\* P2. (K1. P1) **4 (9-14-20-14-19)** times. P1. Rep from \*\* to \*\* once more. (K1. P1) **3 (5-8-10-7-10)** times.

These 4 rnds form Irish Moss St Pat. Cable Panel Pats are now in position.

Cont in established pat, until work from beg measures approx **13 (13½-14-14½-16)" [33 (34.5-35.5-35.5-37-40.5) cm]**, ending on a 4th rnd of Irish Moss St Pat.

**Next rnd:** (Dec rnd). (P1. K1) **2 (5-7-11-8-10)** times. P1. \*\*Tw2R. P2tog. (Work appropriate row Panel Pat B. P2tog) **1 (1-1-1-2-2)** time(s). Tw2R. P1. (K1. P1) 5 times. Tw2R. P2tog. Work appropriate row Panel Pat A. P2tog. Tw2R. P1. (K1. P1) 5 times. Tw2R. (P2tog. Work appropriate row Panel Pat B) **1 (1-1-1-2-2)** time(s). P2tog. Tw2R.\*\* P1. (K1. P1) **5 (10-15-21-11-15)** times. Rep from \*\* to \*\* once more. (P1. K1) **3 (5-8-10-7-10)** times. **190 (210-230-254-274-294)** sts.

Cont in established pat, working P1 in place of P2, until work from beg measures **15 (15½-16-16-18-18)" [38 (39.5-40.5-40.5-45.5-45.5) cm]**, ending on a 2nd or 4th rnd of Irish Moss St Pat.



**Dec rnd:** \*K4 (5-5-5-6-6). K2tog. Rep from \* to last **10 (0-6-2-2-6)** sts. Knit to end of rnd. **160 (180-198-218-240-258)** sts.

**Waistband: 1st rnd:** \*K1tbl. P1. Rep from \* around. Rep last rnd for Twisted Ribbing for 3" [7.5 cm]. Cast off loosely in ribbing.



## FINISHING

Pin Skirt to measurements. Cover with a damp cloth, leaving cloth to dry. Fold Waistband in half to WS and sew in position, leaving an opening at side (marked st where rnds were joined) to insert elastic. Cut elastic to fit waist measurement plus 1" [2.5 cm]. Insert elastic into waistband. Overlap ends of elastic and sew securely. Sew opening closed.



- Key
- = Knit
  - = Purl
  - = C4F
  - = T4B
  - = T4F
  - = Tw2R
  - = C2B
  - = C2F
  - = Cr3BK
  - = Cr3FK
  - = Cr4B
  - = Cr4F
  - = T3B
  - = T3F

