



Svetlana Avrakh
Designer



KNIT | SKILL LEVEL: **EXPERIENCED**

ABBREVIATIONS

Alt = Alternate(ing)

Approx =
Approximately

Beg = Beginning

C2B = Slip next stitch
onto cable needle
and leave at back
of work. K1, then K1
from cable needle.

C2F = Slip next stitch
onto cable needle
and leave at front
of work. K1, then K1
from cable needle.

C4B = Slip next
2 stitches onto cable
needle and leave
at back of work. K2,
then K2 from cable
needle.

C4F = Slip next
2 stitches onto cable
needle and leave
at front of work. K2,
then K2 from cable
needle.

Cont = Continue(ity)

Dec = Decrease(ing)

Inc = Increase(ing)

K = Knit

Kfb = Increase
1 stitch by knitting
into front and back of
next stitch.

P = Purl

P2tog = Purl next
2 stitches together

Pat = Pattern

PM = Place marker

Rem = Remaining

Rep = Repeat

RS = Right side

St(s) = Stitch(es)

Sm = Slip marker

WS = Wrong side

MATERIALS

Patons® Classic Wool Worsted™ (3.5 oz/100 g; 210 yds/192 m)

Sizes	XS/M	L/XL	2/5XL	
Natural Heather (77412)	9	11	13	balls

Sizes U.S. 6 (4 mm) and U.S. 7 (4.5 mm) Susan Bates® knitting needles **or size needed to obtain gauge.** Susan Bates® cable needle. Susan Bates® stitch markers. 2 Susan Bates® st holders.

SIZES

To fit bust/ chest measurement

XS/M 28-38" [71-96.5 cm]

L/XL 40-46" [101.5-117 cm]

2/5XL 48-60" [122-152.5 cm]

Finished bust

XS/M 44" [112 cm]

L/XL 50" [127 cm]

2/5XL 64" [162.5 cm]

GAUGE

20 sts and 26 rows = 4" [10 cm] in stocking st with larger needles.

INSTRUCTIONS

Cable Panel A (worked over 8 sts).

1st row: (RS). P2. C4B. K2.

2nd row: Knit all knit sts and purl all purl sts as they appear.

3rd row: P2. K2. C4F.

4th row: As 2nd row.

These 4 rows form Cable Panel A.

Cable Panel B (worked over 8 sts).

1st row: (RS). K2. C4F. P2.

2nd and alt rows: Knit all knit sts and purl all purl sts as they appear.

3rd row: C4B. K2. P2.

4th row: As 2nd row.

These 4 rows form Cable Panel B.

Cable Panel C (worked over 4 sts).

1st row: (RS). C4B.

2nd row: P4. **3rd row:** Knit.

4th row: P4.

These 4 rows form Cable Panel C.

Cable Panel D (worked over 4 sts).

1st row: (RS). C4F.

2nd row: P4.

3rd row: Knit.

4th row: P4.

These 4 rows form Cable Panel D.

Panel Pat E

1st row: (RS). Knit.

2nd row: Purl.

3rd to 7th rows: Knit.

8th row: Purl.

These 8 rows form Panel Pat E.

Panel Pat F

1st row: (RS). Knit.

2nd row: Purl.

3rd and 4th rows: Knit. These 4 rows form Panel Pat F.

The instructions are written for XS/M. If changes are necessary for larger sizes the instructions will be written thus XS/M (L/XL- 2/5XL). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

BACK

With smaller needles, cast on **134 (150-174) sts.

1st row: (RS). K2. *P2. K2. Rep from * to end of row.

2nd row: P2. *K2. P2. Rep from * to end of row.

Rep last 2 rows (K2. P2) ribbing for 2½" [6 cm], ending on a 2nd row and inc 2 sts evenly across last row. **136 (152-176)** sts.**

Change to larger needles and proceed as follows: (See chart for Cable Panels and Panel Patterns location on page 6).

Note: Incs and decs are not shown on Chart.

1st row: (RS). K1. (Work 1st row of Cable Panel A) **2 (3-4)** times. P1. (P2. C2B) 9 times. P2. Work 1st row of Cable Panel C. Work 1st row of Panel Pat E over next **16 (16-24)** sts. Work 1st row of Cable Panel D. (P2. C2B) 9 times. P3. (Work 1st row of Cable Panel B) **2 (3-4)** times. K1.

2nd row: P1. (Work 2nd row of Cable Panel B) **2 (3-4)** times. K1. (K2. P2) 9 times. K2. Work 2nd row of Cable Panel D. Work 2nd row of Panel Pat E over next **16 (16-24)** sts. Work 2nd row of Cable Panel C. (K2. P2) 9 times. K3. (Work 2nd row of Cable Panel A) **2 (3-4)** times. P1.

3rd row: Kfb. (Work 3rd row of Cable Panel A) **2 (3-4)** times. PM1 (1st marker). P2tog. P1. (C2F. P2) 9 times. PM2 (2nd marker). Work 3rd row of Cable Panel C. Work 3rd row of Panel Pat E over next **16 (16-24)** sts. Work 3rd row of Cable Panel D. (P2. C2F) 9 times. P1. P2tog. PM3 (3rd marker). (Work 3rd row of Cable Panel B) **2 (3-4)** times. Kfb.

4th row: P2. (Work 4th row of Cable Panel B) **2 (3-4)** times. (K2. P2) 9 times. K2. Work 4th row of Cable Panel D. Work 4th row of Panel Pat E over next **16 (16-24)** sts. Work 4th row of Cable Panel C. (K2. P2) 9 times. K3. (Work 4th row of Cable Panel A) **2 (3-4)** times. P2.

5th row: Kfb. K1. (Work 1st row of Cable Panel A) **2 (3-4)** times. Sm. P2tog. (C2B. P2) 9 times. Sm. Work 1st row of Cable Panel C. Work 5th row of Panel Pat E over next **16 (16-24)** sts. Work 1st row of Cable Panel D. (P2. C2B) 9 times. P2tog. Sm. (Work 1st row of Cable Panel B) **2 (3-4)** times. Kfb. K1.

6th row: P3. (Work 2nd row of Cable Panel B) **2 (3-4)** times. Sm. K1. (P2. K2) 9 times. Work 2nd row of Cable Panel D. Work 6th row of Panel Pat E over next **16 (16-24)** sts. Work 2nd row of Cable Panel C. Sm. (K2. P2) 9 times. K1. Sm. (Work 2nd row of Cable Panel A) **2 (3-4)** times. P3.

7th row: Kfb. K2. (Work 3rd row of Cable Panel A) **2 (3-4)** times. Sm. P2tog. K1. (P2. C2F) 8 times. P2. Sm. Work 3rd row of Cable Panel C. Work 7th row of Panel Pat E over next **16 (16-24)** sts. Work 3rd row of Cable Panel D. (P2. C2F) 8 times. P2. K1. P2tog. Sm. (Work 3rd row of Cable Panel B) **2 (3-4)** times. K1. Kfb. K1.

8th row: Work in pat as established.

9th row: Kfb. K3. (Work 1st row of Cable Panel A) **2 (3-4)** times. Sm. P2tog. (P2. C2B) 8 times. P2. Sm. Work 1st row of Cable Panel C. Work 1st row of Panel Pat E over next **16 (16-24)** sts. Work 1st row of Cable Panel D. (P2. C2B) 8 times. P2. P2tog. Sm. (Work 1st row of Cable Panel B) **2 (3-4)** times. Knit to last 2 sts. Kfb. K1.

10th row: Work in pat as established.

Cable Panels A, B, C and D are now in position. Panel Pat E is now in position.

Cont in same manner shifting Cable Panels A to left and Cable Panels B to right as established, taking side inc sts into **2 (1-0)** more repeat(s) of Cable Panels A and B, then into Panel Pat F as follows:

Next row: (RS). Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 3rd marker, keeping 2nd marker in place. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

Next row: Work in pat as established.

Rep last 2 rows 4 times more.

Proceed as follows:

1st row: (RS). Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 2nd marker. P2tog. Sm. Work appropriate row of Cable Panel C. Kfb. Work appropriate row of Panel Pat E over next **14 (14-22)** sts. Kfb. Work appropriate row of Cable Panel D. P2tog. Pat to 2 sts before 3rd marker. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

2nd row: Work in pat, taking inc sts into **2 (1-0)** more repeat(s) of Cable Panels A and B, then into Panel Pat F. **3rd row:** Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 3rd marker, keeping 2nd marker in place and work appropriate row of Panel Pat E over next **18 (18-26)** sts. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

4th row: Work in pat as established.

Rep last 2 rows 8 times more, taking side inc sts into **2 (1-0)** more repeat(s) of Cable Panels A and B, then into Panel Pat F.

Proceed as follows:

1st row: (RS). Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 2nd marker. P2tog. Sm. Work appropriate row of Cable Panel C. Kfb. Work appropriate row of Panel Pat E over next **16 (16-24)** sts. Kfb. Work appropriate row of Cable Panel D. P2tog. Pat to 2 sts before 3rd marker. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

2nd row: Work in pat as established. **3rd row:** Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 3rd marker, keeping 2nd marker in place and work appropriate row of Panel Pat E over next **20 (20-28)** sts. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

4th row: Work in pat as established. Rep last 2 rows 8 times more, taking side inc sts into **2 (1-0)** more repeat(s) of Cable Panels A and B, then into Panel Pat F.

Proceed as follows:

1st row: (RS). Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 2nd marker. P2tog. Sm. Work appropriate row of Cable Panel C. Kfb. Work appropriate row of Panel Pat E over next **18 (18-26)** sts. Kfb. Work appropriate row of Cable Panel D. P2tog. Pat to 2 sts before 3rd marker. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

2nd row: Work in pat as established.

3rd row: Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 3rd marker, keeping 2nd marker in place and work appropriate row of Panel Pat E over next **22 (22-30)** sts. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

4th row: Work in pat as established.

Rep last 2 rows 8 times more, taking side inc sts into Panel Pat F.

Proceed as follows:

1st row: (RS). Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 2nd marker. P2tog. Sm. Work appropriate row of Cable Panel C. Kfb. Work appropriate row of Panel Pat E over next **20 (20-28)** sts. Kfb. Work appropriate row of Cable Panel D. P2tog. Pat to 2 sts before 3rd marker. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

2nd row: Work in pat as established.

3rd row: Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 3rd marker, keeping 2nd marker in place and work appropriate row of Panel Pat E over next **24 (24-32)** sts. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

4th row: Work in pat as established.

Rep last 2 rows 8 times more, taking side inc sts into Panel Pat F.

Proceed as follows:

1st row: (RS). Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 2nd marker. P2tog. Sm. Work appropriate row of Cable Panel C. Kfb. Work appropriate row of Panel Pat E over next **22 (22-30)** sts. Kfb. Work appropriate row of Cable Panel D. P2tog. Pat to 2 sts before 3rd marker. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

2nd row: Work in pat as established.

3rd row: Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 3rd marker, keeping 2nd marker in place and work appropriate row of Panel Pat E over next **26 (26-34)** sts. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

4th row: Work in pat as established

Rep last 2 rows 8 times more, taking side inc sts into Panel Pat F.

Proceed as follows:

1st row: (RS). Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 2nd marker. P2tog. Sm. Work appropriate row of Cable Panel C. Kfb. Work appropriate row of Panel Pat E over next **24 (24-32)** sts. Kfb. Work appropriate row of Cable Panel D. P2tog. Pat to 2 sts before 3rd marker. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

2nd row: Work in pat as established.

3rd row: Kfb. Pat to first marker. Sm. P2tog. Pat to 2 sts before 3rd marker, keeping 2nd marker in place and work appropriate row of Panel Pat E over next **28 (28-36)** sts. P2tog. Sm. Pat to last 2 sts. Kfb. K1.

4th row: Work in pat, taking inc sts into Panel Pat F. PM at each end of last row.**

Cont even in pat as established, shifting Cable Panel C to right and Cable Panel D to left, until work from beg measures **23½ (23½-24½)" [57 (59.5-62) cm]**, ending on a WS row.

Shoulders: Cast off **46 (54-65)** sts beg next 2 rows. Leave rem **44 (44-46)** sts on a st holder.

FRONT

Rep from ** to ** as given for Back.

Cont even in pat as established, shifting Cable Panel C to right and Cable Panel D to left, until work from beg measures **19½ (20½-21½)" [49.5 (52-54.5) cm]**, ending on a WS row.

Shape neck edge: 1st row: (RS). Pat across **53 (61-73)** sts. **Turn.** Leave rem sts on a spare needle.

Dec 1 st at neck edge on next 4 rows, then every following alt row **3 (3-4)** times. **46 (54-65)** sts.

Cont even in pat until work measures same length as Back before shoulder, ending on a RS row. Cast off.

With RS facing slip next 30 sts onto a st holder. Join yarn to rem sts and pat to end of row.

Dec 1 st at neck edge on next 4 rows, then every following alt row **3 (3-4)** times. **46 (54-65)** sts.

Cont even in pat until work measures same length as Back before shoulder, ending on a WS row. Cast off.

SLEEVES

With smaller needles, cast on **40 (42-46)** sts.

Work 6 rows in stocking st.

Change to larger needles and proceed in Panel Pat E, inc 1 st each end of needle on next and every following **8th (6th-4th)** row until there are **50 (64-64)** sts, then every following **10th (8th-6th)** row until there are **60 (70-80)** sts, taking inc sts into Panel Pat E.

Cont even until work from beg measures 15" [38 cm], ending on a WS row. Cast off.

FINISHING

Pin garment pieces to measurements and cover with damp cloth leaving cloth to dry.

Collar: Sew right shoulder seam. With smaller needles, pick up and knit 15 sts down left front neck edge. K30 from front st holder, dec **1 (1-2)** st(s) at center. Pick up and knit 15 sts up right front neck edge, **K44 (44-46)** across back st holder, dec **1 (1-2)** st(s) at center. 102 sts. Knit 3 rows (garter st).

Work 3 rows in (K2, P2) ribbing as given for Back. Cast off in pat.

Sew left shoulder seam and neck band seam. PM **6 (7-8)" [15 (18-20.5) cm]** down from shoulder seams on Front and Back for armholes. Sew in sleeves between markers. Sew side and sleeve seams.






CHART KEY

 = Knit on RS rows. Purl on WS rows.

 = Purl on RS rows. Knit on WS rows.

 = C2B or C2F on RS rows. P2 on WS rows

 = C4B

 = C4F

