

Patons
Classic Wool

Patons
Canadiana

Patons
DECOR



ZIP FRONT JACKET

SIZES

Bust measurement

Small	30-32 ins	[76-81 cm]
Medium	34-36 ins	[86-91 cm]
Large	38-40 ins	[97-102 cm]
Extra-Large	42-44 ins	[107-112cm]

Finished bust

Small	42 ins	[107 cm]
Medium	47 ins	[114.5 cm]
Large	50 ins	[122 cm]
Extra-Large	55 ins	[129.5 cm]

MATERIALS

Patons Classic Wool (100 g/3.5 oz)
or Patons Décor (100 g/3.5 oz)
or Patons Canadiana (100 g/3.5 oz)

Size	S	M	L	XL
	11	12	13	13 balls

Sizes 4 mm (U.S. 6) and 5 mm (U.S. 8) knitting needles **or size needed to obtain tension.**

Cable needle. Separating zipper.

TENSION

19 sts and 25 rows = 4 ins [10 cm]
with larger needles in stocking st.

ABBREVIATIONS

C6B = slip next 3 sts onto a cable needle and leave at back of work. K3, then K3 from cable needle.

INSTRUCTIONS

The instructions are written for smaller size. If changes are necessary for larger sizes the instructions will be written thus ().

PANEL PAT (worked over 16 sts)

1st row: (RS). P1. K6. P4. K2. P3.

2nd and alt rows: Knit all knit sts and purl all purl sts as they appear.

3rd row: As 1st row.

5th row: P1. C6B. P4. K2. P3.

7th row: As 1st row.

9th row: P3. K2. P6. K2. P3.

11th row: P3. K2. P4. K6. P1.

13th row: As 11th row.

15th row: P3. K2. P4. C6B. P1.

17th row: As 11th row.

19th row: As 9th row.

20th row: As 2nd row.

These 20 rows form panel pat.

BACK

With smaller needles cast on 94 (106-114-126) sts.

1st row: (RS). K2. *P2. K2. Rep from * to end of row.

2nd row: P2. *K2. P2. Rep from * to end of row.

Rep these 2 rows (K2. P2) ribbing for 2 ins [5 cm] ending on a 2nd row and inc 26 (28-32-34) sts evenly across last row. 120 (134-146-160) sts.

Change to larger needles and proceed in pat as follows:

1st row: (RS). P4 (3-1-0). (Work 1st row panel pat) 7 (8-9-10) times. P4 (3-1-0).

2nd row: K4 (3-1-0). (Work 2nd row panel pat) 7 (8-9-10) times. K4 (3-1-0).

3rd row: P4 (3-1-0). (Work 3rd row panel pat) 7 (8-9-10) times. P4 (3-1-0).

4th row: K4 (3-1-0). (Work 4th row panel pat) 7 (8-9-10) times. K4 (3-1-0).

Panel pats are now in position.



ABBREVIATIONS: www.patonsyarns.com/glossary

Cont in pat until work from beg measures 26 (26-27-27) ins [66 (66-68.5-68.5) cm], ending with RS facing for next row.

Shoulder shaping: Cast off 39 (45-51-57) sts beg next 2 rows. Leave rem 42 (44-44-46) sts on a spare needle.

LEFT FRONT

With smaller needles cast on 46 (54-58-62) sts. Work 2 ins [5 cm] in (K2. P2) ribbing as given for Back ending on a 2nd row and inc 14 (13-15-18) sts evenly across last row. 60 (67-73-80) sts.

Change to larger needles and proceed in pat as follows:

1st row: (RS). P4 (3-1-0). (Work 1st row panel pat) 3 (4-4-5) times. (P1. K6. P1) 1 (0-1-0) time.

2nd row: (K1. P6. K1) 1 (0-1-0) time. (Work 2nd row panel pat) 3 (4-4-5) times. K4 (3-1-0).

3rd row: P4 (3-1-0). (Work 3rd row panel pat) 3 (4-4-5) times. (P1. K6. P1) 1 (0-1-0) time.

4th row: (K1. P6. K1) 1 (0-1-0) time. (Work 4th row panel pat) 3 (4-4-5) times. K4 (3-1-0).

5th row: P4 (3-1-0). (Work 5th row panel pat) 3 (4-4-5) times. (P1. C6B. P1) 1 (0-1-0) time.

6th row: (K1. P6. K1) 1 (0-1-0) time. (Work 6th row panel pat) 3 (4-4-5) times. K4 (3-1-0).

7th row: P4 (3-1-0). (Work 7th row panel pat) 3 (4-4-5) times. (P1. K6. P1) 1 (0-1-0) time.

8th row: (K1. P6. K1) 1 (0-1-0) time. (Work 8th row panel pat) 3 (4-4-5) times. K4 (3-1-0).

9th row: P4 (3-1-0). (Work 9th row panel pat) 3 (4-4-5) times. (P3. K2. P3) 1 (0-1-0) time.

10th row: (K3. P2. K3) 1 (0-1-0) time. (Work 10th row panel pat) 3 (4-4-5) times. K4 (3-1-0).

11th row: P4 (3-1-0). (Work 11th row panel pat) 3 (4-4-5) times. (P3. K2. P3) 1 (0-1-0) time.

12th row: (K3. P2. K3) 1 (0-1-0) time. (Work 12th row panel pat) 3 (4-4-5) times. K4 (3-1-0).

13th row: P4 (3-1-0). (Work 13th row panel pat) 3 (4-4-5) times. (P3. K2. P3) 1 (0-1-0) time.

14th row: (K3. P2. K3) 1 (0-1-0) time. (Work 14th row panel pat) 3 (4-4-5) times. K4 (3-1-0).

15th row: P4 (3-1-0). (Work 15th row panel pat) 3 (4-4-5) times. (P3. K2. P3) 1 (0-1-0) time.

16th row: (K3. P2. K3) 1 (0-1-0) time. (Work 16th row panel pat) 3 (4-4-5) times. K4 (3-1-0).

17th row: P4 (3-1-0). (Work 17th row panel pat) 3 (4-4-5) times. (P3. K2. P3) 1 (0-1-0) time.

18th row: (K3. P2. K3) 1 (0-1-0) time. (Work 18th row panel pat) 3 (4-4-5) times. K4 (3-1-0).

19th row: P4 (3-1-0). (Work 19th row panel pat) 3 (4-4-5) times. (P3. K2. P3) 1 (0-1-0) time.

20th row: (K3. P2. K3) 1 (0-1-0) time. (Work 20th row panel pat) 3 (4-4-5) times. K4 (3-1-0).

These 20 rows form pat. Panel pats are now in position.

Cont in pat, working appropriate rows panel pat, until work from beg measures 19 (21-21-23) rows less than Back to beg of shoulder shaping, ending with a **RS** row.

Neck shaping: Next row: Cast off 9 sts. Pat to end of row.

Keeping cont of pat, dec 1 st at neck edge on next 9 rows, then on following alt rows 3 (4-4-5) times. 39 (45-51-57) sts.

Work 3 rows even in pat, ending with RS facing for next row. Cast off.

RIGHT FRONT

Work from ** to ** as given for Left Front.

Change to larger needles and proceed in pat as follows:

1st row: (RS). (P3. K2. P3) 1 (0-1-0) time. (Work 1st row panel pat) 3 (4-4-5) times. P4 (3-1-0).

2nd row: K4 (3-1-0). (Work 2nd row panel pat) 3 (4-4-5) times. (K3. P2. K3) 1 (0-1-0) time.

3rd row: (P3. K2. P3) 1 (0-1-0) time. (Work 3rd row panel pat) 3 (4-4-5) times. P4 (3-1-0).

4th row: K4 (3-1-0). (Work 4th row panel pat) 3 (4-4-5) times. (K3. P2. K3) 1 (0-1-0) time.

5th row: (P3. K2. P3) 1 (0-1-0) time. (Work 5th row panel pat) 3 (4-4-5) times. P4 (3-1-0).

6th row: K4 (3-1-0). (Work 6th row panel pat) 3 (4-4-5) times. (K3. P2. K3) 1 (0-1-0) time.

7th row: (P3. K2. P3) 1 (0-1-0) time. (Work 7th row panel pat) 3 (4-4-5) times. P4 (3-1-0).

8th row: K4 (3-1-0). (Work 8th row panel pat) 3 (4-4-5) times. (K3. P2. K3) 1 (0-1-0) time.

9th row: (P3. K2. P3) 1 (0-1-0) time. (Work 9th row panel pat) 3 (4-4-5) times. P4 (3-1-0).

10th row: K4 (3-1-0). (Work 10th row panel pat) 3 (4-4-5) times. (K3. P2. K3) 1 (0-1-0) time.

11th row: (P1. K6. P1) 1 (0-1-0) time. (Work 11th row panel pat) 3 (4-4-5) times. P4 (3-1-0).

12th row: K4 (3-1-0). (Work 12th row panel pat) 3 (4-4-5) times. (K1. P6. K1) 1 (0-1-0) time.

13th row: (P1. K6. P1) 1 (0-1-0) time. (Work 13th row panel pat) 3 (4-4-5) times. P4 (3-1-0).

14th row: K4 (3-1-0). (Work 14th row panel pat) 3 (4-4-5) times. (K1. P6. K1) 1 (0-1-0) time.

15th row: (P1. C6B. P1) 1 (0-1-0) time. (Work 15th row panel pat) 3 (4-4-5) times. P4 (3-1-0).

16th row: K4 (3-1-0). (Work 16th row panel pat) 3 (4-4-5) times. (K1. P6. K1) 1 (0-1-0) time.

17th row: (P1. K6. P1) 1 (0-1-0) time. (Work 17th row panel pat) 3 (4-4-5) times. P4 (3-1-0).

18th row: K4 (3-1-0). (Work 18th row panel pat) 3 (4-4-5) times. (K1. P6. K1) 1 (0-1-0) time.

19th row: (P1. K6. P1) 1 (0-1-0) time. (Work 19th row panel pat) 3 (4-4-5) times. P4 (3-1-0).

20th row: K4 (3-1-0). (Work 20th row panel pat) 3 (4-4-5) times. (K1. P6. K1) 1 (0-1-0) time.

These 20 rows form pat. Panel pats are now in position.

Cont in pat, working appropriate rows panel pat, until work from beg measures 20 (22-22-24) rows less than Back to beg of shoulder shaping, ending with RS facing for next row.

Neck shaping: Next row: Cast off 9 sts. Pat to end of row.

Work 1 row even.

Keeping cont of pat, dec 1 st at neck edge on next 9 rows, then on following alt rows 3 (4-4-5) times. 39 (45-51-57) sts.

Work 3 rows even in pat, thus ending with RS facing for next row. Cast off.

SLEEVES

With smaller needles cast on 42 (46-46-50) sts.

Work 2 ins [5 cm] in (K2. P2) ribbing as given for Back ending on a 2nd row and inc 22 (18-18-14) sts evenly across last row. 64 sts.

Change to larger needles and proceed in pat as follows:

1st row: (RS). (Work 1st row panel pat) 4 times.

2nd row: (Work 2nd row panel pat) 4 times.

Panel pats are now in position.

Cont in panel pat, inc 1 st each end of needle on next and following alt rows to 76 (80-88-96) sts, then every following 4th row to 110 (116-122-128) sts taking inc sts into pat.

Cont even in pat until Sleeve from beg measures 17 (17½-18½-19) ins [43 (44.5-47-48) cm] ending with RS facing for next row. Cast off.

FINISHING

Block all pieces to measurements, cover with a damp cloth and allow to dry.

Collar: Sew shoulder seams. With RS of work facing and smaller needles pick up and knit 28 (29-29-30) sts up right front neck edge. K42 (44-44-46) from back spare needle dec 4 sts evenly across. Pick up and knit 28 (29-29-30) sts down left front neck edge. 94 (98-98-102) sts.

Beg on a 2nd row, work 4 ins [10 cm] in (K2. P2) ribbing as given for Back. Cast off loosely in ribbing. Fold neckband in half to **WS** and sew loosely in position.

Front Edging: With RS of work facing and smaller needles, pick up and knit 101 (**101-107-107**) sts up front edge between cast on edge and fold line of neckband working through all thicknesses. Cast off knitways (WS).




Pockets: Place first set of markers 4½ ins [11.5 cm] up from cast on edge of Front and Back. Place 2nd set of markers 4½ ins [11.5 cm] above first markers. With larger needles and right side of Back facing pick up and knit 21 sts evenly between markers. Work 5 ins [12.5 cm] in stocking st. Cast off.

With smaller needles and RS of Front facing pick up and knit 27 sts between markers.

Next row: Purl. Cast off. Sew pocket lining to **WS** of Fronts leaving open between markers on side seam.

Place markers on front and back side edges 9½ (**10-10½-11**) ins [24 (**25.5-26.5-28**) cm] down from shoulder seams.

Sew in sleeves between markers. Sew side (omitting pocket openings) and sleeve seams. Sew zipper in position under front edgings.



Patons

... a part of your life.

P.O. Box 40, Listowel ON N4W 3H3