

## **APATONS** DOVERCOURT KNIT CARDIGAN

**PAK0129-012763M** | August 30, 2023





#### **MATERIALS**

Patons® Classic Wool Worsted™ (3.5 oz/100 g; 194 yds/177 m)

| Sizes                    | XS/S | M    | L    | XL   | 2/3XL | 4/5XL |       |
|--------------------------|------|------|------|------|-------|-------|-------|
| Desert (77752) <b>or</b> | 8    | 9    | 9    | 10   | 10    | 11    | balls |
| Rich Grass (77764)       | 1500 | 1577 | 1645 | 1781 | 1916  | 2129  | yds   |
|                          | 1371 | 1442 | 1504 | 1628 | 1752  | 1947  | m     |

Sizes U.S. 6 (4 mm) and U.S. 7 (4.5 mm) Susan Bates® Silvalume™ knitting needles or size needed to obtain gauge. Susan Bates® cable needle. Susan Bates® Steel Yarn Needle. Susan Bates® Split-Lock Stitch Count Markers. 8 buttons - 3/4" [2 cm].



Nicole Winer Designer





#### **ABBREVIATIONS**

**Alt** = Alternate

**Approx** = Approximately

**Beg** = Begin(ing)

**C6B** = Slip next 3 stitches onto cable needle and leave at back of work. K3, then K3 from cable needle.

**C6F** = Slip next 3 stitches onto cable needle and leave at front of work. K3, then K3 from cable needle.

**C8B** = Slip next 4 stitches onto cable needle and leave at back of work. K4, then K4 from cable needle.

**C8F** = Slip next 4 stitches onto cable needle and leave at front of work. K4, then K4 from cable needle.

**C10B** = Slip next 5 stitches onto cable needle and leave at back of work, K5, then K5 from cable needle.

**C10F** = Slip next 5 stitches onto cable needle and leave at front of work. K5, then K5 from cable needle.

C12B = Slip next 6 stitches onto cable needle and leave at back of work. K6, then K6 from cable needle.

C12F = Slip next 6 stitches onto cable needle and leave at front of work. K6, then K6 from cable needle.

**Cont** = Continue(ity)

**Dec** = Decrease(ing)

 $\mathbf{K} = Knit$ 

**K2tog** = Knit next 2 stitches together



**PAK0129-012763M** | August 30, 2023

**Kfb** = Increase 1 stitch by knitting into the front and back of next stitch.

MB (Make Bobble) = [(K1. yo) twice. K1] all in next stitch. 5 sts. Turn. P5. Turn. K5. Turn. P2tog. P1. P2togtbl. 3 sts. Turn. S11. K2tog. psso. 1 st remains. Bobble complete. Push Bobble to RS of work.

 $\mathbf{P} = Purl$ 

**P2tog** = Purl next 2 stitches together

**P2togtbl** = Purl next 2 stitches together through back loops

**Pat** = Pattern

**PM** = Place marker

**Psso** = Pass slipped stitch over

Rem = Remain(ing)

**Rep(s)** = Repeat(s)

**Rnd** = Round

**RS** = Right side

**Ssk** = Slip next 2 stitches knitwise one at a time. Pass them back onto left-hand needle, then knit through back loops together.

**St(s)** = Stitch(es)

**T2B** = Slip next stitch onto cable needle and leave at back of work. Knit next stitch from left-hand needle, then purl stitch from cable needle.

**T2F** = Slip next stitch onto cable needle and leave at front of work. Purl next stitch from left-hand needle, then knit stitch from cable needle.

**Tw2R** = Knit into front of 2nd stitch on needle, then knit into front of first stitch and slip both stitches off needle together.

**Tw2L** = Knit into back of 2nd stitch on needle, then knit into front of first stitch and slip both stitches off needle together.

**WS** = Wrong side **Yo** = Yarn over

#### **SIZES**

### To fit chest measurement

XS/S 28-34" [71-86.5 cm]
M 36-38" [91.5-96.5 cm]
L 40-42" [101.5-106.5 cm]
XL 44-46" [112-117 cm]
2/3XL 48-54" [122-137 cm]
4/5XL 56-62" [142-157.5 cm]

### **Finished chest**

XS/S 40" [101.5 cm]
M 44" [112 cm]
L 47" [119.5 cm]
XL 53" [134 cm]
2/3XL 57" [144.5 cm]
4/5XL 62" [157.5 cm]

#### **GAUGE**

20 sts and 26 rows = 4" [10 cm] in stocking stitch with larger needles.

#### **INSTRUCTIONS**

The instructions are written for XS/S. If changes are necessary for larger sizes the instructions will be written XS/S (M-L-XL-2/3XL-4/5XL). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

**Note:** See Cable Panel charts on page 7.

Cable Panel A (worked over 6 sts)

**1st row:** (RS). C6F.

2nd, 4th and 6th rows: P6. 3rd, 5th and 7th rows: K6.

**8th row:** P6.

These 8 rows form Cable Panel A.

Cable Panel B (worked over 12 sts)

**1st row:** (RS). K4. C8B. **2nd and 4th rows:** P12.

3rd row: K12. 5th row: C8F. K4. 6th row: P12. 7th row: K12.

**8th row:** P12.

These 8 rows form Cable Panel B.

**Cable Panel C** (worked over 20 sts)

1st row: (RS). C10B. C10F. 2nd, 4th, 6th, 8th rows: P20. 3rd, 5th, 7th, 9th rows: K20.

**10th row:** P20.

These 10 rows form Cable Panel C.

**Cable Panel D** (worked over 6 sts)

**1st row:** (RS). C6B.

2nd, 4th and 6th rows: P6. 3rd, 5th and 7th rows: K6.

8th row: P6.

These 8 rows form Cable Panel D.

Cable Panel E (worked over 8 sts)

1st row: (RS). C8F.

2nd, 4th and 6th rows: P8. 3rd, 5th and 7th rows: K8.

8th row: P8.

These 8 rows form Cable Panel E.

Cable Panel F (worked over 24 sts)

**1st row:** (RS). C12B. C12F.

**2nd, 4th, 6th and 8th rows:** P24. **3rd, 5th, 7th and 9th rows:** K24.

**10th row:** P24.

These 10 rows form Cable Panel F.

Cable Panel G (worked over 8 sts)

**1st row:** (RS). C8B.

2nd, 4th and 6th rows: P8. 3rd, 5th and 7th rows: K8.

8th row: P8.

These 8 rows form Cable Panel G.



**PAK0129-012763M** | August 30, 2023

Cable Panel H (worked over 13 sts)
1st row: (RS). P4. T2B. K1. T2F. P4.
2nd row: K4. (P1. K1) twice. P1. K4.
3rd row: P3. T2B. P1. K1. P1. T2F. P3.
4th row: K3. (P1. K2) twice. P1. K3.
5th row: P2. T2B. P2. K1. P2. T2F. P2.
6th row: K2. (P1. K3) twice. P1. K2.
7th row: P2. MB. P3. K1. P3. MB. P2.
8th row: K5. P3. K5.

These 8 rows form Cable Panel H.

#### **BACK**

With smaller needles, cast on 114 (122-130-142-150-162) sts. 1st row: (RS). \*K2. P2. Rep from \* to last 2 sts. K2.

**2nd row:** \*P2. K2. Rep from \* to last 2 sts. P2.

Rep last 2 rows of (K2. P2) ribbing for 4" [10 cm], ending on a WS row.

Change to larger needles and proceed as follows:

Next row: K4 (4-2-12-8-11). Kfb. \*K6 (5-5-3-3-3). Kfb. Rep from \* to last 4 (3-1-13-9-10) sts(s). K4 (3-1-13-9-10). 130 (142-152-172-184-198) sts.

Sizes XS/S, M and L only:

Next row: Set up row: (WS). P0 (1-0). K1 (2-0). (P2. K2) 2 (3-5) times. (P4. K2) twice. P6. K2. P4. K2. P12. K2. P4. K2. P20. K2. P4. K2. P12. K2. P4. K2. P6. (K2. P4) twice. (K2. P2) 2 (3-5) times. K1 (2-0). P0 (1-0).

Proceed in pat as follows:

**Note:** See Cable Panel charts on page 7.

See Chart I on page 9 for Cable Panels placement.

1st row: (RS). K0 (1-0). P1 (2-0). (K2. P2) 2 (3-5) times. (Tw2R. Tw2L. P2) twice. Work 1st row of Cable Panel A. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel C. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel D. (P2. Tw2R. Tw2L) twice. (P2. K2) 2 (3-5) times. P1 (2-0). K0 (1-0).

**2nd row:** P0 (1-0). K1 (2-0). (P2. K2) **2** (3-5) times. (P4. K2) twice. Work 2nd row of Cable Panel D. K2. P4. K2. Work 2nd row of Cable Panel B. K2. P4. K2. Work 2nd row of Cable Panel C. K2. P4. K2. Work 2nd row of Cable Panel B. K2. P4. K2. Work 2nd row of Cable Panel A. (K2. P4) twice. (K2. P2) **2** (3-5) times. K1 (2-0). P0 (1-0).

3rd row: P0 (1-0). K1 (2-0). (P2. K2) 2 (3-5) times. (Tw2R. Tw2L. P2) twice. Work 3rd row of Cable Panel A. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel D. (P2. Tw2R. Tw2L) twice. (K2. P2) 2 (3-5) times. K1 (2-0). P0 (1-0).

4th row: K0 (1-0). P1 (2-0). (K2. P2) 2 (3-5) times. (P4. K2) twice. Work 4th row of Cable Panel D. K2. P4. K2. Work 4th row of Cable Panel B. K2. P4. K2. Work 4th row of Cable Panel C. K2. P4. K2. Work 4th row of Cable Panel B. K2. P4. K2. Work 4th row of Cable Panel A. (K2. P4) twice. (P2. K2) 2 (3-5) times. P1 (2-0). K0 (1-0).

Sizes XL, 2/3XL and 4/5XL only: Next row: Set up row: (WS). P0 (0-1). K2 (0-2). (P2. K2) 6 (8-9) times. (P4. K2) twice. P8. K2. P4. K2. P12. K2. P4. K2. P24. K2. P4. K2. P12. K2. P4. K2. P8. (K2. P4) twice. (K2. P2) 6 (8-9) times. K2 (0-2). P0 (0-1).

Proceed in pat as follows:

**Note:** See Cable Panel charts on page 7.

See Chart II on page 10 for Cable times. K2 (0-2). P0 (0-1). Panels placement.

1st row: (RS). K0 (0-1). P2 (0-2). (K2. P2) 6 (8-9) times. (Tw2R. Tw2L. P2) twice. Work 1st row of Cable Panel E. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel F. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel G. (P2. Tw2R. Tw2L) twice. (P2. K2) 6 (8-9) times. P2 (0-2). K0 (0-1).

**2nd row:** P0 (0-1). K2 (0-2). (P2. K2) **6** (8-9) times. (P4. K2) twice. Work 2nd row of Cable Panel G. K2. P4. K2. Work 2nd row of Cable Panel B. K2. P4. K2. Work 2nd row of Cable Panel F. K2. P4. K2. Work 2nd row of Cable Panel B. K2. P4. K2. Work 2nd row of Cable Panel B. K2. P4. K2. Work 2nd row of Cable Panel E. (K2. P4) twice. (K2. P2) **6** (8-9) times. K2 (0-2). P0 (0-1).

3rd row: P0 (0-1). K2 (0-2). (P2. K2) 6 (8-9) times. (Tw2R. Tw2L. P2) twice. Work 3rd row of Cable Panel E. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel F. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel G. (P2. Tw2R. Tw2L) twice. (K2. P2) 6 (8-9) times. K2 (0-2). P0 (0-1).



PAK0129-012763M | August 30, 2023

4th row: K0 (0-1). P2 (0-2). (K2. P2) 6 (8-9) times. (P4. K2) twice. Work 4th row of Cable Panel G. K2. P4. K2. Work 4th row of Cable Panel B. K2. P4. K2. Work 4th row of Cable Panel F. K2. P4. K2. Work 4th row of Cable Panel B. K2. P4. K2. Work 4th row of Cable Panel B. K2. P4. K2. Work 4th row of Cable Panel E. (K2. P2) twice.(P2. K2) 6 (8-9) times. P2 (0-2). K0 (0-1).

All Sizes: Cable Panels are now in position. Last 4 rows form Box St pat at sides.

2nd row
2 sts. P2.
Rep last

Cont in pat until work from beg measures 15" [38 cm], ending on a WS row.

**Shape armholes:** Keeping cont of pat, cast off 6 (7-10-8-9-10) sts beg of next 2 (2-2-4-4-4) rows. 118 (128-132-140-148-158) sts.

**1st row:** (RS). K1. ssk. Pat to last 3 sts. K2tog. K1.

**2nd row:** P2. Pat to last 2 sts. P2. Rep last 2 rows **12** (**12-14-14-15-16**) times more. **92** (**102-102-110-116-124**) sts.

Cont even in pat until armhole measures 9 (9-9½-9½-10-10½)" [23 (23-24-24-25.5-26.5) cm], ending on a WS row.

**Shape shoulders:** Cast off **13** (**15-15-16-17-18**) sts beg of next 4 rows. Leave rem **40** (**42-42-46-48-52**) sts on st holder.

#### LEFT FRONT

\*\*With smaller needles, cast on **54** (**58-62-66-74-78**) sts.

**1st row:** (RS). \*K2. P2. Rep from \* to last 2 sts. K2.

**2nd row:** \*P2. K2. Rep from \* to last 2 sts. P2.

Rep last 2 rows of (K2. P2) for 4" [10 cm], ending on a WS row.

Change to larger needles and proceed as follows:

Next row: K5 (2-1-4-8-4). Kfb. \*K3 (3-3-2-2-2). Kfb. Rep from \* to last 4 (3-4-4-8-7) sts. K4 (3-4-4-8-4). 66 (72-77-86-94-102) sts.\*\*

### Sizes XS/S, M and L only:

Next row: Set-up row: (WS). K1. P2. K2. P6. K2. P4. K2. P12. K2. P4. K2. P6. (K2. P4) twice. (K2. P2) **2** (3-5) times. K1 (2-0). P0 (1-0).

Proceed in pat as follows:

**Note:** See Chart III on page 11 for Cable Panels placement.

1st row: (RS). K0 (1-0). P1 (2-0). (K2. P2) 2 (3-5) times. (Tw2R. Tw2L. P2) twice. Work 1st row of Cable Panel A. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel A. P2. Tw2R. P1.

2nd row: K1. P2. K2. Work 2nd row of Cable Panel A. K2. P4. K2. Work 2nd row of Cable Panel B. K2. P4. K2. Work 2nd row of Cable Panel A.(K2. P4) twice. (K2. P2) 2 (3-5) times. K1 (2-0). P0 (1-0).

3rd row: P0 (1-0). K1 (2-0). (P2. K2) 2 (3-5) times. (Tw2R. Tw2L. P2) twice. Work 3rd row of Cable Panel A. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel A. P2. Tw2R. P1.

4th row: K1. P2. K2. Work 4th row of Cable Panel A. K2. P4. K2. Work 4th row of Cable Panel B. K2. P4. K2. Work 4th row of Cable Panel A.(K2. P4) twice. (P2. K2) 2 (3-5) times. P1 (2-0). K0 (1-0).

Sizes XL, 2/3XL and 4/5XL only: (K2. P4) t Next row: Set up row: (WS). K2. P4. P2 (0-2). K2. P8. K2. P4. K2. P12. K2. P4. K2. P8. (K2. P4) twice. (K2. P2) 5 (7-9) times. K2 (0-2).

Proceed in pat as follows:

**Note:** See Chart IV on page 11 for Cable Panels placement.

1st row: (RS). P2 (0-2). (K2. P2) 5 (7-9) times. (Tw2R. Tw2L. P2) twice. Work 1st row of Cable Panel E. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel E. P2. Tw2R. Tw2L. P2.

K2. Work 2nd row of Cable Panel
A.(K2. P4) twice. (K2. P2) 2 (3-5)
times. K1 (2-0). P0 (1-0).

3rd row: P0 (1-0). K1 (2-0). (P2. K2) 2 (3-5) times. (Tw2R. Tw2L. P2)
twice. Work 3rd row of Cable Panel

2nd row: K2. P4. K2. Work 2nd row of Cable Panel B. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Cable Panel E. K2. P4. K2. Work 2nd row of Ca

**3rd row:** K2 (0-2). (P2. K2) **5** (7-9) times. (Tw2R. Tw2L.P2) twice. Work 3rd row of Cable Panel E. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel E. P2. Tw2R. Tw2L. P2.

Work 4th row of Cable Panel A.(K2. P4) twice. (P2. K2) 2 (3-5) times. P1 (2-0). K0 (1-0). 4th row of Cable Panel E. K2. P4. K2. Work 4th row of Cable Panel B. K2. P4. K2. Work 4th row of Cable Panel E. K2. Work 4th row of Cable Panel E. K2. Work 4th row of Cable Panel E. K2. P4. K2. Work 4th row of Cable Panel E. K2. P4 twice. (P2. K2) 5 (7-9) times. Next row: Set up row: (WS). K2. P4. P2 (0-2).



#### **≜** Patons<sup>®</sup> **DOVERCOURT KNIT CARDIGAN**

PAK0129-012763M | August 30, 2023

**All Sizes:** Cable Panels are now in position. Last 4 rows form Box St pat at sides.

Cont in pat until work from beg measures 15" [38 cm], ending on a WS row.

**Shape armhole: Next row:** (RS). Cast off 6 (7-10-8-9-10) sts. Pat to end of row. 60 (65-67-78-85-92) sts.

**Next row:** Work even in pat. Rep last 2 rows **0** (0-0-1-1-1) time(s) more. 60 (65-67-70-76-82) sts.

1st row: (RS). K1. ssk. Pat to end of row.

2nd row: Pat to last 2 sts. P2. Rep last 2 rows 11 (12-13-13-17-19) times more. 48 (52-53-56-**58-62**) sts.

Cont even in pat until armhole measures 21 rows less than Back to beg of shoulder shaping, ending on a RS row.

**Shape neck: 1st row:** (WS). Pat across 12 (12-13-14-14-16) sts and place those 12 (12-13-14-14-16) sts onto st holder. Pat to end of row. 36 (40-40-42-44-46) sts rem. 2nd row: Pat to last 3 sts. K2tog. K1. 35 (39-39-41-43-45) sts.

3rd row: Work even in pat.

Rep last 2 rows 9 times more. 26 (30-30-32-34-36) sts.

**Shape shoulder: 1st row:** (RS). Cast off 13 (15-15-16-17-18) sts. Pat to end of row.

**2nd row:** Work even in pat. Cast off rem 13 (15-15-16-17-18) sts.

#### **RIGHT FRONT**

Work from \*\* to \*\* as given for Left Front.

Sizes XS/S, M and L only: Next row: Set-up row: (WS). P0 (1-0), K1 (2-0), (P2, K2) 2 (3-5) times. (P4. K2) twice. P6. K2. P4. K2. P12. K2, P4, K2, P6, K2, P2, K1,

Proceed in pat as follows:

Note: See Chart V on page 12 for Cable Panels placement.

**1st row:** (RS). P1. Tw2L. P2. Work 1st row of Cable Panel D. P2. Tw2R. Tw2L P2. Work 1st row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel D. (P2. Tw2R. Tw2L) twice. (P2. K2) 2 (3-5) times. P1 (2-0). K0 (1-0).

**2nd row:** P**0** (1-0). K**1** (2-0). (P2. K2) 2 (3-4) times. (P4. K2) twice. Work 2nd row of Cable Panel D. K2. P4. K2. Work 2nd row of Cable Panel B. K2. P4. K2. Work 2nd row of Cable Panel D. K2, P2, K1,

**3rd row:** P1. Tw2L. P2. Work 3rd times. P2 (0-2). row of Cable Panel D. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel D. (P2. Tw2R. K1 (2-0). P0 (1-0).

**4th row:** K**0** (1-0). P**1** (2-0). (K2. P2) 2 (3-5) times. (P4. K2) twice. Work 4th row of Cable Panel D. K2, P4, K2. Work 4th row of Cable Panel B. K2. P4. K2. Work 4th row of Cable Panel D. K2. P2. K1.

Sizes XL, 2/3XL and 4/5XL only: K2 (0-2). (P2. K2) 5 (7-9) times. (P4. K2) twice. P8. P4. K2. P12. K2. P4. K2. P8. K2. P4. K2.

Proceed in pat as follows:

**Note:** See Chart VI on page 12 for Cable Panels placement.

1st row: (RS), P2, Tw2R, Tw2L, P2, Work 1st row of Cable Panel G. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 1st row of Cable Panel G. (P2. Tw2R. Tw2L) twice. (P2. K2) 5 (7-9)

**2nd row:** K**2** (**0-2**). (P2. K2) **5** (**7-9**) times. (P4. K2) twice. Work 2nd row of Cable Panel G. K2. P4. K2. Work 2nd row of Cable Panel B. K2. P4. Tw2L) twice. (K2. P2) 2 (3-5) times. K2. Work 2nd row of Cable Panel G. K2, P4, K2,

> 3rd row: P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel G. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel B. P2. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel G. (P2. Tw2R. Tw2L) twice. (K2. P2) 5 (7-9) times. K2 (0-2).

4th row: P2 (0-2). (K2. P2) 5 (7-9) Next row: Set-up row: (WS). times. (P4. K2) twice. Work 4th row of Cable Panel G. K2. P4. K2. Work 4th row of Cable Panel B. K2. P4. K2. Work 4th row of Cable Panel G. K2. P4, K2,

> **All Sizes:** Cable Panels are now in position. Last 4 rows form Box St pat at sides.

> Cont in pat until work from beg measures 15" [38 cm], ending on a RS row.



PAK0129-012763M | August 30, 2023

**Shape armhole: Next row:** (WS). Cast off **6** (**7-10-8-9-10**) sts. Pat to end of row. **60** (**65-67-86-85-92**) sts.

**Next row:** Work even in pat. Rep last 2 rows **0** (0-0-1-1-1) time(s) more. **60** (65-67-70-76-82) sts.

**1st row:** Pat to last 3 sts. K2tog. K1. **2nd row:** Work even in pat.

Rep last 2 rows 11 (12-13-13-17-19) times more. 48 (52-53-56-58-62) sts.

Cont even in pat until armhole measures 21 rows less than Back to beg of shoulder shaping, ending on a WS row.

Shape neck: 1st row: (RS). Pat across 12 (12-13-14-14-16) sts and place those 12 (12-13-14-14-16) sts onto st holder. Pat to end of row. 36 (40-40-42-44-46) sts rem. 2nd row: Work even in pat. 3rd row: K1. ssk. Pat to end of row. Rep last 2 rows 9 times more. 26 (30-30-32-34-36) sts.

**Shape shoulder: 1st row:** (WS). Cast off **13** (**15-15-16-17-18**) sts. Pat to end of row. **2nd row:** Work even in pat. Cast off rem **13** (**15-15-16-17-**

18) sts.

#### **SLEEVES**

With smaller needles, cast on **42** (**42-46-50-50-54**) sts.

**1st row:** (RS). \*K2. P2. Rep from \* to last 2 sts. K2.

**2nd row:** \*P2. K2. Rep from \* to last 2 sts. P2.

Rep last 2 rows of (K2. P2) ribbing for 4" [10 cm], ending on a WS row.

Change to larger needles and proceed as follows:

**Next row:** (RS). \*Kfb. Rep from \* to end of row. **84** (**84-92-100-100-108**) sts.

Next row: Set up row: (WS). K1.(P2. K2) 1 (1-2-3-3-4) time(s). P8. K5. P3. K5. P4. K2. P20. K2. P4. K5. P3. K5. P8. (K2. P2) 1 (1-2-3-3-4) time(s). K1.

Proceed in pat as follows:

**Note:** See Chart VII on page 13 for Cable Panels placement.

1st row: (RS). P1. (K2. P2) 1 (1-2-3-3-4) time(s). Work 1st row of Cable Panel E. Work 1st row of Cable Panel H. Tw2R. Tw2L. P2. Work 1st row of Cable Panel C. P2. Tw2R. Tw2L. Work 1st row of Cable Panel H. Work 1st row of Cable Panel G. (P2. K2) 1 (1-2-3-3-4) time(s). P1.

2nd row: K1. (P2. K2) 1 (1-2-3-3-4) time(s). Work 2nd row of Cable Panel E. Work 2nd row of Cable Panel H. P4. K2. Work 2nd row of Cable Panel C. K2. P4. Work 2nd row of Cable Panel H. Work 2nd row of Cable Panel E. (K2. P2) 1 (1-2-3-3-4) time(s). K1.

**3rd row:** K1. (P2. K2) **1** (1-2-3-3-4) time(s). Work 3rd row of Cable Panel E. Work 3rd row of Cable Panel H. Tw2R. Tw2L. P2. Work 3rd row of Cable Panel C. P2. Tw2R. Tw2L. Work 3rd row of Cable Panel H. Work 3rd row of Cable Panel G.(K2. P2) 1 (1-2-3-3-4) time(s). K1. 4th row: P1. (K2. P2) 1 (1-2-3-3-4) time(s). Work 4th row of Cable Panel E. Work 4th row of Cable Panel H. P4. K2. Work 4th row of Cable Panel C. K2. P4. Work 4th row of Cable Panel H. Work 4th row of Cable Panel G. (P2. K2) 1 (1-2-3-3-4) time(s). P1.

Cable Panels are now in position. Last 4 rows form Box St pat at sides. Cont even in pat until Sleeve from beg measures 18" [45.5 cm], ending on a WS row. **Shape top:** Keeping cont of pat, cast off **6** (6-8-9-9-10) sts beg of next 2 rows. **72** (**72-76-82-82**-88) sts.

Keeping cont of pat, dec 1 st each end of next row and following alt rows to **50** (**32-32-44-38-46**) sts, then every row to **16** (**16-20-20-22-22**) sts. Cast off rem sts.

#### **FINISHING**

Pin garment pieces to measurements. Cover with a damp cloth, leaving cloth to dry. Sew shoulder seams.

Neckband: With RS facing and smaller needles, K12 (12-13-14-14-16) from Right Front neck st holder. Pick up and knit 18 sts up Right Front neck edge. K40 (42-42-46-46-52) from Back st holder, dec 2 (0-2-0-0-2) sts evenly across. Pick up and knit 18 sts down Left Front neck edge. K12 (12-13-14-14-16) from Left Front neck st holder. 98 (102-102-110-110-118) sts. Beg on a 2nd row, work 9 rows in (K2. P2) ribbing as given for Back. Cast off in ribbing.



## **♣ Patons**<sup>®</sup> dovercourt knit cardigan


**PAK0129-012763M** | August 30, 2023


Buttonhole Band: With RS facing, and smaller needles, pick up and knit 146 (146-150-150-154-154) sts evenly along Right Front edge to cast off edge of neckband. Beg on a 2nd row, work 3 rows in (K2. P2) ribbing as given for Back. 4th row (Buttonhole row): (RS). Rib across 6 (6-4-4-6-6) sts. \*Cast off 2 sts. Rib across 17 (17-18-18-18-18) sts. Rep from \* 6 times more. Cast off 2 sts. Rib across last 5 (5-4-4-6-6) sts.


**5th row:** Work in (K2. P2) ribbing, casting on 2 sts over cast off sts. Work a further 4 rows in ribbing. Cast off in ribbing.


**Button Band:** Work as for Buttonhole Band, picking up sts along opposite side edge and omitting all references to buttonholes.

Sew on buttons to correspond to buttonholes.














### **BACK**

Cable Panels Placement - Chart I (Sizes XS/S-L)



(Note: Chart shows Cable Panels placement only. Side box sts are not shown)

Key

 $\square$  = Knit on RS rows. Purl on WS rows.

 $\Box$  = Purl on RS rows. Knit on WS rows.

= C6B

= C8B

- C8F

**=** Tw2R **=** Tw2L


= C10





### **BACK**

Cable Panels Placement - Chart II (Sizes XL-4/5XL)



(Note: Chart shows Cable Panels placement only. Side box sts are not shown)








### **LEFT FRONT**

Cable Panels Placement - Chart III (Sizes XS-L)

A B A Start Here

(Note: Chart shows Cable Panels placement only. Side box sts are not shown)

Cable Panels Placement - Chart IV (Sizes XL-4/5XL)



(Note: Chart shows Cable Panels placement only. Side box sts are not shown)

Key

 $\square$  = Knit on RS rows. Purl on WS rows.

□ = Purl on RS rows. Knit on WS rows.

= C6B

= C6F

= C8

= C8F

型 =Tw2R

<u></u> = Tw2L






#### **RIGHT FRONT**

Cable Panels Placement - Chart V (Sizes XS/S-L)

Cable Panels Placement - Chart VI (Sizes XL-4/5XL)



(Note: Chart shows Cable Panels placement only. Side box sts are not shown)

(Note: Chart shows Cable Panels placement only. Side box sts are not shown)

Key


□ = Knit on RS rows. Purl on WS rows.
□ = Purl on RS rows. Knit on WS rows.
□ = Tw2R
□ = Tw2R
□ = Tw2L





### **SLEEVE**

## Cable Panel Placement Chart VII (All Sizes)



(Note: Chart shows Cable Panel Placement only. Side box sts are not shown)









