



RAGLAN CABLES SET

SIZES

Chest measurement						
6 mos	17	ins	[43	cm]		
12 mos	19	ins	[48	cm]		
18 mos	21	ins	[53.5	cm]		
2 yrs	211/2	ins	[54.5	cm]		
3 yrs	221/2	ins	[57	cm]		

Finished chest

21	ins	[53.5	cm]
$24\frac{1}{2}$	ins	[62	cm]
26	ins	[66	cm]
28	ins	[71	cm]
30	ins	[76	cm]
	24½ 26 28	24½ ins 26 ins 28 ins	21 ins [53.5 24½ ins [62 26 ins [66 28 ins [71 30 ins [76]

MATERIAI S

Patons Grace (50 g/1.75 oz)

Sizes 6 m 12 m 18 m2 yrs 3 yrs Cardigan and Hat

6 7 7 8 8 balls

Sizes 3.25 mm (U.S. 3) and 4 mm (U.S. 6) knitting needles **or size needled to obtain tension.** Cable needle. 3 st holders. 2 safety pins. 5 buttons.

TENSION

28 sts and 32 rows = 4 ins [10 cm] with larger needles in pat.

ABBREVIATIONS

C6B = Slip next 3 sts onto a cable needle and leave at back of work. K3, then K3 from cable needle.

INSTRUCTIONS

PANEL PAT (worked over 6 sts)
1st row: (RS). K6.
2nd and alt rows: Purl.
3rd row: C6B.
5th and 7th rows: K6.
8th row: Purl.
These 8 rows form Panel Pat.

CARDIGAN

The instructions are written for smallest size. If changes are necessary for larger sizes, the instructions will be written thus ().

BACK

With smaller needles, cast on 69 (**81**-87-**93**-99) sts.

Sizes 6 mos, 12 mos and 2 yrs only: 1st row: (RS). *P3. K3. Rep from * to last 3 sts. P3.

2nd row: K1. *P1. K1. Rep from * to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

Next row: (RS). (Increase row). P3. (K3. P3. K1. Inc 1 st in next st. K1. P3) 5 (6-7) times. K3. P3. 74 (87-100) sts. Next row: (K1. P1) 3 times. *K2. P6. K2. P1. K1. P1. Rep from * to last 3 sts. K1. P1. K1.

Next row: P3. *K3. P2. Work 1st row of Panel Pat. P2. Rep from * to last 6 sts. K3. P3.

Next row: (K1. P1) 3 times. *K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from * to last 3 sts. K1. P1. K1. Panel Pat is now in position.

Sizes 18 mos and 3 yrs only: 1st row: (RS). *K3. P3. Rep from * to last 3 sts. K3. 2nd row: P1. *K1. P1. Rep from * to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

Next row: (RS). (Increase row). K3. P3. (K3. P3. K1. Inc 1 st in next st. K1. P3) (6-7) times. K3. P3. K3. (93-106) sts. Next row: (P1. K1) 4 times. P1. *K2. P6. K2. P1. K1. P1. Rep from * to last

Next row: K3. P3. *K3. P2. Work 1st row of Panel Pat. P2. Rep from * to last 9 sts. K3. P3. K3.

Next row: (P1. K1) 4 times. P1. *K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from * to last 6 sts. (K1. P1) 3 times.

Panel Pat is now in position.

6 sts. (K1. P1) 3 times.



All Sizes: Cont even in pat until work from beg measures 6½ (7-7¾-8½-9¼) ins [17 (18-19.5-21.5-23.5) cm] ending with RS facing for next row.

Raglan shaping: Keeping cont of pat, cast off 5 (5-7-7-7) sts beg next 2 rows. 64 (77-79-86-92) sts.

Next row: (RS). P1. Sl1. K1. psso. Pat to last 3 sts. K2tog. P1.

Next row: K1. P1. Pat to last 2 sts. P1. K1.

Rep last 2 rows 16 (**14**-16-**16**) times more. 30 (**47**-45-**52**-58) sts.

Next row: (RS). P1. Sl1. K1. psso. Pat to last 3 sts. K2tog. P1.

Next row: K1. P2tog. Pat to last 3 sts. P2togtbl. K1.

Rep last 2 rows 0 (**4**-3-**4**-5) times more. Leave rem 26 (**27**-29-**32**-34) sts on a st holder.

RIGHT FRONT

With smaller needles, cast on 33 (42-45-45-48) sts.

Sizes 6 mos, 18 mos and 2 yrs only: 1st row: (RS). *K3. P3. Rep from * to last 3 sts. K3.

2nd row: *P1. K1. Rep from * to last st. P1.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

1st row: (RS). (Increase row). (K3. P3. K1. Inc 1 st in next st. K1. P3) 2 (3-3) times. K3. P3. K3. 35 (48-48) sts.

2nd row: (P1. K1) 4 times. P1. *K2. P6. K2. P1. K1. P1. Rep from * to end of row.

3rd row: (K3. P2. Work 1st row of Panel Pat. P2) 2 (3-**3**) times. K3. P3. K3.

4th row: (P1. K1) 4 times. P1. *K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from * to end of row. Panel Pat is now in position.

Sizes 12 mos and 3 yrs only: 1st row: (RS). *K3. P3. Rep from * to end of row. 2nd row: *K1. P1. Rep from * to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

1st row: (RS). (Increase row). (K3. P3. K1. Inc 1 st in next st. K1. P3) (**3**-4) times. (K3. P3) (**1**-0) time. (**45**-52) sts. **2nd row:** (K1. P1) (**3**-0) times. *K2. P6. K2. P1. K1. P1. Rep from * to end of row.

3rd row: (K3. P2. Work 1st row of Panel Pat. P2) (**3**-4) times. (K3. P3) (**1**-0) time.

4th row: (K1. P1) (**3**-0) times. *K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from * to end of row. Panel Pat is now in position.

All Sizes: Cont even in pat until work from beg measures 6½ (7-7¾-8½-9¼) ins [17 (18-19.5-21.5-23.5) cm] ending with WS facing for next row.

Raglan shaping: Next row: Cast off 5 (5-7-7-7) sts. Pat to end of row. 30 (40-41-45) sts.

Next row: (RS). Pat to last 3 sts. K2tog. P1. Next row: K1. P1. Pat to end of row. Rep last 2 rows 12 (13-13-14-15) times more. 17 (26-27-26-29) sts.

Neck shaping: With RS of work facing, slip first 6 (8-8-8-8) sts onto a safety pin. Rejoin yarn to rem 11 (18-19-18-21) sts and proceed as follows:

Next row: (RS). Sl1. K1. psso. Pat to last 3 sts. K2tog. P1.

Next row: Pat to last 2 sts. P2togtbl. Rep last 2 rows 0 (**0**-1-**1**-0) time more. 8 (**15**-13-**12**-18) sts.

Size 6 mos only: Next row: (RS). Sl1. K1. psso. Pat 3 sts. K2tog. P1. 6 sts.

Next row: Work even in pat.

Next row: Sl1. K1. psso. K1. K2tog. P1. 4 sts.

Next row: P4.

Next row: Sl1. K1. psso. K2tog. 2 sts.

Next row: P2.

Next row: K2tog. Fasten off.

Sizes 12 mos and 3 yrs only: Next row: (RS). Sl1. K1. psso. Pat to last 3 sts. K2tog. P1.

Next row: P2tog. Pat to last 2 sts. P2togtbl. (11-14) sts.

Size 18 mos only: Next row: (RS). Sl1. K1. psso. Pat to last 3 sts. K2tog. P1. 11 sts.

Next row: Work even in pat.

Sizes 12 mos, 18 mos, 2 and 3 yrs only: Next row: (RS). Sl1. K1. psso. Pat to last 2 sts. K2tog.

Next row: P2tog. Pat to end of row. Rep last 2 rows (2-2-1-3) time(s) more. (2-2-6-2) sts.

Size 2 yrs only: Next row: (RS). Pat to last 2 sts. K2tog.

Next row: P2tog. Pat to end of row. Rep last 2 rows once more. 2 sts.

Sizes 12 mos, 18 mos, 2 and 3 yrs only: Next row: (RS). K2tog. Fasten off.

LEFT FRONT

With smaller needles, cast on 33 (**42**-45-**45**-48) sts.

Sizes 6 mos, 18 mos and 2 yrs only: 1st row: (RS). *K3. P3. Rep from * to last 3 sts. K3.

2nd row: *P1. K1. Rep from * to last st. P1.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

1st row: (RS). (Increase row). K3. P3. K3. (P3. K1. Inc 1 st in next st. K1. P3. K3) 2 (3-3) times. 35 (48-48) sts.

2nd row: *P1. K1. P1. K2. P6. K2. Rep from * to last 9 sts. (P1. K1) 4 times. P1.

3rd row: K3. P3. K3. (P2. Work 1st row of Panel Pat. P2. K3) 2 (3-3) times. 4th row: P1. K1. P1. K2. *Work 2nd row of Panel Pat. K2. P1. K1. P1. K2. Rep from * to last 9 sts. (P1. K1) 4 times. P1. Rep from * to end of row. Panel Pat is now in position.

Sizes 12 mos and 3 yrs only: 1st row: (RS). *P3. K3. Rep from * to end of row

2nd row: *P1. K1. Rep from * to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

1st row: (RS). (Increase row). (P3. K3) (**1**-0) time. (P3. K1. Inc 1 st in next st. K1. P3. K3) (**3**-4) times. (**45**-52) sts.

2nd row: *P1. K1. P1. K2. P6. K2. Rep from * to last (**6**-0) sts. (P1. K1) (**3**-0) times.

3rd row: (P3. K3) (1-0) time. (P2. Work 1st row of Panel Pat. P2. K3) 3 times.

4th row: *P1. K1. P1. K2. Work 2nd row of Panel Pat. K2. Rep from * to last (**6**-0) sts. (P1. K1) (**3**-0) times. Panel Pat is now in position.

All Sizes: Cont even in pat until work from beg measures 6½ (7-7¾-8½-9¼) ins [17 (18-19.5-21.5-23.5) cm], ending with RS facing for next row.

Raglan shaping: Next row: Cast off 5 (5-7-7-7) sts. Pat to end of row. 30 (40-41-45) sts.

Work 1 row even in pat.

Next row: (RS). P1. Sl1. K1. psso. Pat to end of row.

Next row: Pat to last 2 sts. P1. K1. Rep last 2 rows 11 (**12**-12-**13**-14) times more.

Next row: P1. Sl1. K1. psso. Pat to end of row. 17 (**26**-27-**26**-29) sts.

Neck shaping: Next row: (WS). Pat to last 6 (8-8-8-8) sts. Turn. Leave rem 6 (8-8-8-8) sts on a safety pin.

Next row: P1. Sl1. K1. psso. Pat to last 2 sts. K2tog.

Next row: P2tog. Pat to end of row. Rep last 2 rows 0 (**0**-1-**1**-0) time more. 8 (**15**-13-**12**-18) sts.

Size 6 mos only: Next row: (RS). P1. S11. K1. psso. Pat 3 sts. K2tog. 6 sts.

Next row: Work even in pat.

Next row: P1. Sl1. K1. psso. K1. K2tog. 4 sts.

Next row: P4.

Next row: Sl1. K1. psso. K2tog. 2 sts.

Next row: P2.

Next row: Sl1. K1. psso. Fasten off.

Sizes 12 mos and 3 yrs only: Next row: (RS). P1. Sl1. K1. psso. Pat to last 2 sts. K2tog.

Next row: P2tog. Pat to last 2 sts. P2togtbl. (11-14) sts.

Size 18 mos only: Next row: (RS). P1. Sl1. K1. psso. Pat to last 2 sts. K2tog. 11 sts.

Next row: Work even in pat.

Sizes 12 mos, 18 mos, 2 and 3 yrs only: Next row: (RS). Sl1. K1. psso. Pat to last 2 sts. K2tog.

Next row: Pat to last 2 sts. P2togtbl. Rep last 2 rows (2-2-1-3) time(s) more. (2-2-6-2) sts.

Size 2 yrs only: Next row: (RS). Sl1. K1. psso. Pat to end of row.

Next row: Pat to last 2 sts. P2togtbl. Rep last 2 rows once more. 2 sts.

Sizes 12 mos, 18 mos, 2 and 3 yrs only: Next row: (RS). Sl1. K1. psso. Fasten off.

SLEEVES

With smaller needles, cast on 45 (**45**-45-**51**-51) sts.

Sizes 6, 12 and 18 mos only: 1st row: (RS). *P3. K3. Rep from * to last 3 sts. P3.

2nd row: K1. *P1. K1. Rep from * to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

Next row: (RS). (Increase row). P3. K1. Inc 1 st in next st. K1. P3. (K3. P3. K1. Inc 1 st in next st. K1. P3) 3 times. 49 sts.

Next row: *K2. P6. K2. P1. K1. P1. Rep from * to last 10 sts. K2. P6. K2. Next row: P2. Work 1st row of Panel Pat. P2. (K3. P2. Work 1st row of Panel pat. P2) 3 times.

Next row: *K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from * to last 10 sts. K2. Work 2nd row of Panel Pat. K2. Panel Pat is now in position.

Sizes 2 and 3 yrs only: 1st row: (RS). *K3. P3. Rep from * to last 3 sts. K3. 2nd row: P1. *K1. P1. Rep from * to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

Next row: (RS). (Increase row). (K3. P3. K1. Inc 1 st in next st. K1. P3) 4 times. K3. 55 sts.

Next row: P1. K1. P1. *K2. P6. K2. P1. K1. P1. Rep from * to end of row. **Next row:** (K3. P2. Work 1st row of Panel Pat. P2) 4 times. K3.

Next row: P1. K1. P1. *K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from * to end of row.

Panel Pat is now in position.

All Sizes: Keeping cont of Panel Pat, inc 1 st each end of needle on next and every following 4th row until there are 63 (**65**-69-**71**-73) sts, taking inc sts into pat.

Cont even in pat until work from beg measures 6 (7½-8-9-10) ins [15 (19-20.5-23-25.5) cm], ending with RS facing for next row.

Raglan shaping: Keeping cont of pat, cast off 5 (5-7-7-7) sts beg next 2 rows. 53 (55-55-57-59) sts.

Next row: (RS). P1. Sl1. K1. psso. Pat to last 3 sts. K2tog. P1.

Next row: K1. P1. Pat to last 2 sts. P1. K1. Rep last 2 rows 14 (17-19-20-21) times more. 23 (19-15-15) sts.

Next row: (RS). P1. Sl1. K1. psso. Pat to last 3 sts. K2tog. P1.

Next row: K1. P2tog. Pat to last 3 sts. P2togtbl. K1.

Rep last 2 rows 2 (1-0-0-0) time(s) more.

Leave rem 11 sts on a st holder.

FINISHING

Neckband: Sew raglan seams.

With smaller needles and RS of work facing, K6 (8-8-8-8) from right front safety pin. Pick up and knit 8 (9-11-12-12) sts up right front neck edge. K11 from right sleeve st holder dec 3 sts evenly across. K26 (27-29-32-34) sts from back st holder, dec 1 (2-2-1-3) st(s) evenly across. K11 from left sleeve st holder dec 3 sts evenly across. Pick up and knit 8 (9-11-12-12) sts down left front neck edge. K6 (8-8-8-8) from left front safety pin. 69 (75-81-87-87) sts. Next row: (WS). P3. *K3. P3. Rep from * to end of row.

Next row: K1. P1. K1. Rep from * to end of row.

Rep last 2 rows twice more. Cast off in pat.

Button Band: With smaller needles, cast on 7 sts.

1st row: (RS). K2. (P1. K1) twice. K1. **2nd row:** (K1. P1) 3 times. K1.

Rep last 2 rows until band when slightly stretched, fits up Right Front to top of neckband, sewing in place as you work. Mark position for 5 buttons, having the top button ½ inch [1 cm] below neck edge, the bottom button ½ inch [1 cm] above lower edge and rem 3 buttons spaced evenly between.

Work Buttonhole Band as given for Button Band working buttonholes to correspond to button position as follows: **Next row:** (RS). Rib 3. Cast off 2 sts. Rib to end of row.

Next row: Rib, casting on 2 sts over cast off sts. Cast off in ribbing.

Sew side and sleeve seams. Sew buttons to correspond to buttonholes.

HAT

Note: Hat is sized for 6 mos, 12/18 mos and 2/3 yrs.

With smaller needles, cast on 105 (117-129) sts.

1st row: (RS). P3. *K3. P3. Rep from * to end of row.

2nd row: K1. *P1. K1. Rep from * to end of row.

Rep last 2 rows 8 times more.

Change to larger needles and proceed as follows:

1st row: (RS). (Increase row). P3. (K3. P3. K1. Inc 1 st in next st. K1. P3) 8 (**9**-10) times. K3. P3. 113 (**126**-139) sts. **Next row:** (K1. P1) 3 times. *K2. P6. K2. P1. K1. P1. Rep from * to last 3 sts. K1. P1. K1.

Next row: P3. *K3. P2. Work 1st row of Panel Pat. P2. Rep from * to last 6 sts. K3. P3.

Next row: (K1. P1) 3 times. *K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from * to last 3 sts. K1. P1. K1. Panel Pat is now in position.

Cont even in pat until work from beg measures 7 (8½-8½) ins [18 (21.5-21.5) cm], ending with RS facing for next row.

Shape top: 1st row: P1. P2tog. *K3. P2tog. Work appropriate row of Panel Pat. P2tog. Rep from * to last 6 sts. K3. P2tog. P1. 95 (**106**-117) sts.

2nd row: K2. K1. P1. K1. *K1. Work appropriate row of Panel Pat. (K1. P1) twice. Rep from * to last 2 sts. K2.

3rd row: P2tog. *K1. K2tog. P1. Work appropriate row of Panel Pat. P1. Rep from * to last 5 sts. K2tog. K1. P2tog. 84 (**94**-104) sts.

4th row: K1. P2. *K1. Work appropriate row of Panel Pat. K1. P2. Rep from * to last st. K1.

5th row: P1. *K2tog. P1. Work appropriate row of Panel Pat. P1. Rep from * to last 3 sts. K2tog. K1. 75 (**84**-93) sts. Draw yarn through rem sts and fasten securely. Sew back seam, reversing seam for cuff turn back.

Pom-pom: Wind yarn around 4 fingers approx 100 times. Remove from fingers and tie tightly in center. Cut through each side of loops. Trim to a smooth round shape. Sew to top of Hat.





