



## MATERIALS

Patons® Canadiana™ (3.5 oz/100 g; 155 yds/142 m)

Sizes **4/6** **8/12**

### Hat

Tangy (10628) **1** **1** ball

### Mittens

Tangy (10628) **1** **1** ball

**Hat:** Sizes U.S. 6 (4 mm) and U.S. 7 (4.5 mm) knitting needles **or size needed to obtain gauge.**

**Mittens:** Set of 4 sizes U.S. 5 (3.75 mm) and U.S. 6 (4 mm) double-pointed knitting needles **or size needed to obtain gauge.**

Cable needle. Stitch marker. Stitch holder or safety pin.

 KNIT | SKILL LEVEL: **INTERMEDIATE**

## ABBREVIATIONS

**Alt** = Alternate(ing)

**Approx** = Approximately

**Beg** = Begin(ning)

**Cont** = Continue(ity)


**C6B** = Slip next 3 stitches onto cable needle and leave at back of work. K3, then K3 from cable needle

**K** = Knit

**K2tog** = Knit next 2 stitches together

**Kfb** = Increase 1 stitch by knitting into front and back of stitch

**M1** = Make 1 stitch by picking up horizontal loop lying before next stitch and knitting into back of loop



**P** = Purl

**P2tog** = Purl next 2 stitches together

**Pat** = Pattern

**PssO** = Pass slipped stitch over

**Rem** = Remaining

**Rep** = Repeat

**Rnd(s)** = Round(s)

**RS** = Right side

**Ssk** = Slip next 2 stitches knitwise one at a time. Pass them back onto left-hand needle, then knit through back loops together

**SIP** = Slip next stitch purlwise

**St(s)** = Stitch(es)

**Tog** = Together

**WS** = Wrong side

## SIZES

To fit **4/6** (**8/12**) yrs

## GAUGE

**Hat:** 20 sts and 26 rows = 4" [10 cm] with U.S. 7 (4.5 mm) needles in stocking st.

**Mittens:** 21 sts and 28 rows 4" [10 cm] with U.S. 6 (4 mm) needles in stocking st.

## INSTRUCTIONS

*The instructions are written for smaller size. If changes are necessary for larger size the instructions will be written thus ( ). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to both sizes.*

## HAT

**Cable Panel** (worked over 10 sts).

**1st row:** (RS). P2. C6B. P2.

**2nd and alt rows:** K2. P6. K2.

**3rd, 5th and 7th rows:** P2. K6. P2.

**8th row:** As 2nd row.

These 8 rows form Cable Panel.

With smaller needles, cast on **87 (107)** sts.

**1st row:** (RS). K1. \*P1. K1. Rep from \* to end of row.

**2nd row:** P1. \*K1. P1. Rep from \* to end of row.

Rep last 2 rows of (K1. P1) ribbing until work from beg measures 4" [10 cm], ending on a WS row.

**Next row:** (RS). \*K3. M1. K4. M1. Rep from \* to last **10 (16)** sts. K4. M1.

Knit to end of row. **110 (134)** sts.

**Next row:** \*P2. K2. P6. K2. Rep from \* to last 2 sts. P2.

Change to larger needles and proceed in pat as follows:

**1st row:** (RS). \*K2. Work 1st row of Cable Panel. Rep from \* to last 2 sts. K2.

**2nd row:** \*P2. Work 2nd row of Cable Panel. Rep from \* to last 2 sts. P2.

Cable Panel is now in position.

Cont in pat until work from beg measures **9 (9½)" [23 (24) cm]**, ending on a WS row.

**Shape crown: 1st row:** (RS). \*K2tog. Work appropriate row of Cable Panel. Rep from \* to last 2 sts. K2tog. **100 (122)** sts.

**2nd and alt rows:** Knit all knit sts and purl all purl sts as they appear.

**3rd row:** \*K1. P2tog. K6. P2. Rep from \* to last st. K1. **91 (111)** sts.

**5th row:** \*K1. P1. K6. P2tog. Rep from \* to last st. K1. **82 (100)** sts.

**7th row:** \*K1. P1. K2. K2tog. K2. P1. Rep from \* to last st. K1. **73 (89)** sts.

**9th row:** \*K1. P1. K2tog. K1. K2tog. P1. Rep from \* to last st. K1. **55 (67)** sts.

**11th row:** \*K1. P1. Sl1. K2tog. pss0. P1. Rep from \* to last st. K1. **37 (45)** sts.

**13th row:** K1. \*K2tog. Rep from \* to end of row. **18 (23)** sts.

Break yarn, leaving a long end. Thread yarn through rem sts. Pull tightly. Fasten securely. Sew back seam, reversing seam for turn back.

## MITTENS

**Cable Panel** (worked over 10 sts).

**1st rnd:** P2. C6B. P2.

**2nd to 8th rnds:** P2. K6. P2.

**3rd, 5th and 7th rnds:** P2. K6. P2.

**8th rnd:** As 2nd rnd.

These 8 rnds form Cable Panel.

## Right Mitten

**\*\*Cuff:** With set of 4 smaller double-pointed needles, cast on **32 (36)** sts. Divide sts onto 3 needles as follows: **11,11,10 (12,12,12)** sts. Join in rnd. PM on first st.

**1st rnd:** \*K1. P1. Rep from \* around. Rep this rnd of (K1. P1) ribbing for 3" [7.5 cm].

**Next rnd:** \*K8 (9). M1. Rep from \* around. **36 (40)** sts.

Change to set of 4 larger double-pointed needles.\*\*

**1st rnd:** K4 (5). Work 1st rnd of Cable Panel. Knit to end of rnd.

**2nd rnd:** K4 (5). Work 2nd rnd of Cable Panel. Knit to end of rnd.

Cable Panel is now in position. Work a further **5 (7)** rnds in pat.

## Shape thumb gusset: 1st rnd:

Pat across **20 (22)** sts. (Kfb) twice. Knit to end of rnd. **38 (42)** sts.

**2nd and alt rnds:** Work even in pat.

**3rd rnd:** Pat across **20 (22)** sts. Kfb. K2. Kfb. Knit to end of rnd. **40 (44)** sts.

**5th rnd:** Pat across **20 (22)** sts. Kfb. K4. Kfb. Knit to end of rnd. **42 (46)** sts.

**7th rnd:** Pat across **20 (22)** sts. Kfb. K6. Kfb. Knit to end of rnd. **44 (48)** sts.

**9th rnd:** Pat across **20 (22)** sts. Kfb. K8. Kfb. Knit to end of rnd. **46 (50)** sts.

**10th rnd:** Pat across **20 (22)** sts. Slip next 12 sts onto st holder. Cast on 2 sts. Knit to end of rnd. **36 (40)** sts.

\*\*\*Cont even in pat until work from top of ribbing measures **4¾ (5½)" [12 (14) cm]**.


Rearrange sts over 3 needles as follows: **18, 9, 9 (20, 10, 10)** sts.

## Shape top: 1st rnd: 1st needle:

K1. K2tog. Pat to last 3 sts. ssk. K1.

**2nd needle:** K1. K2tog. Knit to end of needle. **3rd needle:** Knit to last 3 sts. ssk. K1.

**2nd and alt rnds:** Work even in pat. Rep last 2 rnds until 16 sts rem. Divide sts onto 2 needles. Graft 2 groups of 8 sts tog.



**Make thumb:** K12 from st holder. Pick up and knit 2 sts at base of thumb. Join in rnd. 14 sts. Divide sts onto 3 needles (5, 5, 4) sts. Knit in rnds for **1¾ (2)**" [**4.5 (5)** cm].  
**Next rnd:** \*K2tog. Rep from \* around. Break yarn. Thread end through rem 7 sts. Draw up tightly and fasten securely.\*\*\*

### Left Mitten

Work from \*\* to \*\* as given for Right Mitten.

**1st rnd:** K**22 (25)**. Work 1st rnd of Cable Panel. Knit to end of rnd.  
**2nd rnd:** K**22 (25)**. Work 2nd rnd of Cable Panel. Knit to end of rnd. Cable Panel is now in position. Work a further **5 (7)** rnds in pat.

**Shape thumb gusset: 1st rnd:** K**16 (18)**. (Kfb) twice. Pat to end of rnd.

**2nd and alt rnds:** Work even in pat.

**3rd rnd:** K**16 (18)**. Kfb. K2. Kfb. Pat to end of rnd.

**5th rnd:** K**16 (18)**. Kfb. K4. Kfb. Pat to end of rnd.

**7th rnd:** K**16 (18)**. Kfb. K6. Kfb. Pat to end of rnd.

**9th rnd:** K**16 (18)**. Kfb. K8. Kfb. Pat to end of rnd. **46 (50)** sts.

**10th rnd:** K**16 (18)**. Slip next 12 sts onto st holder. Cast on 2 sts. Pat to end of rnd. **32 (36)** sts.

Work from \*\*\* to \*\*\* as given for Right Mitten.

