



RED  
HEART

*chic sheep*  
BY Marly Bird™

## Entwined Chic Cable Hat


A combination of twisting cables and a luxury merino wool yarn come together in this fun to crochet hat. Cozy earflaps extend into braids with sumptuous pompoms at the ends!

LW5900

©2017 Coats & Clark



## crochet



INTERMEDIATE

Designed by Jennifer Plonk

### What you will need:

**RED HEART® Chic Sheep by Marly Bird™:**  
2 balls of 5254 Sunset

**Susan Bates® Crochet Hook:** 5mm [US H-8]  
Susan Bates®

Yarn needle, stitch markers, **Susan Bates® Easy Pompon Maker**

**GAUGE:** 14 extended single crochet = 4" (10 cm); 12 rows = 4" (10cm). **CHECK YOUR GAUGE.** Use any size hook to obtain the gauge.

### BUY YARN



4

MEDIUM

**RED HEART® Chic Sheep by Marly Bird™,** Art. R170 100% Merino Wool available 3.5 oz (100 g), 186 yd (170 m) balls



**Hat measures 21" [53.5cm] in head circumference, 8" [20.5 cm] in length from crown to bottom edge.**

### Pattern Notes

Turning chains do not count as first stitch.

### Special Stitches

**Extended Single Crochet (extended sc):** Insert hook into stitch indicated, yo, pull up a loop, yo, pull thru 1 loop on hook, yo, pull thru remaining two loops on hook.

**Front Post Double Crochet (fpdc):** Yo, insert hook from the front around post of stitch indicated, yo and pull up a loop, [yo and draw through 2 loops on hook] twice.

**Front Post Treble Crochet (fptr):** Yo twice, insert hook from the front around post of stitch indicated, yo and pull up a loop, [yo and draw through 2 loops on hook] 3 times.

**Back Post Treble Crochet (bptr):** Yo twice, insert hook from the back around post of stitch indicated, yo and pull up a loop, [yo and draw through 2 loops on hook] 3 times.

**Cable Twist:** Skip the next post st, fpdc around the next post st, working in front of the post st just worked, fpdc around the skipped post st.

**Forward Cable (fwd cable):** Skip each of the next 2 post sts, fptr around each of the next 2 post sts, working in front of the post sts just made, fptr around each skipped post st.

**Backward Cable (bwd cable):** Skip each of the next 2 post sts, fptr around each of the next 2 post sts, working behind the post sts just made, fptr around each of the 2 skipped post sts.

### HAT

Make an adjustable loop

**Round 1 (RS):** Ch 1, 8 extended sc in loop, slip st to first extended sc, pull loop closed. Turn- 8 sts.

**Round 2:** Ch 1, 2 extended sc in each st around, slip st to first extended sc. Turn- 16 sts.

**Round 3:** Ch 1, \*2 extended sc in next st, extended sc in next st, repeat from \* around, slip st to first extended sc. Turn- 24 sts.

**Round 4:** Ch 1, \*2 extended sc in next st, extended sc in next 2 sts, repeat from \* around, slip st to first extended sc. Turn- 32 sts.

**Round 5:** Ch 1, \*2 extended sc in next st, extended sc in next 3 sts, repeat from \* around, slip st to first extended sc. Turn- 40 sts.

**Round 6:** Ch 1, extended sc in each st around, slip st to first extended sc. Turn.

**Round 7:** Ch 1, \*2 extended sc in next st, extended sc in next 4 sts, repeat from \* around, slip st to first extended sc. Turn- 48 sts.

**Round 8:** Ch 1, \*[2 extended sc in next st, extended sc in next 2 sts] 4 times\*, bpd around next 2 sts, extended sc in next 5 sts, bpd around next 4 sts, extended sc in next 2 sts, bpd around next 4 sts, extended sc in next 5 sts, bpd around next 2 sts; repeat from \* to \*, slip st to first extended sc. Turn- 56 sts.

**Round 9:** Ch 1, \*[2 extended sc in next st, extended sc in next 3 sts] 4 times\*, cable twist over next 2 post sts, extended sc in next 5 sts, fwd cable over next 4 post sts, extended sc in next 2 sts, bwd cable over next 4 post sts, extended sc in next 5 sts, cable twist over next 2 post sts; repeat from \* to \*, slip st to first extended sc. Turn- 64 sts.

continued...







**Round 10:** Ch 1, extended sc in next 20 sts, bpdC around next 2 post sts, extended sc in next 4 sts, skip the next st, \*bpdC around next post st, (bpdC, extended sc) in next post st, (extended sc, bpdC) in next post st, bpdC around next post st\*, skip next 2 sts; repeat from \* to \*, skip next st, extended sc in next 4 sts, bpdC around next 2 post sts, extended sc in each remaining st around, slip st to first extended sc. Turn.

**Round 11:** Ch 1, extended sc in next 20 sts, fpdc around next 2 post sts, extended sc in next 3 sts, skip next st, fpdc around next post st, (fpdc, extended sc) in next post st, extended sc in next 2 sts, bwd cable over next 4 sts, extended sc in next 2 sts, (extended sc, fpdc) in next post st, fpdc around next post st, skip next st, extended sc in next 3 sts, fpdc around next 2 post sts, extended sc in each remaining st around, slip st to first extended sc. Turn.

**Round 12:** Ch 1, extended sc in next 20 sts, bpdC around next post 2 sts, extended sc in next 2 sts, skip next st, bpdC around next post st, (bpdC, extended sc) in next post st, extended sc in next 2 sts, skip next st, bpdC around next post st, (bpdC, extended sc) in next post st, (extended sc, bpdC) in next post st, bpdC around next post st, skip next st, extended sc in next 2 sts, (extended sc, bpdC) in next post st, bpdC around next post st, skip next st, extended sc in next 2 sts, bpdC around next 2 post sts, extended sc in each remaining st around, slip st to first extended sc. Turn.

**Round 13:** Ch 1, extended sc in next 20 sts, fpdc around next 2 post sts, extended sc next 2 sts, fpdc around next 2 post sts, extended sc in next 3 sts, fpdc around next 2 post sts, extended sc in next 2 sts, fpdc around next 2

post sts, extended sc in next 3 sts, fpdc around next 2 post sts, extended sc in next 2 sts, fpdc around next 2 post sts, extended sc in each remaining st around, slip st to first extended sc. Turn.

**Round 14:** Ch 1, extended sc in next 20 sts, bpdC around next 2 post sts, extended sc in next 2 sts, bpdC around next 2 post sts, extended sc in next 3 sts, bpdC around next 2 post sts, extended sc in next 2 sts, bpdC around next 2 post sts, extended sc in next 3 sts, bpdC around next 2 post sts, extended sc in next 2 sts, bpdC around next 2 post sts, extended sc in each remaining st around, slip st to first extended sc. Turn.

**Round 15:** Repeat Round 13

**Round 16:** Ch 1, extended sc in next 20 sts, bpdC around next 2 post sts, extended sc in next 2 sts, bpdC around next 2 post sts, extended sc in next 3 sts, (extended sc, bpdC) in the next post st, bpdC around the next post st, skip next 2 sts, bpdC around next post st, (bpdC, extended sc) in next post st, extended sc in next 3 sts, bpdC around next 2 post sts, extended sc in next 2 sts, bpdC around next 2 post sts, extended sc in each remaining st across around, slip st to first extended sc. Turn.

**Round 17:** Ch 1, extended sc in next 20 sts, fpdc around next 2 post sts, extended sc next 2 sts, fpdc around next 2 post sts, extended sc in each of the next 4 sts, bwd cable over next 4 post sts, extended sc in next 4 sts, fpdc around next 2 post sts, extended sc in next 2 sts, fpdc around next 2 post sts, extended sc in each remaining st around, slip st to first extended sc. Turn.

continued...





**Round 18:** Ch 1, extended sc in next 20 sts, bpdC around next 2 post sts, extended sc in next 2 sts, bpdC around next 2 post sts, extended sc in next 4 sts, bpdC around next 4 post sts, extended sc in next 4 sts, bpdC around next 2 post sts, extended sc next 2 sts, bpdC around next 2 post sts, extended sc in each remaining st around, slip st to first extended sc. Turn.

**Round 19:** Ch 1, extended sc in next 20 sts, fpdc around next 2 post sts, extended sc in next 2 sts, (extended sc, fpdc) in next post st, fpdc around next post st, skip next st, extended sc in next 3 sts, bwd cable over next 4 post sts, extended sc in next 3 sts, skip the next st, fpdc around next post st, (fpdc, extended sc) in next post st, extended sc in next 2 sts, fpdc around next 2 post sts, extended sc in each remaining st around, slip st to first extended sc. Turn.

**Round 20:** Ch 1, extended sc in next 20 sts, bpdC around next 2 post sts, extended sc in next 3 sts, [(extended sc, bpdC) in next post st, bpdC around next post st, skip next st, extended sc next st, skip next st, bpdC around next post st, (bpdC, extended sc) in next post st] twice, extended sc in next 3 sts, bpdC around next 2 post sts, extended sc in each remaining st around, slip st to first extended sc. Turn.

**Round 21:** Ch 1, extended sc in next 20 sts, cable twist over next 2 post sts, extended sc in next 4 sts, extended sc in next post st, fwd cable around the previous and next 3 post sts (skip extended sc in middle of post sts), extended sc in next 2 sts, bwd cable around next 4 post sts (skip extended sc in middle of post sts), extended sc in previous post st (used in bwd cable) extended sc in next 4 sts, cable twist

over next 2 post sts, extended sc in each remaining st around, slip st to first extended sc. Turn.

**Round 22:** Ch 1, extended sc in next 20 sts, bpdC around next 2 sts, extended sc in next 5 sts, bpdC around next 4 sts, extended sc in next 2 sts, bpdC around next 4 sts, extended sc in next 5 sts, bpdC around next 2 sts; extended sc in each remaining st around, slip st to first extended sc. Turn.

**Round 23:** Ch 1, extended sc in next 20 sts, cable twist over next 2 post sts, extended sc in next 5 sts, fwd cable over next 4 post sts, extended sc in next 2 sts, bwd cable over next 4 post sts, extended sc in next 5 sts, cable twist over next 2 post sts; extended sc in each remaining st around, slip st to first extended sc. Turn.

**Rounds 24 - 27:** Repeat Rounds 10 - 13. Do not turn at the end of Round 27.

**Round 28 (RS):** Ch 1, sc in each st around, slip st to first sc, fasten off. Place a stitch marker in 6th st to mark beginning of Right Earflap. Place a stitch marker in 48th st to mark beginning of Left Earflap.

### Right Earflap

Join yarn with slip st in marked st for right earflap.

**Rows 1 - 5:** Ch 1, sc in next 12 sts. Turn -12 sts.

**Rows 6 - 15:** Ch 1, skip the first sc, sc in each remaining sc across. Turn- 2 sc. Fasten off.

### Left Earflap

Join yarn with slip st in marked st for left earflap. Repeat directions for Right Earflap.

## FINISHING

### Edging

**Round 1:** Ch 1, sc evenly around edge of hat, slip st to first sc. Do not turn.

**Rnd 2:** Slip st in each sc around. Fasten off. Weave in Ends. (Tip: Do not work your slip sts too tight or you will affect the fit of the hat.)

### Braids & Poms

Cut (30) pieces of yarn, 48" ( 122 cm) long (15 per braid). Weave 15 strands of yarn thru the bottom edge of one earflap. Divide strands of yarn into 3 sections (10 strands each) and braid. Knot ends to secure.

Make 2 large yarn pompoms and attach one to each braid, if desired.

### ABBREVIATIONS


**ch** = chain; **st(s)** = stitch(es); **sl st** = slip stitch; **sc** = single crochet; **dc** = double crochet; **tr** = treble crochet; **tch**= turning chain, **RS** = right side; **WS** = wrong side; **( )** = work directions in parentheses in same st; **[ ]** = work directions in brackets the number of times specified; \* = repeat whatever follows the \* as indicated.

See next page for and stitch diagram



**Note from Marly:** I would like to thank Jennifer Pionk for her contribution to the **Chic Sheep by Marly Bird™** collection. Jennifer's sense of style and design aesthetic are a perfect match for this wonderful yarn and pattern collection. I think you will agree that the Entwined Chic hat is the perfect combination of fun, fashionable and chic crochet. Learn more about Jennifer Pink and her designs by visiting her website, [ACrochetedSimplicity.com](http://ACrochetedSimplicity.com)





Entwined Cable Stitch Diagram

