



CROCHET | SKILL LEVEL: **INTERMEDIATE**

ABBREVIATIONS

Beg = Beginning

Ch(s) = Chain(s)

Dc = Double crochet

Dc2tog = (Yoh and draw up a loop in next st. Yoh and draw through 2 loops on hook) twice. Yoh and draw through all 3 loops on hook

Dcftp = Yoh and draw up a loop around post of next st at front of work inserting hook from right to left. (Yoh and draw through 2 loops on hook) twice - 1 dcftp made

Dtr = (Double treble crochet). (Yoh) 3 times. Insert hook in next stitch and pull up a loop. (Yoh and draw up a loop through 2 loops on hook) 4 times

Dtrfp = (Yoh) 3 times and draw up a loop around post of next st at front of work inserting hook from right to left. (Yoh and draw through 2 loops on hook) 4 times. Skip st behind dtrfp.

Fdc (foundation double crochet) = Ch 3 (counts as first fdc). Yoh. Insert hook under top 2 strands of first ch and pull up a loop. Ch 1. (Yoh and draw through 2 loops) twice. 2 fdc complete. *Yoh. Insert hook under both loops of ch st at base of previous fdc and pull up a loop. Ch 1. (Yoh and draw through 2 loops on hook) twice. Rep from * to desired number of fdc.

LCC (Left Cross Cable) = Skip next post st. Dtrfp around next 2 post sts. Working in front of sts just worked, dtrfp around skipped post st.

Pat = Pattern

Rep = Repeat

Rnd(s) = Round(s)

RS = Right side

Sl st = Slip stitch

Sp(s) = Space(s)

St(s) = Stitch(es)

Tr = Treble crochet

WS = wrong side

Yoh = Yarn over hook

MATERIALS

Red Heart® With Love™ (7 oz/198 g; 370 yds/338 m)

Sizes **XS/S** **M** **L** **XL** **2/3XL** **4/5XL**

Minty (1932) **3** **4** **5** **6** **6** **7** **balls**

Size U.S. K/10½ (6.5 mm) crochet hook **or sizes needed to obtain gauge.** Stitch markers. Yarn needle.

SIZES

To fit bust/chest measurement

XS/S	28-34" [71-86.5 cm]
M	36-38" [91.5-96.5 cm]
L	40-42" [101.5-106.5 cm]
XL	44-46" [112-117 cm]
2/3XL	48-52" [122-132 cm]
4/5XL	54-56" [137-142 cm]

Finished chest measurement

XS/S	42" [106 cm]
M	44" [112 cm]
L	46" [116 cm]
XL	52" [132 cm]
2/3XL	56" [142 cm]
4/5XL	58" [148 cm]

GAUGE

11 dc and 7 rows = 4" [10 cm]

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus (). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

NOTES: Sweater is made from four pieces; Back, Front, and two Sleeves.

Front is worked in sections of plain dc with Cable Panel and dtrfp-sts. Back and sleeves are worked in dc. Sleeves are worked from the top down to wrist. When working RS of cable section, it is helpful to turn work toward you to clearly see where to place dc between post sts. Remember to skip sts that post sts replaced. Ch 1 (work loosely) at beg of each row. It is worked only to help reach the height of first dc in next row. Work first st in last dc of previous row.

Cable Panel (worked over 23 sts)

1st row: (RS). Dtrfp in each of next 2 post sts. (1 dc in next st. LCC over next 3 post sts. 1 dc in next st. Dtrfp in each of next 2 post sts) 3 times.

2nd row: 1 dc in each st across.

3rd row: Dtrfp in each of next 2 post sts. (1 dc in next st. Dtrfp in each of next 3 post sts. 1 dc in next st. Dtrfp in each of next 2 post sts) 3 times.

4th row: 1 dc in each st across. Rep 1st to 4th rows for Cable Panel.

BACK

Fdc **57** (**61-65-73-77-81**). Turn.

1st row: (WS). Ch 1. 1 dc in each st across. Turn.

2nd row: Ch 1. (1 dc in next st. Dtrfp around dc made in Fdc row) across to last st. 1 dc in last dc. Turn.

3rd row: Ch 1. 1 dc in each st across. Turn.

Rep 3rd row until work from beg measures **18½** (**18½-18½-18½-18½-19**) [**47 (47-47-47-48)** cm].

Shape Armholes

Next row: Ch 1. Sl st in each of first 7 sts. Ch 1. 1 dc in same st as last slip st. 1 dc in each of next **44** (**48-52-60-64-68**) sts. **Turn.** Leave rem 6 dc unworked. **45** (**49-53-61-65-69**) dc.

Rep Row 3 until armhole measures **8½** (**9-10-10½-11½-12**) [**21.5 (23-25.5-26.5-29-30.5)** cm].

Shape Neck

First Side

Next row: Ch 1. 1 dc in each of next **9** (**11-13-16-18-19**) dc. Dc2tog. **Turn.** Leave rem sts unworked.

Next row: Ch 1. 1 dc in each of next **10** (**12-14-17-19-20**) sts. Fasten off, leaving a long tail for sewing.

Second Side

Next row: Skip center **23** (**23-23-25-25-27**) dc on last full row worked for neck. Join yarn with sl st in next dc. Dc2tog. 1 dc in each of rem **9** (**11-13-16-18-19**) dc.

Next row: Ch 1. 1 dc in each of next **10** (**12-14-17-19-20**) sts. Fasten off, leaving a long tail for sewing.

FRONT

Fdc **57** (**61-65-73-77-81**). Turn.

1st row: (WS). Ch 1. 1 dc in each st across. Turn.

2nd row: (Set up row). Ch 1. Dtrfp around each of first **17** (**19-21-25-27-29**) sts. Dtrfp around each of next 2 sts. (1 dc in next st. Dtrfp around each of next 3 sts. 1 dc in next st. Dtrfp around each of next 2 sts) 3 times. Dtrfp around each of last **17** (**19-21-25-27-29**) sts. Turn.

3rd row: Ch 1. 1 dc in each st across. Turn.

4th row: Ch 1. 1 dc in each of first **17** (**19-21-25-27-29**) sts. Dtrfp around each of next 2 sts. (1 dc in next st. LCC in next 3 post sts. 1 dc in next st. Dtrfp around each of next 2 post sts) 3 times. 1 dc in each of last **17** (**19-21-25-27-29**) sts.

5th row: Ch 1. 1 dc in each st across. Turn.

6th row: Ch 1. 1 dc in each of first **17** (**19-21-25-27-29**) sts. Dtrfp around each of next 2 sts. (1 dc in next st. Dtrfp around each of next 3 sts. 1 dc in next st. Dtrfp around each of next 2 sts) 3 times. 1 dc in each of last **17** (**19-21-25-27-29**) sts. Turn.

7th row: Ch 1. 1 dc in each st across. Turn.

Rep Rows 4-7 for pattern st until work from beg measures **18½** (**18½-18½-18½-18½-19**)" [**47** (**47-47-47-47-48**) cm].

Shape Armholes

Next row: Ch 1. Sl st in each of first 7 sts. Ch 1. 1 dc in same st as last slip st. 1 dc in each of next **44** (**48-52-60-64-68**) sts. Turn. Leave rem 6 dc unworked. **45** (**49-53-61-65-69**) dc.

Cont in pat st until measures **8½** (**9-10-10½-11½-12**)" [**21.5** (**23-25.5-26.5-29-30.5**) cm].

Shape Neck

First Side

Next row: Ch 1. 1 dc in each of next **11** (**13-15-18-20-21**) sts. Dc2tog. Turn. Leave rem sts unworked. **12** (**14-16-19-21-22**) sts.

Next row: Ch 1. Dc2tog. Work in pattern to end of row. Turn. **11** (**13-15-18-20-21**) sts.

Next row: Ch 1. 1 dc in each of next **9** (**11-13-16-18-19**) sts. Dc2tog. Turn. **10** (**12-14-17-19-20**) sts.

Next 2 rows: Ch 1. 1 dc in each of next **10** (**12-14-17-19-20**) sts. Turn. Fasten off at end of last row, leaving a long tail for sewing.

Second Side

Next row: Skip center **19** (**19-19-21-21-21**) sts on last full row worked for neck. Join yarn with sl st in next st st. Dc2tog. 1 dc in each of rem **11** (**13-15-18-20-21**) sts. Turn. **12** (**14-16-19-21-22**) sts.

Next row: Ch 1. 1 dc in each of next **10** (**12-14-17-19-20**) sts. Dc2tog. Turn. **11** (**13-15-18-20-21**) sts.

Next row: Ch 1. Dc2tog. Work in pat to end of row. Turn. **10** (**12-14-17-19-20**) sts.

Next 2 rows: Ch 1. 1 dc in each of next **10** (**12-14-17-19-20**) sts. Fasten off, leaving a long tail for sewing.

SLEEVES

Fdc **51** (**55-61-63-69-71**) sts. Turn.

Next 2 rows: Ch 1. 1 dc in each st across. Turn.

Decrease row: Ch 1. Dc2tog. 1 dc to last 2 sts. Dc2tog. Turn. **49** (**53-59-61-67-69**) sts.

Cont to work in dc rows, rep Decrease Row every 3rd row **4** (**4-0-1-0-0**) times, then every other row **7** (**8-14-13-15-15**) times. **27** (**29-31-33-37-39**) sts rem.

Work even until work from beg measures **17** (**17½-17½-18-18-18½**)" [**43** (**44.5-44.5-46-46-47**) cm]. Fasten off.

FINISHING

Pin all pieces to measurements. Cover with a damp cloth leaving cloth to dry. Sew shoulder seams. Sew in sleeves. Sew side and sleeve seams.

Neckband

1st rnd: With RS facing, join yarn with sl st at left shoulder seam. Ch 1. Work **70** (**70-70-74-74-78**) dc evenly spaced around neck. Join with sl st to first dc.

2nd rnd: Ch 1. (1 dc in next st. Dcfp around next st) around. Join with sl st to first dc. Fasten off.

Sew top of Sleeve in Armhole, sewing upper side edge of Sleeve to slip st edge of Armhole shaping, easing to fit. Sew side and sleeve seams.



