

**RHC0133-032528M** | August 5, 2022



### **MATERIALS**

**Red Heart® Super Saver® O'Go™** (Solids: 7 oz/198 g; 364 yds/333 m)

**Sizes** XS/S M L XL 2/3XL 4/5XL

Contrast A Black (7120) O'Gos Contrast B White (7100) O'Gos





Size U.S. 7 (4.5 mm) crochet hook or size needed to obtain gauge. Yarn needle.







#### **ABBREVIATIONS**

Approx = **Approximately** Beg = Begin(ning)

Ch = Chain(s)

**Dc** = Double crochet

**Pat** = Pattern

Rem = Remain(ning)

Rep = Repeat

Rnd(s) = Round(s)**RS** = Right side

**Sc** = Single crochet **Sc3tog** = Draw up a

loop in each of next 3 stitches. Yoh and draw through all

loops on hook.

SI st(s) = Slip

stitch(es)

Sp(s) = Space(s)St(s) = Stitch(es)

**Tog** = Together

**WS** = Wrong side

**Yoh** = Yarn over hook

# **SIZES**

# To fit bust measurement

XS/S 28-34" [71-86.5 cm] 36-38" [91.5-96.5 cm] M L 40-42" [101.5-106.5 cm] XL 44-46" [112-117 cm] 2/3XL 48-54" [122-137 cm] 4/5XL 56-62" [142-157.5 cm]

# **Finished bust**

XS/S 39<sup>3</sup>/<sub>4</sub>" [101 cm] 39¾" [101 cm] 52¼" [132.5 cm] 52¼" [132.5 cm] 2/3XL 521/4" [132.5 cm] 4/5XL 64<sup>3</sup>/<sub>4</sub>" [164.5 cm]



**RHC0133-032528M** | August 5, 2022

#### **GAUGES**

14 sc and 15 rows = 4" [10 cm]. Square Motif = Approx  $6\frac{1}{4}$ " [16 cm] square.

### **INSTRUCTIONS**

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus (). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

#### **Notes:**

- To begin working with the O'Go format, carefully cut plastic tie where the ends of the O'Go meet.
- · Pull tie to remove.
- RS of work is facing when working rnds/rows.

### **SQUARE MOTIF**

[Make **25** (**25-34-34-34-46**)] **Notes:** 

- Ch 3 at beg of rnd counts as dc.
- Ch 6 at beg of rnds counts as dc and ch-3 sp.
- Join all rnds with sl st to 3rd ch of ch-6 unless otherwise indicated.

With Color A, ch 4. Join with sl st to first ch to form ring. See diagram on page 4.

**1st rnd:** (RS). Ch 6. (3 dc. Ch 3) 3 times in ring. 2 dc in ring. Join. Fasten off. 12 dc and 4 ch-3 sps.

2nd rnd: Join B with sl st in any ch-3 sp. Ch 6. 3 dc in same ch-3 sp. \*Ch 1. (3 dc. Ch 3. 3 dc) in next ch-3 sp. Rep from \* twice. Ch 1. 2 dc in first ch-3 sp. Join. Fasten off. 21 dc, 4 ch-1 sps and 4 ch-3 sps.

3rd rnd: Join A with sl st in any ch-3 sp. Ch 6. 3 dc in same ch-3 sp. \*Ch 1. 3 dc in next ch-1 sp. Ch 1. (3 dc. Ch 3. 3 dc) in next ch-3 sp. Rep from \* twice more. Ch 1. 3 dc in last ch-1 sp. Ch 1. 2 dc in first ch-3 sp. Join. Fasten off. 36 dc, 8 ch-1 sps and 4 ch-3 sps.

4th rnd: Join B with sl st in any ch-3 sp. Ch 6. 3 dc in same ch-3 sp. \*(Ch 1. 3 dc) in each ch-1 sp to next ch-3 sp. Ch 1.\*\* (3 dc. Ch 3. 3 dc) in next ch-3 sp. Rep from \* twice, then from \* to \*\* once. 2 dc in first ch-3 sp. Join. Fasten off. 48 dc, 12 ch-1 sps and 4 ch-3 sps.

**5th rnd:** Join A with sl st in corner ch-3 sp. Ch 6. 3 dc in same ch-3 sp. \*3 dc in each ch-1 sp to next corner ch-3 sp.\*\* (3 dc. Ch 3. 3 dc) in next ch-3 sp. Rep from \* twice, then from \* to \*\* once. Join. Fasten off.

# **TRIANGLE MOTIF** (make 2)

**Notes:** Ch 3 **does not** count as st. **Do not** turn work at end of every row. Motif done with RS facing only.

With A, ch 4. Join with sl st to first ch form a ring. See diagram on page 4.

**1st row:** (RS). Ch 3 (counts as first ch-3 sp). (3 dc. Ch 3. 3 dc) all in ring. Ch 3 (counts as last ch-3 sp). Sl st in ring. Fasten off. **Do not** turn. 6 dc and 3 ch-3 sps.

2nd row: (RS). Join B with sl st in top of first ch-3 sp. (Ch 3. 3 dc) in same sp as sl st. Ch 1. (3 dc. Ch 3. 3 dc) in next ch-3 sp – corner made. Ch 1. (3 dc. Ch 3. Sl st) in top of last ch-3 sp. Fasten off. **Do not** turn.

3rd row: (RS). Join A with sl st in top of first ch-3 sp. (Ch 3. 3 dc) in same sp as sl st. Ch 1. 3 dc in next ch-1 sp. Ch 1. (3 dc. Ch 3. 3 dc) in next ch-3 sp. Ch 1. 3 dc in next ch-1 sp. Ch 1. (3 dc. Ch 3. Sl st) in top of last ch-3 sp. Fasten off. Do not turn.

4th row: (RS). Join B with sl st in top of first ch-3 sp. (Ch 3. 3 dc) in same sp as sl st. Ch 1. (3 dc in next ch-1 sp. Ch 1) twice. (3 dc. Ch 3. 3 dc) in next ch-3 sp. Ch 1. (3 dc in next ch-1 sp. Ch 1) twice. (3 dc. Ch 3. Sl st) in top of last ch-3 sp. Fasten off. **Do not** turn.

**5th row:** (RS). Join A with sl st in top of first ch-3 sp. (Ch 3. 3 dc) in same sp as sl st. (3 dc in next ch-1 sp) 3 times. (3 dc. Ch 3. 3 dc) in next ch-3 sp. (3 dc in next ch-1 sp) 3 times. (3 dc. Ch 3. Sl st) in top of last ch-3 sp. Fasten off.

## **HALF SQUARE MOTIF**

[Make 6 (6-0-0-0-8)]

With A, ch 4. Join with sl st to first ch to form a ring. See diagram on page 4.

**1st row:** (RS). Ch 3 (counts as first ch-3 sp). (1 dc. Ch 3. 3 dc. Ch 3. 1 dc) all in ring. Ch 3 (counts as last ch-3 sp). SI st in ring. Fasten off. **Do not** turn.

2nd row: (RS). Join B with sl st in top of first ch-3 sp. (Ch 3. 1 dc) in same sp as sl st. (3 dc. Ch 3. 3 dc) in next ch-3 sp – first corner made. Ch 1. (3 dc. Ch 3. 3 dc) in next ch-3 sp – second corner made. (1 dc. Ch 3. Sl st) in top of last ch-3 sp. Fasten off. **Do not** turn.



**RHC0133-032528M** | August 5, 2022

**3rd row:** (RS). Join A with sl st in top of first ch-3 sp. (Ch 3. 1 dc) in same sp as sl st. Ch 1. (3 dc. Ch 3. 3 dc) in next ch-3 sp. Ch 1. 3 dc in next ch-1 sp. Ch 1. (3 dc. Ch 3. 3 dc) in next ch-3 sp. Ch 1. (1 dc. Ch 3. Sl st) in top of last ch-3 sp. Fasten off. **Do not** turn.

4th row: (RS). Join B with sl st in top of first ch-3 sp. (Ch 3. 1 dc) in same sp as sl st. Ch 1. 3 dc in next ch-1 sp. Ch 1. (3 dc. Ch 3. 3 dc) in next ch-3 sp. Ch 1. (3 dc in next ch-1 sp. Ch 1) twice. (3 dc. Ch 3. 3 dc) in next ch-3 sp. Ch 1. 3 dc in next ch-1 sp. Ch 1. (1 dc. Ch 3. Sl st) in top of last ch-3 sp. Fasten off. **Do not** turn.

**5th row:** (RS). Join A with sl st in top of first ch-3 sp. Ch 3. 2 dc in next ch-1 sp. 3 dc in next ch-1 sp. (3 dc. Ch 3. 3 dc) in next ch-3 sp. (3 dc in next ch-1 sp) 3 times. (3 dc. Ch 3. 3 dc) in next ch-3 sp. 3 dc in next ch-1 sp. 2 dc in next ch-1 sp. Ch 3. Sl st in top of last ch-3 sp. Fasten off.

## **ASSEMBLY**

**Note:** Sew pieces tog with A through back loops only using whipstitch as indicated below, as shown *here in video tutorial*.

Using Assembly Diagrams XS/S, M, L, XL, 2/3XL on page 5 and 4/5XL on page 6, sew Motifs tog to form Sleeve (make 2), Back, Front Left and Front Right pieces.

# **Sleeve Edging:**

**Sizes M, L, XL, 2/3XL and 4/5XL only:** With RS facing, join A with sl st at corner of Sleeve, as indicated with star ☆ in Assembly Diagram. **1st row:** Ch 3 (counts as dc). Work 65 dc evenly across edge of Sleeve. Turn.

**2nd row:** Ch 3 (counts as dc). 1 dc in each dc to end of row. Turn. Rep last row **1** (**2-3-3-0**) time(s) more. Fasten off.

Rep along opposite edge of Sleeve.

Sew pieces tog along red lines in Assembly Diagrams.

Fold pieces in half along green dotted line.

Sew side and underarm seams.

## **EDGING**

**1st rnd:** (RS). Join A with sl st at back neck. Ch 1. Work sc evenly across back neck, down right front, across bottom, up left front, and across rem of back neck, working 3 sc at front bottom corners. Join with sl st to first sc.


**2nd to 4th rnds:** Ch 1. \*Work sc evenly around to 1 st before next neck edge (indicated with circle in Assembly Diagram). Sc3tog. Rep from \* once, working 3 sc at each corner. Work sc evenly to end of rnd. Join. Fasten off.


**Cuffs:** With RS facing, join A with sl st at sleeve edge.


**1st rnd:** Ch 1. Work **44** (**56-60-64-64-70**) sc evenly around sleeve opening. Join.

**2nd to 4th rnds:** Ch 1. 1 sc in each sc around. Join. Fasten off.











**RHC0133-032528M** | August 5, 2022

