

ORED HEART BOXY CROCHET TOP



MATERIALS

Red Heart® Croquette™ (1.6 oz/45 g; 239 yds/219 m)

Sizes 2/3XL 4/5XL XS/S

Stonhenge (9365) 13 16 balls

Size U.S. G/6 (4 mm) crochet hook or size needed to obtain gauge. Stitch marker.





ABBREVIATIONS

Beg = Beginning Ch = Chain(s)**Cont** = Continue(ity) **Hdc** = Half double crochet **Hdc2tog** = (Yoh and draw up a loop in next stitch) twice. Yoh and draw through all loops on hook

Hdcbp = Yoh and draw up a loop around post of next stitch at back of work. inserting hook from right to left. Yoh and draw through all loops on hook **Pat** = Pattern **PM** = Place marker

Rem = Remaining **Rep** = Repeat Rnd(s) = Round(s)**RS** = Right side **SI st** = Slip stitch **St(s)** = Stitch(es) **Tr** = Treble crochet **WS** = Wrong side **Yoh** = Yarn over hook

SIZES

To fit bust measurement

XS/S 28-34" [71-86.5 cm] 36-38" [91.5-96.5 cm] 40-42" [101.5-106.5 cm] 44-46" [112-117 cm] XL 2/3XL 48-54" [122-137 cm] 4/5XL 56-62" [142-157.5 cm]

Finished bust

XS/S 45" [114.5 cm] 47½" [120.5 cm] M L 51" [129.5 cm] XL 55" [139.5 cm] 60" [152.5 cm] 2/3XL 65" [165 cm] 4/5XL

GAUGE

20 sts and 12 rows = 4" [10 cm] in Hdc Textured Pat

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the *instructions will be written thus ().* Numbers for each size are shown *in the same color throughout the* pattern. When only one number is given in black, it applies to all sizes.



CRED HEART BOXY CROCHET TOP


FRONT

Note: Ch 2 at beg of row **does not** count as st.

**Ch 97 (107-117-127-141-163).

1st row: (RS). 1 hdc in 3rd ch from hook and each ch to end of chain. Turn. **95** (105-115-125-139-161) hdc.

2nd row: Ch 2. *Work 1 hdc into horizontal bar created below next st in previous row (bar is below loops normally worked on WS – see diagram). Rep from * to end of row. Turn.



Last row forms Hdc Textured Pat.

Cont in Hdc Textured Pat until work from beg measures 4" [10 cm], ending on a WS row.

Shape sides: Keeping cont of Hdc Textured Pat, proceed as follows: **1st row:** (RS). Ch 2. 2 hdc in first st. 1 hdc in each st to last st. 2 hdc in last st. Turn. **97** (107-117-127-141-163) sts.

Work 3 rows even in pat.

Rep last 4 rows 0 (2-3-3-3) time(s) more. 97 (111-123-133-147-169) sts.

Next row: (RS). Ch 2. 2 hdc in first st. 1 hdc in each st to last st. 2 hdc in last st. Turn.

Next row: Work even in pat. Rep last 2 rows 7 (3-1-1-1) time(s) more. 113 (119-127-137-151-173) sts. Fasten off.

Shape Sleeves: 1st row: (RS). Ch **8** (8-8-8-7-5). Join into Body and pat across **113** (**119-127-137-151-173**) sts. Ch **10** (**10-10-10-9-7**). Turn. PM at beg of row.

2nd row: 1 hdc in 3rd ch from hook. 1 hdc in each of next 7 (7-7-7-6-4) ch. Pat across 113 (119-128-137-152-173) sts. 1 hdc in each of last 8 (8-8-8-7-5) ch. Turn. 129 (135-143-153-165-183) sts. Work 2 (2-4-6-6-8) rows even in pat.

Openwork Section: Next row: (RS). Ch 4 (counts as tr). 1 tr in next st. *Ch 1. Skip next st. 1 tr in next st. Rep from * to last st. 1 tr in last st. Turn.

Next row: Ch 1. 1 sc in each st (including ch-1 sp) to end of row. Turn.

Rep last 2 rows twice more.

Next row: (RS). Ch 2. 1 hdc in each sc to end of row. Turn.**

Beg on a WS row, cont in Hdc Textured Pat until work from marked row measures 6½ (7-7½-7½-8-8)" [16.5 (18-19-19-20.5-20.5) cm], ending on a WS row.

***Shape neck: 1st row: (RS). Ch 2. Pat across 45 (46-50-54-59-67) sts. Hdc2tog. Turn. Leave rem sts unworked.

2nd row: Ch 2. Hdc2tog. Pat to end of row. Turn.

3rd row: Pat to last 2 sts. Hdc2tog. Turn. **44** (**45-49-53-58-66**) sts. **4th row:** Work even in pat.***

Cont even in pat until work from marked row measures 8½ (9-9½-9½-10-10)" [21.5 (23-24-24-25.5-25.5) cm], ending on a WS row. Fasten off.

****With RS facing, skip next 35 (39-39-41-43-45) sts. Join yarn with sl st to next st and proceed as follows: **1st row:** (RS). Ch 2. Hdc2tog. Pat to end of row. Turn.

2nd row: Pat to last 2 sts. Hdc2tog. Turn.

3rd row: As 1st row. **44** (**45-49-53-58-66**) sts.

4th row: Work even in pat.***

Cont even in pat until work from marked row measures 8½ (9-9½-9½-10-10)" [21.5 (23-24-24-25.5-25.5) cm], ending on a WS row. Fasten off.

BACK

Work from ** to ** as given for Front.

Beg on a WS row, cont in Hdc Textured Pat until work from marked row measures 4 rows less than Front before shoulder, ending on a WS row.

Work from *** to *** as given for Front. Fasten off.

Work from **** to **** as given for Front, Fasten off.



ORED HEART BOXY CROCHET TOP

FINISHING

Pin all pieces to measurements. Cover with a damp cloth leaving cloth to dry. Sew shoulder seams. Sew side and sleeve seams.

Neck edging: 1st rnd: (RS). Join yarn with sl st at left shoulder. Ch 2. Work 12 hdc down left front neck edge. 1 hdc in each of next 35 (39-39-41-43-45) sts. Work 12 hdc up right front neck edge. Work 6 hdc down right back neck edge. 1 hdc in each of next 35 (39-39-41-43-45) sts. Work 6 hdc up left back neck edge. Join with sl st to first hdc. 106 (114-114-118-122-126) hdc.

2nd rnd: Ch 2 (**does not** count as st). 1 hdcbp around each st to end of rnd. Join with sl st around first hdcbp.

Rep last rnd 3 times more. Fasten off.

Bottom edging: 1st rnd: (RS). Join yarn with sl st at bottom left side seam. Ch 2. Working in rem loops of foundation ch, work 190 (210-230-250-278-322) hdc around. Join with sl st to first hdc.


2nd rnd: Ch 2 (**does not** count as st). 1 hdcbp around each st to end of rnd. Join with sl st around first hdcbp.

Rep last rnd 10 times more. Fasten off.

Sleeve edging: 1st rnd: (RS). Join yarn with sl st at bottom sleeve seam. Ch 2. Work 84 (90-94-94-100-100) hdc evenly around. Join with sl st to first hdc.

2nd rnd: Ch 2 (**does not** count as st). 1 hdcbp around each st to end of rnd. Join with sl st around first hdcbp.

Rep last rnd 3 times more. Fasten off.



Front



Back



RHC0140-028808M | March 30, 2020