

RHC0140-036360M | March 5, 2024



MATERIALS						
Sizes	XS/S/M	L/XL	2/3XL	4/5 XL		
Red Heart® Roll With It Melange™ (5.3 oz/150 g; 389 yds/356 m)						
Hollywood	3	4	5	6	balls	
(0825)	997/912	1305/1193	1656/1514	1996/1798	yds/m	
Size U.S. I/9 (5.5 mm) Susan Bates® Silvalume® crochet hook or size needed to obtain gauge. Susan Bates® stitch markers. 6 x $\frac{3}{4}$ " [15 mm] buttons.						





ABBREVIATIONS

Pat = Pattern	Sc = Single crochet	
PM = Place marker	SI st = Slip stitch	
Rem = Remaining	Sp(s) = Space(s)	
Rep = Repeat	St(s) = Stitch(es)	
Rnd(s) = Round(s)	Tog = Together	
RS = Right side	WS = Wrong side	
	PM = Place marker Rem = Remaining Rep = Repeat Rnd(s) = Round(s)	

SIZES

To fit chest measurement

XS/S/M 28-38" [71-96.5 cm] L/XL 40-46" [101.5-117 cm] 2/3XL 48-54" [122-137 cm] 4/5XL 56-62" [142-157.5 cm]

Finished chest

44" [112 cm] XS/S/M L/XL 52" [132 cm] 2/3XL 60" [152.5 cm] 4/5XL 68" [173 cm]

GAUGE

16 sts (dc and ch) and 8 rows = 4" [10 cm] in pat.

INSTRUCTIONS

The instructions are written for **XS/S/M**. If changes are necessary for larger sizes the instructions will be written XS/S/M (L/XL-2/3XL-4/5XL). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Notes:

- Ch 3 at beg of rnd counts as dc.
- Ch 4 at beg of row counts as dc and ch-1 sp.
- Ch 6 at beg of rnd counts as dc and ch-3 sp.
- Turn at end of each rnd unless otherwise stated.
- Join all rnds with sl st to top of first dc.



RHC0140-036360M | March 5, 2024

BODY PANEL (make 2 alike). Ch **48** (**54-60-66**) (multiple of 3 ch) **loosely**. Join with sl st to first chain to make Armhole Opening. *See diagram on page 4*.

1st rnd: (RS). Ch 12. (3 dc. Ch 3. 3 dc) in 7th ch from hook. *Ch 1. Skip next 2 ch. 3 dc in next ch.* Ch 1. Skip next 2 ch. 3 dc in same sp as joining sl st of Armhole Opening. Work around Armhole Opening, rep from * to * around Armhole Opening to last 2 ch. Ch 1. Skip next 2 ch. 3 dc in same sp as joining sl st. Working into opposite side of ch-12, rep from * to * once more. Ch 1. 2 dc in same sp as first sts. Join with sl st to 3rd ch of beg ch-6 sp. SI st to next ch-3 sp. **Turn**. 2nd rnd: (WS). Ch 6. 3 dc in same ch-3 sp as last sl st. *Ch 1. 3 dc in next ch-1 sp. Rep from * to next ch-3 sp. Ch 1. (3 dc. Ch 3. 3 dc) in next ch-3 sp. Ch 1. 2 dc in last ch-3 sp. Join with sl st to 3rd ch of beg ch-6 sp. SI st to next ch-3 sp. Turn.

3rd rnd: (RS). Ch 6. 3 dc in same ch-3 sp as last sl st. *Ch 1. 3 dc in next ch-1 sp.* Rep from * to * to next ch-3 sp. Ch 1. (3 dc. Ch 3. 3 dc) all in next ch-3 sp. Rep from * to * to last ch-3 sp. Ch 1. 2 dc in last ch-3 sp. Join with sl st to 3rd ch of beg ch-6 sp. Sl st to next ch-3 sp. Turn.

Rep 3rd rnd until 19 **total** rnds have been worked, ending on RS rnd. **Do not** fasten off. Turn.


Cont in rows as follows:

1st row: (WS). Ch 3. 2 dc in same sp as sl st. *Ch 1. 3 dc in next ch-1 sp. Rep from * to next ch-3 sp. Ch 1. 3 dc in next ch-3 sp. Turn. Leave rem sts unworked.

2nd row: Ch 4. *3 dc in next ch-1 sp. Ch 1. Rep from * to last 3 dc. Skip next 2 dc. 1 dc in last dc. Turn. 3rd row: Ch 3. 2 dc next ch-1 sp *Ch 1. 3 dc in next ch-1 sp. Rep from * to turning ch-4 sp. 2 dc in 4th ch of ch-4. 1 dc in 3rd ch of ch-4. Turn.

Rep last 2 rows **0** (2-3-5) times more. Fasten off.

Fold Body Panels in half along Armhole Opening.



SLEEVE

With RS facing, join yarn with sl st to ch-2 sp closest to underarm of Armhole Opening. (See diagram on page 5).

1st rnd: (RS). Ch 3. 2 dc in same ch-2 sp as sl st. Ch 1. *3 dc in next ch-2 sp. Ch 1. Rep from * around. Join. Turn.


2nd to 6th rnds: SI st into ch-1 sp. Ch 3. 2 dc in same ch-2 sp as sI st. Ch 1. *3 dc in next ch-2 sp. Ch 1. Rep from * around. Join. Turn.

7th to 9th rnds: Ch 1. 1 sc in each st around. Join with sl st to first sc. **Do not** turn.

Fasten off at end of 9th rnd.

Center Back Seam: Lay Body Panels flat, with last rows aligned. PM for center back seam 19 (22-25-27)" [48 (56-63.5-68.5) cm] up from lower edge along last row of both Body Panels.

Seaming with Flat SI St Join: (RS). Join yarn with sI st to back loop of dc at bottom corner of right-hand Body Panel. Join 2 Body Panels tog to markers, working sI st through back loops only and keeping working yarn to WS of work to create a flat sI st chain detail on RS of work (see diagram). Fasten off.



FLAT SL ST JOINING DIAGRAM

Note: Keep working yarn to WS of work so only flat sl st chain is visible on RS.

With RS facing, PM for button and buttonhole bands, **60** (**72-84-90**) sts (dc and ch-1 sps) up from bottom of Body on both Fronts.



RHC0140-036360M | March 5, 2024

Button Band

With RS facing, join yarn with sl st at marker on left front edge.

1st row: (RS). Ch 1. 1 sc in each st (dc and ch-1 sp) down from marker to bottom front corner. Turn.

2nd to 6th rows: Ch 1. 1 sc in each sc to end of row. Turn. Fasten off at end of last row.

Buttonhole Band

With RS facing, join yarn with sl st at right front bottom corner.

1st row: (RS). Ch 1. 1 sc in each st (dc and ch-1 sp) up right front edge to marker. Turn.

2nd row: Ch 1.1 sc in each sc to end of row. Turn.

4 (5-6-6) sc. *Ch 2. Skip next 2 sc. 1 sc in each of next 8 (10-12-13) sc. Rep from * 4 times more. Ch 2. Skip next 2 sc. 1 sc in each of last 4 (5-6-7) sc. Turn. 6 buttonholes.

4th row: Ch 1. 1 sc in each sc and **6th row:** As 2nd row. 2 sc in each ch-2 sp to end of row. Turn.

5th and 6th rows: As 2nd row. **Do** not fasten off.

Bottom Edging

Turn work sideways. Work along bottom edge of Body, including Button and Buttonhole Bands, as follows:

1st row: Ch 1. Work 177 (207-237-267) sc evenly across bottom edge of Shirt to opposite bottom front corner Turn.

2nd to 4th rows: Ch 1.1 sc in each sc to end of row. Turn. Fasten off at end of last row.

Collar

With RS facing, join yarn with sl st to right front edge at top of Button Band.

1st row: Ch 1. 1 sc in each st (dc **3rd row:** Ch 1. 1 sc in each of first and ch-1 sp) around to neck edge to top of Buttonhole Band. Turn.


> 2nd to 4th rows: Ch 1.1 sc in each sc to end of row. Turn.

5th row: Ch 1. 2 sc in first sc. 1 sc in each sc to last sc. 2 sc in last sc. Turn

7th row: As 5th row.

8th to 10th rows: As 2nd row. Fasten off at end of 10th row.


Sew buttons to Button Band to correspond to buttonholes. Weave in all ends.








RHC0140-036360M | March 5, 2024





STITCH KEY

= chain (ch)

• = slip stitch (sl st)

+ = single crochet (sc)

= double crochet (dc)