



CROCHET
SKILL LEVEL
INTERMEDIATE

Designed by Lorna Miser



What you will need:

RED HEART® Super Saver®:

1 (1, 2, 2) skein(s) 311 White A,
1 (1, 1, 1) skein 995 Ocean B, 1
(2, 2, 2) skein(s) 505 Aruba Sea
C, and 1 (1, 1, 1) skein 347 Lt.
Periwinkle D

Note: Only a small quantity of D is
needed for this project.

RED HEART® Boutique Sashay

Mini™: 1 (1, 1, 1) ball 2936
Bubbles E



RED HEART® Super
Saver®, Art. E300
available in solid color

7 oz (198 g), 364 yd (333 m);
multicolor, heather and print 5 oz
(141 g), 244 yd (223 m), flecks 5 oz
(141 g), 260 yds (238 m) skeins



RED HEART® Boutique
Sashay Mini™, Art.
E782N, available in
multicolor 3.5 oz (100g), 32 yd
(39m) balls

Snow Princess Dress

*Crochet this beautiful dress for a young girl
who will feel like a “princess”. Overskirt is
trimmed with periwinkle snowflakes and
lacy flowers.*

Coordinates with:

Snow Princess designs, LW4449 and LW4439

More of what you need...

Susan Bates® Crochet Hook: 6mm [US J-10]

Yarn needle, stitch marker, white glue or
fabric stiffener, aluminum foil, fabric sealant
(optional)

GAUGE: In sleeve and yoke, 7 pattern repeats
= 4” (10 cm); 6 rows = 4” (10 cm). **Note:** One
pattern repeat consists of one double crochet
and one chain. In bodice, 12 sts = 4” (10
cm); 11 rows = 4” (10 cm) in hdc. In skirt, 3
scallop = 5” (12.5 cm); 4 rows = 3” (9 cm).
CHECK YOUR GAUGE. Use any size hook to
obtain the gauge.

**Directions are for size 2. Changes for sizes
4, 6, and 8 are in parentheses.**

To Fit Chest: 22 (24, 25, 26)” [56 (61, 66, 71)
cm]

Finished Chest: 24 (26, 27, 28)” [61 (66, 68.5,
71) cm]

Finished Length: 26 (27½, 32, 34½)” [66 (70,
81.5, 87.5) cm]

Special Stitches

Beg dc2tog (beginning double crochet
decrease) = Ch 3, dc in next dc—1 dc and 1
ch-space decreased.

Beg scallop = Ch 4 (counts as dc, ch 1), (dc,
[ch 1, dc] twice) in indicated stitch or space.

Beg 3-dc Cl (beginning 3 double crochet
cluster) = Ch 2, yarn over, insert hook in
indicated stitch or space, yarn over and pull up
loop, yarn over, draw through 2 loops on hook
(2 loops remain on hook); yarn over, insert
hook in same stitch or space, yarn over and
pull up loop, yarn over, draw through 2 loops,
yarn over, draw through all 3 loops on hook.

Scallop = (Dc, [ch 1, dc] 3 times) in indicated
stitch or space.

3-dc Cl (3 double crochet cluster) = Yarn
over, insert hook in indicated stitch or space,
yarn over and pull up loop, yarn over, draw
through 2 loops on hook (2 loops remain on
hook); [yarn over, insert hook in same stitch or
space, yarn over and pull up loop, yarn over,
draw through 2 loops] 2 times, yarn over, draw
through all 4 loops on hook.

Special Techniques

Join with sc = Place a slip knot on hook,
insert hook in indicated stitch, yarn over and
draw up a loop, yarn over and draw through
both loops on hook.

Working with mesh yarn = Spread the yarn
open with ladder edge at top and wider
metallic edge at bottom. Continue to spread
the yarn open as you work so that you can see
the spaces of the top ladder edge. Stitches are
made by inserting the hook into a hole at the
top of ladder edge and pulling the uppermost
strand through the loop(s) on the hook. Always
insert the hook from the front to the back
through each hole. Skip one hole between
each stitch to ensure dense ruffles.

Notes

1. Dress begins with one sleeve worked in
joined rounds, then divides for yoke and
neck opening, then rejoins for second
sleeve worked in joined rounds.
2. Bodice begins at yoke edging on back
loops. Skirt is worked from the bodice.
Overskirt is worked from the yoke edging
on front loops.
3. Snowflakes and flowers are made
separately and sewn to overskirt. In
each flower, the ruffled appearance is
accentuated by skipping a hole between
each stitch. This gathers the yarn into
dense ruffles.

Continued...

SHOP KIT

DRESS

First Sleeve

With **A**, ch 20 (22, 24, 26); taking care not to twist, join with slip st in first ch.

Round 1 (right side): Ch 4 (counts as dc, ch 1 here and throughout), skip next ch, dc in next ch, *ch 1, skip next ch, dc in next ch; repeat from * around, ch 1; join with slip st in 3rd ch of beginning ch—10 (11, 12, 13) dc and 10 (11, 12, 13) ch-1 spaces.

Round 2 (increase round): Ch 4, dc in first dc, *ch 1, dc in next dc; repeat from * around, ch 1; join with slip st in 3rd ch of beginning ch—11 (12, 13, 14) dc and 11 (12, 13, 14) ch-1 spaces.

Round 3: Ch 4, *ch 1, dc in next dc; repeat from * around, ch 1; join with slip st in 3rd ch of beginning ch.

Rounds 4–10 (11, 12, 13): Repeat Round 2 seven (eight, nine, ten) times—18 (20, 22, 24) dc and 18 (20, 22, 24) ch-1 spaces. Repeat Round 3 until sleeve measures 10 (11, 12, 14)" [25 (28, 30.5, 35.5) cm].

Yoke and First Shoulder

Continue in rows.

Next row: Ch 4, dc in next dc, *ch 1, dc in next dc; repeat from * 15 (17, 19, 21) times, turn—18 (20, 22, 24) dc and 17 (19, 21, 23) ch-1 spaces. Place marker on either end of this row.

Next row: Ch 4, dc in next dc, *ch 1, dc in next dc; repeat from * across to beginning ch, ch 1, dc in 3rd ch of beginning ch, turn. Repeat last row until yoke and first shoulder measure 3 (3½, 3¾, 4)" [7.5 (9, 9.5, 10) cm] from end of sleeve ending on a right side row.

Back Neck Opening

Next row (wrong side): Ch 4, dc in next dc, *ch 1, dc in next dc; repeat from * 6 (7, 8, 9) times; leave remaining sts unworked, turn—9 (10, 11, 12) dc and 8 (9, 10, 11) ch-1 spaces.

Next row: Ch 4, dc in next dc, *ch 1, dc in next dc; repeat from * across to beginning ch, ch 1, dc in 3rd ch of beginning ch, turn.

Repeat last row until neck opening measures 6 (6, 6½, 6)" [15 (15, 16.5, 15) cm]. Fasten off.

Front Neck Opening

Next row: With right side of yoke facing, join yarn with slip st in first unworked dc, ch 4, dc in next dc, *ch 1, dc in next dc; repeat from * 6 (7, 8, 9) times, turn—9 (10, 11, 12) dc and 8 (9, 10, 11) ch-1 spaces.

Next row: Ch 4, dc in next dc, *ch 1, dc in next dc; repeat from * across to beginning ch, ch 1, dc in 3rd ch of beginning ch, turn.

Repeat last row until back neck opening measures same as front, ending on a right side row. Do not fasten off.

Yoke and Second Shoulder

Next row: Ch 4, dc in next dc, *ch 1, dc in next dc; repeat from * 15 (17, 19, 21) times, turn—18 (20, 22, 24) dc and 17 (19, 21, 23) ch-1 spaces.

Next row: Ch 4, dc in next dc, *ch 1, dc in next dc; repeat from * across to beginning ch, ch 1, dc in 3rd ch of beginning ch, turn. Repeat last row until yoke and shoulder measure 12 (13, 13½, 14)" [30.5 (33, 34.5, 35.5) cm] from marked row—18 (20, 22, 24) dc and 17 (19, 21, 23) ch-1 spaces. Do not fasten off. Remove marker.

Continued...





Second Sleeve

Continue in rounds.

Next round: Ch 4, *ch 1, dc in next dc; repeat from * around, ch 1; join with slip st in 3rd ch of beginning ch—18 (20, 22, 24) dc and 18 (20, 22, 24) ch-1 spaces.

Repeat last round until second sleeve measures 4¾ (5, 5½, 6¾)" [12 (12.5, 14, 17) cm].

Next round (decrease round): Beg dc2tog, *ch 1, dc in next dc; repeat from * around, ch 1; join with slip st in top of beginning ch—17 (19, 21, 23) dc and 17 (19, 21, 23) ch-1 spaces.

Repeat last round seven (eight, nine, ten) times—10 (11, 12, 13) dc and 10 (11, 12, 13) ch-1 spaces.
Fasten off.

Yoke Edging

Round 1 (right side): With right side facing, join **A** with sc in end of first row on front of yoke; working across ends of rows, sc 35 (37, 39, 41) sts evenly across front, sc 36 (38, 40, 42) sts evenly across back of yoke; join with slip st in first sc—72 (76, 80, 84) sc. Fasten off. Place marker on first stitch.

Bodice

Round 1 (right side): With right side facing, join **B** with slip st in back loop of marked st, ch 2 (counts as first hdc here and throughout); working in back loops only, hdc in each st around; join with slip st in top of beginning ch. With front of yoke edging facing, move marker to unworked front loop at center of edging.

Round 2: Ch 2, hdc in each st around; join with slip st in top of beginning ch. Repeat Round 2 until piece measures 4 (4½, 5, 5½)" [10 (11.5, 12.5, 14) cm] from yoke edging. Fasten off.

Skirt

Round 1 (right side): With right side of bodice facing, join **C** with slip st in first st, beg scallop in same st, *skip next 3 sts, scallop in next st; repeat from * around, skip last 3 sts; join with slip st in top of beginning ch—18 (19, 20, 21) scallops.

Round 2: Slip st in first ch-1 space and in next dc, slip st in next ch-1 space, beg scallop in same ch-1 space, *scallop in center ch-1 space of next scallop; repeat from * around; join with slip st in top of beginning ch. Repeat Round 2 until skirt measures 17 (17½, 21, 22½)" [44 (44.5, 53.5, 57) cm] from bottom edge of bodice. Fasten off.

Overskirt

Round 1: With right side of yoke edging facing, join **A** with slip st in unworked front loop of marked st, *ch 10, skip next 3 sts, slip st in next st; repeat from * around; join with slip st in first slip st, turn—18 (19, 20, 21) ch-10 spaces.

Continue in rows.

Row 2: *Ch 10, slip st in next ch-10 space; repeat from * across, turn. Repeat Row 2 until overskirt measures 19 (20, 24, 26)" [48.5 (51, 61, 66) cm] from yoke edging. Fasten off.

Snowflake (make 5)

With **D** and leaving 10" (25.5 cm) tail, ch 4; join with slip st in first ch to form a ring.

Round 1: Ch 5 (counts as dc, ch 2), dc in ring, [ch 2, dc in ring] 4 times, ch 2; join with slip st to 3rd ch of beginning ch—6 dc and 6 ch-2 spaces.

Round 2: Slip st in first ch-2 space, beg 3-dc Cl in same ch-2 space, ch 7, slip st in 3rd ch from hook, *ch 4, 3-dc Cl in next ch-2 space, ch 7, slip st in 3rd ch from hook; repeat from * around, ch 4; join with slip st to

top of beg 3-dc Cl. Fasten off. Weave in end tail only. Saturate piece with white glue or fabric stiffener, stretch and block on sheet of aluminum foil. Allow to dry thoroughly before handling.

Flower (make 5)

With **D** and leaving a long tail, ch 4; join with slip st in first ch to form a ring.

Round 1 (right side): Ch 1, 8 sc in ring; join with slip st in first sc—8 sc.

Round 2: With right side facing, holding **E** at wrong side of piece, and working in back loops only, insert hook in first sc and in first hole of **E**, draw **E** through st and loop on hook, *skip next hole, insert hook in next sc and next hole, draw **E** through st and loop on hook; repeat from * around; working in front loops only, repeat from * around to first sc, with beginning tail of **D**, ch 1. Fasten off **D** and cut **E**.

FINISHING

Optional: Seal the cut edges of **E** with white glue, fabric stiffener, or fabric sealant to prevent unraveling or fraying.

Sew snowflakes and flowers where desired to overskirt.

Weave in ends.

ABBREVIATIONS

A, B, C = Color A, Color B, Color C, etc.; **ch** = chain; **dc** = double crochet; **hdc** = half double crochet; **sc** = single crochet; **st(s)** = stitch(es); **()** = work directions in parentheses into same st; **[]** = work directions in brackets the number of times specified; ***** = repeat whatever follows the * as indicated.

See schematic on next page

