



# Cables and Pockets Cardigan

Designed by Brenda A. Lewis.

**Finished Bust:** 36 (38½, 43)''

**Finished Length:** 19½ (20½, 22)''

**RED HEART® “Soft Yarn”:** 4 (4, 5) skeins 9522 Leaf.

**Knitting Needles:** 5 mm [US 8] and 6 mm [US 10].

**Circular Knitting Needles:** 5 mm [US 8] 29'' long.  
7 buttons 1'', stitch markers (4), stitch holders (4), yarn needle, cable needle.

**GAUGE:** 18 sts = 4''; 23 rows = 4'' in Broken Rib with larger needles. **CHECK YOUR GAUGE. Use any size needles to obtain the gauge.**

## Broken Rib (multiple of 2 sts + 1)

**Row 1 (right side):** Knit.

**Row 2:** K1, \* p1, k1; repeat from \* across.

Repeat Rows 1 and 2 for Broken Rib Pattern.

## Cable Panel Pattern (worked over 8 sts)

**Row 1 (right side):** P1, k6, p1.

**Row 2:** K1, p6, k1.

**Row 3:** P1, slip next 3 sts to cn, hold to front, k3, k3 sts from cn, p1.

**Row 4:** Repeat Row 2.

**Row 5:** Repeat Row 1.

**Row 6:** Repeat Row 2.

Repeat Rows 1 – 6 for Cable Panel Pattern.

## K2, p2 Rib Pattern (multiple of 4 sts + 2)

**Row 1 (right side):** k2, \* p2, k2; repeat from \* across.

**Row 2:** p2, \* k2, p2; repeat from \* across.

Repeat Rows 1 and 2 for K2, p2 Rib Pattern.

## Pocket Lining (make 2)

With larger knitting needles, cast on 18 sts.

Work even in St st until piece measures 3'', ending with a wrong side row. Slip sts onto stitch holder.

## CARDIGAN

### Back

With larger knitting needles, cast on 78 (86, 94) sts

Work in K2, p2 Rib until piece measures 3'', ending with a wrong side row, and inc 5 (3, 5) sts evenly spaced across last row—83 (89, 99)sts.

### Set up Patterns

**Next Row (right side):** Begin with Row 1, work Broken Rib across first 17 (17, 21) sts, place marker, work Cable Pattern across next 8 sts, place marker, work Broken Rib across next 33 (39, 41) sts, place marker, work Cable Pattern across next 8 sts, place marker, work Broken Rib across remaining 17 (17, 21) sts.

Keeping continuity of sts in patterns as established, work even until piece measures 10½ (11, 12)'' from beginning, ending with a wrong side row.

### Shape Armholes

Bind off 6 (6, 8) sts at beginning of next 2 rows—71 (77, 83) sts. Dec 1 st at beginning and end of every other row 5 (6, 8) times—61 (65, 67) sts.

Work in pattern as established until armhole measures 7 (7½, 8)'' , ending with a wrong side row.



### Shape Shoulders

Bind off 5 (5, 6) sts at beginning of next 2 rows, then bind off 5 (6, 6) sts at beginning of next 2 rows, then bind off 6 sts at beginning of next 2 rows. Slip remaining 29 (31, 31) sts onto holder for back neck.

### Left Front

With larger knitting needles, cast on 38 (42, 46) sts. Work in K2, p2 rib same as for Back, ending with a wrong side row, and inc 2 (2, 4) sts evenly spaced across—40 (44, 50) sts.

### Set up Patterns

Begin with Row 1, work Broken Rib across first 17 (19, 21) sts, place marker, work Cable Pattern across next 8 sts, place marker, work Broken Rib across remaining 15 (17, 21) sts.

Keeping continuity of sts in patterns as established, work even until piece measures 6" from beginning, ending with a wrong side row.

### Place Pocket Lining

**Next Row:** Work across row to 5 sts before first marker, slip next 18 sts onto holder, removing markers; work across pocket lining sts as follows: k5, place marker, work Cable Pattern across next 8 sts, place marker, k to end row.

Work even in pattern as established until piece measures same as Back to armhole shaping, ending with a wrong side row.

### Shape Armhole and Neck

Bind off 6 (6, 8) sts at beginning of next row for armhole. Dec 1 st at armhole edge every other row 5 (6, 8) times AND AT SAME TIME when armhole measures 1", ending with a wrong side row, shape neck as follows: dec 1 st at neck edge next row, then every other row 6 (8, 9) times, then every fourth row 6 times—16 (17, 18) sts.

Work even until piece measures same as Back to Shoulder Shaping, ending with a wrong side row.

### Shape Shoulder

Bind off 5 (5, 6) sts at shoulder edge once, then bind off 5 (6, 6) sts at shoulder edge once, then bind off remaining 6 sts.

### Right Front

Cast on and work K2, p2 Rib and inc row same as for Left Front. Set up patterns as follows: begin with Row 1, work Broken Rib across first 15 (17, 21) sts, place marker, work Cable Pattern across next 8 sts, place marker, work Broken Rib across remaining 17 (19, 21) sts.

Continue same as for Left Front, reversing pocket lining placement and shaping.

### Sleeves (make 2)

With larger knitting needles, cast on 46 (50, 50) sts. Work in K2, p2 Rib same as for Back, inc 4 sts evenly spaced across last row—50 (54, 54)sts.

### Set up Patterns

Begin with Row 1 of patterns, work Broken Rib across first 21 (23, 23) sts, place marker, work Cable Pattern across next 8 sts, place marker, work Broken Rib across remaining 21 (23, 23) sts.

### Shape Sleeve

Keeping continuity of sts in patterns as established, inc 1 st at beginning and end of every other row 5 (4, 5) times, then every fourth row 6 (7, 9) times—72 (76, 82)sts.

Work even until piece measures 10½ (11, 12)" from beginning, ending with a wrong side row.

### Shape Sleeve Cap

Bind off 6 (6, 8) sts at beginning of next 2 rows— 60 (64, 66) sts. Dec 1 st at beginning and end of next row, then every other row 4 (5, 7) times, then every row 13 (14, 11) times, then bind off 3 sts at beginning of next 4 rows. Bind off remaining 12 (12, 16) sts.

## FINISHING

### Pocket Edgings

Slip sts from holder onto smaller knitting needles with right side facing, work in K2, p2 Rib for 2 rows.

**Buttonhole Row 1:** Rib 8 sts, bind off center 2 sts, work to end of row.

**Buttonhole Row 2:** Cast on 2 sts over bound off sts from previous row. Work 2 more rows in rib. Bind off in loosely. Sew pocket linings to sweater.

Sew shoulder seams.

### Neck and Front Bands

With right side facing and circular needles, begin at lower right front edge, pick up and knit 48 (51, 55) sts along front edge, 110 (116, 124)sts around neck edge including sts from back neck stitch holder, and 48 (51, 55) along left front edge—206 (218, 234) sts. Work Row 2 of K2, p2 Rib. Place markers for 5 buttonholes evenly spaced along right front edge with first hole ½" from lower edge and last hole ½" from beginning of neck shaping.

**Buttonhole Row 1:** \*Work to marker, bind off 2 sts for buttonhole; repeat from \* across

**Buttonhole Row 2:** Cast on 2 sts over bound off sts from previous row. Work 2 more rows even in rib. Bind off loosely.

Set in sleeves. Sew side and sleeve seams. Sew buttons opposite holes on front band and pockets Weave in yarn ends.







**CABLES AND POCKETS CARDIGAN | KNIT**





**RED HEART® “Soft Yarn”**

Art. E728 available in solid 5 oz (140 g), 256 yd (234 m); Print 4 oz (113 g), 204 yd (187 m) balls.

**ABBREVIATIONS:** **cn** = cable needle; **dec** = decrease; **inc** = increase; **k** = knit; **mm** = millimeters; **p** = purl; **St st** = Stockinette stitch; **st(s)** = stitch(es); \* or \*\* = repeat whatever follows the \* or \*\* as indicated.



**Stitch Key**

-  K on right side, p on wrong side
-  P on right side, k on wrong side



**3/3 LC** Slip next 3 sts to cn, hold to front, k3, k3 from cn.