



Cable Fitted Pullover

Designed by Linda Cyr

Directions are for size Small. Changes for sizes Medium, Large and X-Large are in parentheses.

RED HEART® “Designer Sport™”: 4 (4, 4, 5) skeins in desired color.

Knitting Needle: 3.5mm [US 4] circular needle, 29” long.
Cable needle.
Stitch markers in 3 colors.
Stitch holders.
Yarn needle.

GAUGE: 20 sts = 4”; 28 rows = 4” in Stockinette Stitch.
CHECK YOUR GAUGE. Use any size needles to obtain the specified gauge.

Finished Chest: 34 (38, 41, 44)”.
Finished Length: 22 (23, 24, 26)”.

Note: Pieces are worked back and forth in rows to beginning of armhole. Pieces are then joined and worked in the round.

FRONT

Cast on 94 (102, 110, 118) sts.

Row 1 (RS): [K2, p2] across to last 2 sts, k2.

Row 2: [P2, k2] across to last 2 sts, p2.

Repeat last 2 rows until piece measures 4”, end with a wrong side row.

Begin Cable Pattern

Row 1 (RS): P39 (43, 47, 51), k16, purl to end.

Row 2: K39 (43, 47, 51), p16, knit to end.

Repeat last 2 rows 6 (8, 10, 1) times.

Cable Row (RS): P39 (43, 47, 51), slip 8 sts to cable needle and hold in front, k8, k8 from cable needle, purl to end.

Repeat Rows 1 and 2 until 25 rows have been worked.

Repeat Cable Row.

Repeat last 26 rows until piece measures 13 (13½, 14, 15½)” from beginning, end with a wrong side row.

Shape Armhole

Bind off 4 sts at beginning of next 2 rows – 86 (94, 102, 110) sts.

Slip sts to stitch holder for Front.

BACK

Work rib as for Front, end with a wrong side row.

Begin Pattern

Row 1 (RS): P11 (15, 19, 23), [p2tog, p8] 8 times, purl to end – 86 (94, 102, 110) sts.

Work in Rev St st piece measures same length as Front to beginning of armhole shaping, end with a wrong side row.

Shape Armhole

Bind off 4 sts at beginning of next 2 rows – 78 (86, 94, 102) sts.

Slip sts to stitch holder for Back.



SLEEVES

Cast on 50 (54, 58, 62) sts.

Row 1 (RS): [K2, p2] across to last 2 sts, k2.

Row 2: [P2, k2] across to last 2 sts, p2.

Repeat last 2 rows until piece measures 4", end with a wrong side row.

Increase Row (RS): P2, increase in next st, purl across to last 3 sts, increase in next st, p2 – 52 (56, 60, 64) sts.

Continue to work in Rev St st, working Increase Row every 8th row 6 (6, 7, 7) more times – 64 (68, 74, 78) sts.

Work even until piece measures 12 (12½, 13, 13½)" from beginning, end with a wrong side row.

Shape Armhole

Bind off 4 sts at beginning of next 2 rows – 56 (60, 66, 70) sts.

Slip sts to stitch holder for Sleeve

YOKE

Joining Round (RS): Purl across 86 (94, 102, 110) sts from Front stitch holder, place marker in first color, [p28 (30, 33, 35) sts from Sleeve stitch holder, place marker in second color, p remaining p28 (30, 33, 35) sts] from Sleeve stitch holder, place marker in first color, p78 (86, 94, 102) sts from Back stitch holder, place marker in first color, [p28 (30, 33, 35) sts, place marker in second color, p28 (30, 33, 35) sts] from Sleeve stitch holder, join and place marker in first color for beginning of round – 276 (300, 328, 352) sts.

Keeping cable pattern as established, purl 3 rounds.

Decrease Round: *P1, ssp, work to 3 sts before next first color stitch marker, p2tog, p1; repeat from * 3 times – 268 (292, 320, 344) sts.

Keeping cable pattern as established, work even for 3 rounds.

Repeat last 4 rounds 3 more times – 244 (268, 296, 320) sts.

Shape Shoulders

Decrease Round: *P1, ssp, work to 3 sts before next stitch marker of either color, p2tog, p1; repeat from * 5 times – 232 (256, 284, 308) sts.

Work even in patten as established for 3 rounds.

Repeat last 4 rounds 2 more times – 208 (232, 260, 284) sts.

Keeping cable pattern as established, work 1 round.

Shape Neck

Row 1: Work across Front to 1 st before 16-st Cable, place marker in third color for neck, k2tog, k7, cast on 8 sts, turn.

Row 2: P15, p2tog, work across all sts to 1 st before opposite side of 16-st Cable, place marker in third color for neck, ssp, p7, cast on 8 sts, turn.

Row 3: Increase 1 st in first st, knit to 1 st before neck marker, ssk, continuing to work Armhole and Shoulder decreases at markers as established, purl to 1 st before neck marker, k2tog, knit to last st, increase 1 st in last st.

Row 4: Purl to 1 st before neck marker, p2tog, knit to 1 st before neck marker, ssp, purl to end.

Row 5: Increase 1 st in first st, knit to 1 st before neck marker, ssk, purl to 1 st before neck marker, k2tog, knit to last st, increase 1 st in last st.

Row 6: Purl to 1 st before neck marker, p2tog, knit to 1 st before neck marker, ssp, purl to end.

Repeat last 4 rows 4 more times – 26 neck sts each side for Collar.

For Sizes (M, L, X) Only

Next Row: Knit to 1 st before neck marker, ssk, work around to 1 st before next neck marker, k2tog, k to end.

Next Row: Purl to last st before neck marker, p2tog, work around to 1 st before neck marker, ssp, p to end.

Repeat last 2 rows (1, 2, 4) more times.

All Sizes

Next Row (RS): Work as established.

COLLAR

Left Collar

Next Row (WS): P25, p2tog, slip 1, turn.

Next Row: K2tog, knit across.

Repeat last 2 rows until Collar reaches center of Back. Slip sts to stitch holder.

Right Collar

Next Row: With right side facing, join yarn at opposite neck sts, k25, ssk, slip 1, turn.

Next Row: P2tog tbl, purl across.

Repeat last 2 rows until Collar reaches center of Back. Bind off Right Collar sts with Left Collar sts using Three-Needle Bind Off.

FINISHING

Sew side and Sleeve seams. Fold Collar in half to inside and sew in place.

Weave in ends.



CABLE FITTED PULLOVER | KNIT



RED HEART® “Designer Sport™”,
Art.E744 (3 ounce/279 yard ball).

ABBREVIATIONS: **K** = knit; **mm** = millimeters; **P** = purl;
st(s) = stitch(es); **p2tog** = purl 2 stitches together;
pssso = pass the slipped st over; **ssk** = slip, slip, knit these
2 stitches together—a decrease; **ssp** = slip, slip, purl these
2 stitches together—a decrease; **tog** = together; **yo** = yarn
over; **[]** = work directions in brackets the number of times
specified; * = repeat whatever follows the * as indicated.