



KNIT
SKILL LEVEL
INTERMEDIATE

Designed by Cathy Payson



What you will need:

RED HEART® Soft Baby Steps®:
2 (3, 3, 4) balls 9800 Baby Blue

Susan Bates® Knitting needles:
4.5mm [US 7] and 5mm [US 8]

2 small stitch holders, stitch
markers, five ¾" (19 mm) buttons,
yarn needle

GAUGE: 17 sts = 4" (10 cm); 23
rows = 4" (10 cm) in Stockinette
st (k on right side, p on wrong
side) using larger needles. **CHECK
YOUR GAUGE.** Use any size
needles to obtain the gauge.



RED HEART® Soft
Baby Steps®, Art.
E746 available in solid
color 5 oz (142 g), 256 yd (234 m);
multicolor 4 oz (113 g), 204 yd
(187 m) and smart print 3 Oz (85 g),
153 yd (140 m) balls

Prince Cardigan

*Blue cables add classic style to the front of
this knit cardigan. This preppy style is perfect
any time of the year for when baby needs a
bit of warmth.*

Directions are for size 6 months. Changes
for sizes 12 months, 18 months, and 24
months are in parentheses

Finished Chest: 20 (22, 24, 26)" [51 (56, 61,
66) cm] **Finished Length:** 11 (12, 13, 14)" [28
(30.5, 33, 35.5) cm]

Special Stitch

M1 = Make 1 (Increase) – Lift strand between
needles to left-hand needle and knit strand
through the back loop, twisting it to prevent a
hole.

Pattern Stitches

2x2 Rib (multiple of 4 sts)

Row 1 (right side): *K2, p2; repeat from * to
end of row.

Row 2: K the knit sts and p the purl sts, as
they appear.

Repeat last row for 2x2 Rib.

Twisted Cable Pattern (over 8 sts)

Row 1 (wrong side): K2, p4, k2.

Row 2: P2, k4, p2.

Rows 3 and 4: Repeat Rows 1 and 2.

Row 5: Repeat Row 1.

Row 6: P2, knit the 4th stitch on left hand
needle but do not remove from needle, knit 3rd
stitch on left hand needle but do not remove
from needle, knit 2nd stitch on left hand
needle but do not remove from needle, knit
the first stitch on left hand needle and draw all
four stitches off the needle at once, p2.
Repeat Rows 1–6 for Twisted Cable Pattern

Note

Markers are used to indicate cable panels. Slip
markers as you come to them. Use of markers
in this manner is optional.

BACK

With smaller needles, cast on 46 (50, 54, 58)
sts.

Row 1 (wrong side): Purl.

Work in 2x2 Rib until piece measures 1½" (4
cm) from beginning; end with a wrong side row.
Change to larger needles.

Set-Up Row (right side): K11 (13, 15, 17),
place marker, work Row 2 of Twisted Cable
Pattern, place marker, k8 for center Garter st
panel, place marker, work Row 2 of Twisted
Cable Pattern, place marker, k to end of row.

Next Row: Work in St st (knit on right side,
purl on wrong side) to marker, slip marker,
work next row of Twisted Cable Pattern, slip
marker, k8, slip marker, work next row of
Twisted Cable Pattern, slip marker, work in St
st to end of row.

Repeat last row until piece measures 11
(12, 13, 14)" [28 (30.5, 33, 35.5) cm] from
beginning. Bind off.

LEFT FRONT

With smaller needles, cast on 26 (28, 30, 32)
sts.

Row 1 (wrong side): K6 for front band, p to
end of row.

Notes: In next row (right side), begin the rib
with k2 for sizes 6 and 18 months, begin rib
with p2 for sizes 12 and 24 months. This is to
ensure that the 2x2 Rib pattern ends with p2
before the 6 front band stitches are knit.

Row 2: Work in 2x2 Rib to last 6 sts, k6.

Row 3: K6, knit the knits sts and purl the purl
sts to end of row.

Repeat last 2 rows until piece measures 1½"
(4 cm) from beginning; end with a wrong side
row.

Change to larger needles.

Set-Up Row (right side): K12 (14, 16, 18),
place marker, work Row 2 of Twisted Cable
Pattern, place marker, k6 for front band.

Continued...

SHOP KIT

Next Row (wrong side): Knit to marker, slip marker, work next row of Twisted Cable Pattern, slip marker, purl to end of row.

Next Row: Knit to marker, slip marker, work next row of Twisted Cable Pattern, slip marker, k6. Repeat last 2 rows until piece measures 9½ (10½, 11, 12)” [24 (26.5, 28, 30.5) cm], end with a right side row.

Shape Neck

Row 1 (wrong side): K6 and place these front band sts on stitch holder, bind off 5 sts, p to end of row—15 (17, 19, 21) sts remain on needle.

Row 2: Knit.

Row 3: Bind off 3 sts, purl to end of row—12 (14, 16, 18) sts.

Row 4: Knit.

Row 5: Bind off 1 st, purl to end of row—11 (13, 15, 17) sts.

Repeat last 2 rows 1 (1, 2, 2) more times—10 (12, 13, 15) sts.

Work even in St st over remaining sts until piece measures same as back. Bind off. Place 5 markers across front band for buttons. Place first marker about 1” (2.5 cm) above lower edge and next marker ½” (1.5 cm) below top edge of front band stitches on holder. Evenly space remaining 3 markers between the first two markers.

RIGHT FRONT

With smaller needles, cast on 26 (28, 30, 32) sts.

Row 1 (wrong side): Purl to last 6 sts, k6.

Row 2: K6, *p2, k2; repeat from * to end of row.

Row 3: Knit the knit sts and purl the purl sts to last 6 sts, k6.

Repeat last 2 rows until piece measures 1” (2.5 cm) from beginning; end with a wrong side row.

Buttonhole Row (right side): K2, yo, k2tog, k2, *p2, k2; repeat from * to end of row.

Next Row: Knit the knit sts and purl the purl sts to last 6 sts, k6.

Change to larger needles.

While working remainder of right front, work buttonholes as in Buttonhole Row on right side rows opposite each button marker of Left Front.

Set-Up Row (right side): K6 for front band, place marker, work Row 2 of Twisted Cable Pattern, place marker, knit to end of row.

Next Row (wrong side): Purl to marker, slip marker, work next row of Twisted Cable Pattern, slip marker, knit to end of row.

Next Row: K6, slip marker, work next row of Twisted Cable Pattern, slip marker, knit to end of row.

Repeat last 2 rows until piece measures 9½ (10½, 11, 12)” [24 (26.5, 28, 30.5) cm], end with a wrong side row.

Continued...



Shape Neck

Row 1 (right side): K6 and place these front band sts on stitch holder, bind off 5 sts, knit to end of row—15 (17, 19, 21) sts remain on needle.

Row 2: Purl.

Row 3: Bind off 3 sts, knit to end of row—12 (14, 16, 18) sts.

Row 4: Purl.

Row 5: Bind off 1 st, knit to end of row—11 (13, 15, 17) sts.

Repeat last 2 rows 1 (1, 2, 2) more times—10 (12, 13, 15) sts.

Work even in St st over remaining sts until piece measures same as back. Bind off.

SLEEVES (make 2)

With smaller needles, cast on 30 (32, 34, 36) sts.

Row 1 (wrong side): Purl.

Work in 2x2 Rib until piece measures 1" (2.5 cm) from beginning, end with a wrong side row. Change to larger needles.

Set Up Row (right side): K11 (12, 13, 14), place marker, work Row 2 of Twisted Cable Pattern, place marker, knit to end of row.

Next 5 Rows: Work in St st to marker, slip marker, work next row of Twisted Cable Pattern, slip marker, work in St st to end of row.

Increase Row (right side): K1, M1, knit to marker, slip marker, work next row of Twisted Cable Pattern, slip marker, knit to last st, M1, k1—32 (34, 36, 38) sts.

Repeat last 6 rows 4 (5, 6, 7) more times—40 (44, 48, 52) sts.

Next Row: Work in St st to marker, slip marker, work next row of Twisted Cable Pattern, slip marker, work in St st to end of row.

Repeat last row until piece measures 7 (8, 9, 10)" [18 (20.5, 23, 25.5) cm] from beginning.

Bind off.

FINISHING

Sew shoulder seams. Centering top of sleeve over shoulder seam, sew sleeves in place.

Sew side and sleeve seams.

Neckband

With right side facing and smaller needles, knit the 6 right front band sts from holder, pick up and k54 (56, 58, 60) sts across neck edge, knit the 6 left front band sts from holder—66 (68, 70, 72) sts.

Next Row: K6, work in 2x2 Rib to last 6 sts, k6. Repeat last row until band measures 1" (2.5 cm), end with a wrong side row. Bind off all sts knitwise.

Weave in ends. Block cardigan. Sew buttons to right front band, opposite buttonholes.

ABBREVIATIONS

k = knit; **k2tog** = knit next 2 sts together; **p** = purl; **st(s)** = stitch(es); * = repeat whatever follows the * as indicated.

