# **%arnspirations**

spark your inspiration!

### **CRED HEART** KNIT VISUAL CABLE FRONT PULLOVER

SHOP KIT



#### MATERIALS

Red Heart<sup>®</sup> Super Saver<sup>™</sup> (7 oz/198 g; 364 yds/333 m)

Sizes	XS/S	Μ	L	
Contrast A	2	2	2	balls
Minty (0520)	606/555	643/588	689/630	yds/m
Contrast B	2	2	2	balls
Pretty 'n Pink (0722)	527/482	558/511	599/548	yds/m
Sizes	XL	2/3XL	4/5XL	
Contrast A	3	3	3	balls
Minty (0520)	740/677	825/755	930/850	yds/m
Contrast B	2	2	3	balls
Pretty 'n Pink (0722)	643/588	717/656	808/739	yds/m

Sizes U.S. 7 [4.5 mm] and U.S. 8 [5 mm] Susan Bates<sup>®</sup> knitting needles **or size needed to obtain gauge.** Size U.S. 7 [4.5 mm] circular knitting needle 16" [40.5 cm] long. 2 Susan Bates<sup>®</sup> stitch holders. Susan Bates<sup>®</sup> yarn needle. Susan Bates<sup>®</sup> stitch markers. Susan Bates<sup>®</sup> cable needle.



### KNIT I SKILL LEVEL: INTERMEDIATE

#### **ABBREVIATIONS**

- Alt = Alternate
- **Approx** = Approximately
- **Beg** = Beginning

**C4B** = Slip next 2 stitches onto cable needle and leave at back of work. K2, then K2 from cable needle.

**C4F** = Slip next 2 stitches onto cable needle and leave at front of work. K2, then K2 from cable needle.

**C6B** = Slip next 3 stitches onto cable needle and leave at back of work. K3, then K3 from cable needle.

**C6F** = Slip next 3 stitches onto cable needle and leave at front of work. K3, then K3 from cable needle.

Cont = Continue(ity) Dec = Decrease (ing) Inc = Increase(ing) K = Knit

## **K2tog** = Knit next 2 stitches together

**M1L** = Make 1 stitch by picking up horizontal loop lying before next stitch from front to back and knitting into back of loop **M1R** = Make 1 stitch by picking up horizontal loop lying before next stitch from back to front and knitting into front of loop  $\mathbf{P} = Purl$ **P2tog** = Purl next 2 stitches together **Pat** = Pattern **Rem** = Remain(ing) **Rep** = Repeat **RS** = Right side **Ssk** = Slip next 2 stitches knitwise one at a time. Pass them back onto left-hand needle, then knit through back loops together **St(s)** = Stitch(es) **WS** = Wrong side

# **%arnspirations**™

spark your inspiration!

#### **CRED HEART** KNIT VISUAL CABLE FRONT PULLOVER

#### **SIZES**

#### To fit chest measurement

XS/S28-34" [71-86.5 cm]M36-38" [91.5-96.5 cm]L40-42" [101.5-106.5 cm]XL44-46" [112-117 cm]2/3XL48-54" [122-137 cm]4/5XL56-62" [142-157.5 cm]

#### **Finished chest**

 XS/S
 40" [101.5 cm]

 M
 43½" [110.5 cm]

 L
 47" [119.5 cm]

 XL
 51" [129.5 cm]

 2/3XL
 58" [147.5 cm]

 4/5XL
 65" [165 cm]

#### GAUGE

18 sts and 24 rows = 4" [10 cm] in stocking st with larger needles.

#### **INSTRUCTIONS**

The instructions are written for **XS/S**. If changes are necessary for larger size(s) the instructions will be written **XS/S** (M-L-XL-2/3XL-4/5XL). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

**STRIPE PAT** With A, work 16 rows.

With B, work 16 rows. These 32 rows form Stripe Pat.

CABLE PANEL PAT (worked over 39 sts). *See chart on page 4*. 1st row: (RS). P2. C4F. P2. K2. P2. K3. (C6F) twice. P2. K2. P2. C4B. P2. 2nd and alt rows: K2. P4. K2. P2. K2. P15. K2. P2. K2. P4. K2. 3rd row: P2. K4. P2. K2. P2. K15. P2. K2. P2. K4. P2. 5th row: P2. C4F. P2. K2. P2. (C6B) twice. K3. P2. K2. P2. C4B. P2. 7th row: As 3rd row. 8th row: As 2nd row. These 8 rows form Cable Panel Pat.

#### BACK

\*\*With A and smaller needles, cast on **90 (98-106-114-130-146)** sts. **1st row:** \*K2. P2. Rep from \* to last 2 sts. K2.

**2nd row:** \*P2. K2. Rep from \* to last 2 sts. P2.

Rep last 2 rows (K2. P2) 5 times more (12 rows total) ending on a WS row.\*\* Change to larger needles and work 4 rows in stocking st with A. First 16 rows of Stripe Pat are now complete.

Keeping cont of Stripe Pat, cont in stocking st until work from beg measures **26** (26-26-27-27-28)" [**66** (66-66-68.5-68.5-71) cm], ending on a purl row.

#### Shape shoulders:

Sizes XS/S, XL, 2/3XL and 4/5XL only: Keeping cont of Stripe Pat cast off 9 (13-15-17) sts at beg of next 6 rows.

**Sizes M and L only:** Keeping cont of Stripe Pat cast off (10-12) sts at beg of next 4 rows. Cast off 11 sts at beg of following 2 rows.

All sizes: Leave rem **36** (**36-36-36-40-44**) sts on holder for Neckband.

#### FRONT

Work from \*\* to \*\* as given for Back.

Change to larger needles and keeping cont of Stripe Pat, (noting next 4 rows will be worked with A) proceed as follows: Inc row: (RS). K30 (34-38-42-50-58). P2. (K1. M1R) twice. P2. K2. P2. K1. (M1R. K2) 4 times. M1R. K1. P2. K2. P2. (K1. M1R) twice. P2. Knit to end of row. 99 (107-115-123-139-155) sts.

**Next row:** P**30** (**34-38-42-50-58**). K2. P4. K2. P2. K2. P15. K2. P2. K2. P4. K2. Purl to end of row.

Proceed in Cable Panel Pat as follows:

**1st row:** (RS). K**30** (**34-38-42-50-58**). Work 1st row of Cable Panel Pat across next 39 sts. Knit to end of row.

**2nd and alt rows:** P**30** (**34-38-42-50-58**). Work 2nd row of Cable Panel Pat across next 39 sts. Purl to end of row.

Cable Panel Pat is now in place.

Keeping cont of Cable Panel Pat and Stripe Pat, cont as established until work from beg measures 23 (23-23-24-24-25)" [58.5 (58.5-58.5-61-61-63.5) cm], ending on a WS row.

**RHK0829-036755M** | May 17, 2024



spark your inspiration!

#### **CRED HEART** KNIT VISUAL CABLE FRONT PULLOVER

Keeping cont of Cable Panel Pat and Stripe Pat, proceed as follows: **Left neck shaping: 1st row:** (RS). Pat across **32** (**36-38-42-50-58**) sts. K2tog. K1. **Turn.** Leave rem sts unworked. Cont on **34** (**38-40-44-52-60**) sts.

**2nd row:** Work even in pat. **3rd row:** Pat to last 3 sts. K2tog. K1. **33** (37-39-43-51-59) sts. Rep last 2 rows until **29** (33-37- **41-47-53**) sts rem, ending on a RS row.

**Next row:** (WS). P1. P2tog. Purl to end of row. **28** (**32-36-40-46-52**) sts. **Next row:** Knit to last 3 sts. K2tog.

K1. 27 (31-35-39-45-51) sts.

Keeping cont of Stripe Pat, cont even in stocking st until work from beg measures **26** (26-26-27-**27-28**)" [**66** (66-66-68.5-68.5-71) cm], ending on a purl row.

#### Shape shoulder

Sizes XS/S, XL, 2/3XL and 4/5XL only: Cast off 9 (13-15-17) sts at beg of next row and following RS rows twice more. Sizes M and L only: Cast off (10-12) sts at beg of next row and following RS row. Work 1 row even. Cast off rem 11 sts.

All sizes: With RS facing, place center 29 (29-33-33-33-33) sts onto st holder. Attach yarn to rem 35 (39-41-45-53-61) sts and proceed as follows:

**Right neck shaping: 1st row:** (RS). K1. ssk. Pat to end of row. **34** (**38**-**40-44-52-60**) sts. **2nd row:** Work even in pat. Rep last 2 rows until **29** (**33-37**-**41-47-53**) sts rem, ending on a RS

**Next row:** (WS). Purl to last 3 sts. P2tog. P1. **28** (**32-36-40-46-52**) sts. **Next row:** K1. ssk. Knit to end of row. **27** (**31-35-39-45-51**) sts.

Keeping cont of Stripe Pat, cont even in stocking st until work from beg measures **26** (26-26-27-**27-28**)" [**66** (66-66-68.5-68.5-71) cm], ending on a knit row.

#### Shape shoulder

Sizes XS/S, XL, 2/3XL and 4/5XL only: Cast off 9 (13-15-17) sts at beg of next row and following WS rows twice more.

Sizes M and L only: Cast off (10-

12) sts at beg of next row and following WS row.Work 1 row even. Cast off rem 11 sts.

#### SLEEVES

With A and smaller needles, cast on **46** (**46-46-50-54-58**) sts. **1st row:** (RS). \*K2. P2. Rep from \* to last 2 sts. K2. **2nd row:** \*P2. K2. Rep from \* to

last 2 sts. P2.

Rep last 2 rows (K2. P2) 5 times more (12 rows total) ending on a WS row.\*\*

Change to larger needles and work 4 rows in stocking st with A. First 16 rows of Stripe Pat are now complete. Keeping cont of Stripe Pat, proceed as follows:


**1st row:** (Inc row). K1. M1R. Knit to last st. M1L. K1. **48** (**48-48-52-56-60**) sts.

Work 3 rows even in stocking st. Rep last 4 rows to **86** (86-90-90-94-98) sts.

Keeping cont of Stripe Pat, cont even in stocking st until Sleeve from beg measures **18** (**18-18-17-17-16**<sup>1</sup>/<sub>2</sub>)" [**45.5** (**45.5-45.5-43-43-42**) cm], ending on a purl row. Cast off knitwise.

#### FINISHING

Sew shoulder seams as shown in diagram below.



SHOULDER SEAMS

row.

# **%**arnspirations™

spark your inspiration!


### **CRED HEART** KNIT VISUAL CABLE FRONT PULLOVER

**RHK0829-036755M** | May 17, 2024

**Neckband:** With RS facing, A and smaller circular needle, K**36** (36-36-36-40-44) from back neck st holder. Pick up and knit 14 sts down left front neck edge. K**29** (29-33-33-33) from Front st holder, dec 1 st at center ront. Pick up and knit 14 sts up right front neck edge. **92** (92-96-96-100-104) sts. Join in rnd, placing a marker on first st. Work 2" [5 cm] in (K2. P2) ribbing.

Cast off in ribbing.

Place markers on side edges 9½ (9½-10-10-10½-11)" [24 (24-25.5-25.5-26.5-28) cm] down from shoulder seams. Using mattress stitch, sew in Sleeves between markers. Sew side and sleeve seams using mattress stitch, being careful to match stripes.



MATTRESS STITCH

