





MATERIALS

Lily® Sugar'n Cream® (2.5 oz/70.9 g; 120 yds/109 m) Teal (01133) **3 balls or 356 yds/323 m**

Size U.S. H/8 (5 mm) crochet hook **or size needed to obtain gauge.** Stitch marker. $11\frac{1}{2}$ " [29 cm] diameter x $10\frac{1}{4}$ " [26 cm] high plant pot. Elastic thread. Sewing needle. Hot glue gun and glue sticks to secure Cozy to Plant Pot (optional).





CROCHET I SKILL LEVEL: INTERMEDIATE

ABBREVIATIONS

Approx = Approximately
Bobble = (Yoh and draw up a loop. Yoh and draw through 2 loops on hook) 5 times in indicated stitch. Yoh and draw through all loops on hook.

Ch = Chain(s)

Cont = Continue

Dc = Double crochet

Dcbp = Yoh and draw up a loop around post of next stitch at back of work, inserting hook from right to left. (Yoh and draw through 2 loops on hook) twice. **Dcfp** = Yoh and draw up a loop around post of next stitch at front of work, inserting hook from right to left. (Yoh and draw through 2 loops on hook) twice. **Hdc** = Half double crochet

Hdcbp = Yoh and draw up a loop around post of next stitch at back of work, inserting hook from right to left. Yoh and draw through 3 loops on hook.

Hdcfp = Yoh and draw up a loop around post of next stitch at front of work, inserting hook from right to left. Yoh and draw through 3 loops on hook.

Pat = Pattern

Picot = Ch 4. Sl st in 4th ch from hook.

Rem = Remaining

Rep = Repeat

Rnd(s) = Round(s)

RS = Right side

Sc = Single crochet

Sc2tog = Draw up a loop in each of next 2 sc. Yoh and draw through all 3 loops on hook

Scfp = Draw up a loop around post of next stitch at front of work, inserting hook from right to left. Yoh and draw through 2 loops on hook.

Scbl = Single crochet in back loop only of next stitch

SI st = Slip stitch

Sp(s) = Space(s)

St(s) = Stitch(es)

WS = Wrong side

Yoh = Yarn over hook





MEASUREMENTS

Approx 11½" [29 cm] diameter x 8½" [21 cm] high, excluding fringe.

GAUGE

13 sc and 14 rows = 4" [10 cm]. 19 sts and 12 rows = 4" [10 cm] in Diamond Pat Section.

Diamond Pat Motif = 3.5" [9 cm] wide x 32" [81.5 cm] long.

Note: Gauge is important to ensure project matches purchased plant pot size.

INSTRUCTIONS

COZY

Note: Cozy is worked in one piece starting with Diamond Pattern Section worked from side to side. Next, Diamond Pattern Section is seamed and Top and Bottom Sections are worked around Top and Bottom edges (see diagram on page 4).

Diamond Pat Section (worked side to side):

Ch 18.

1st row: 1 sc in 2nd ch from hook. 1 hdc in next ch. 1 sc in each of next 2 ch. Ch 9. Skip next 9 ch. 1 sc in each of next 2 ch. 1 hdc in next ch. 1 sc in last ch. Turn. **2nd row:** Ch 1. 1 sc in first sc. 1 hdcbp around next hdc. Ch 2. 1 dcbp around each of next 2 sc. Ch 7. Skip next ch-9. 1 dcbp around each of next 2 sc. Ch 2. 1 hdcbp around next hdc. 1 sc in last sc. Turn.

3rd row: Ch 1. 1 sc in first sc. 1 hdcfp around next hdc. Ch 3. Skip next ch-2. 1 dcfp around each of next 2 dc. Ch 5. Skip next ch-7. 1 dcfp around each of next 2 dc. Ch 3. Skip next ch-2. 1 hdcfp around next hdc. 1 sc in last sc. Turn.

4th row: Ch 1. 1 sc in first sc. 1 hdcbp around next hdc. Ch 4. Skip next ch-3. 1 dcbp around each of next 2 dc. Picot. Skip next ch-5. 1 dcbp around each of next 2 dc. Ch 4. Skip next ch-3. 1 hdcbp around next hdc. 1 sc in last sc. Turn

5th row: Ch 1. 1 sc in first sc. 1 hdcfp around next hdc. Ch 4. Skip next ch-4. 1 scfp around each of next 2 dc. Bobble in ch-4 sp created by Picot. 1 scfp around each of next 2 dc. Ch 4. Skip next ch-4. 1 hdcfp around next hdc. 1 sc in last sc. Turn.

6th row: Ch 1.1 sc in first sc. 1hdcbp around next hdc. Ch 3. Skip next

ch-4. 1 dcbp around each of next 2 sc. Ch 5. Skip next Bobble. 1 dcbp around each of next 2 sc. Ch 3. Skip next ch-4. 1 hdcbp around next hdc. 1 sc in last sc. Turn.

7th row: Ch 1. 1 sc in first sc. 1 hdcfp around next hdc. Ch 2. Skip next ch-3. 1 dcfp around each of next 2 dc. Ch 7. Skip next ch-5. 1 dcfp around each of next 2 dc. Ch 2. Skip next ch-3. 1 hdcfp around next hdc. 1 sc in last sc. Turn.

8th row: Ch 1. 1 sc in first sc. 1 hdcbp around next hdc. Skip next ch-2. 1 dcbp around each of next 2 dc. Ch 9. Skip next ch-7. 1 dcbp around each of next 2 dc. Skip next ch-2. 1 hdcbp around next hdc. 1 sc in last sc. Turn.

9th row: Ch 1. 1 sc in first sc. 1 hdcfp around next hdc. 1 scfp around each of next 2 dc. Ch 9. Skip next ch-9. 1 scfp around each of next 2 dc. 1 hdcfp around next hdc. 1 sc in last sc. Turn.

10th row: Ch 1. 1 sc in first sc. 1 hdcbp around next hdc. Ch 2. 1 dcbp around each of next 2 sc. Ch 7. Skip next ch-9. 1 dcbp around each of next 2 sc. Ch 2. 1 hdcbp around next hdc. 1 sc in last sc. Turn.

11th row: Ch 1. 1 sc in first sc. 1 hdcfp around next hdc. Ch 3. Skip next ch-2. 1 dcfp around each of next 2 dc. Ch 2. Working over all 5 ch to enclose them, 1 sc in ch-5 sp 5 rows below. Ch 2. 1 dcfp around each of next 2 dc. Ch 3. Skip next ch-2. 1 hdcfp around next hdc. 1 sc in last sc. Turn.

12th row: Ch 1. 1 sc in first sc. 1 hdcbp around next hdc. Ch 4. Skip next ch-3. 1 dcbp around each of next 2 dc. Picot. Skip next: (Ch 2. 1 sc. Ch 2). 1 dcbp around each of next 2 dc. Ch 4. Skip next ch-3. 1 hdcbp around next hdc. 1 sc in last sc. Turn.

Rep 5th to 12th rows 10 times more, then rep 5th to 8th rows once.

Fasten off.

Seaming: With RS facing each other, fold Diamond Pattern Section in half aligning short ends with each other. Working through both thicknesses and making sure to match pat, sl st evenly across short ends. Fasten off. Turn Diamond Pattern Section RS out.





Join yarn with sl st to 3rd ch of first ch-5 section above seamed edge (ch-5 from 3rd row). Working over all 5 ch to enclose them (working across seam), 1 sc in ch-5 sp 5 rows below to match repeating Diamond Pattern around. Fasten off.

Top Section

Note: Do not join at ends of rnds (unless otherwise stated). Cont working in spiral placing marker on first st of rnd for easier counting.

With RS facing, join yarn with sl st at seam to work around Top edge of Diamond Pat Section (see diagram).

1st rnd: Ch 1. Work 110 sc evenly around Top edge of Diamond Pat Section working sts around sides of sc sts.

2nd rnd: Skip ch 1. 1 sc in each sc around.

3rd rnd: 2 sc in first sc. 1 sc in each of 109 sc around. 111 sc.

4th rnd: 1 sc in each of first 54 sc. 2 sc in next sc. 1 sc in each of next 54 sc around. 112 sc.

5th rnd: 1 sc each each sc around. Join with sl st in first sc. Fasten off.

Bottom Section:

Note: Do not join at ends of rnds (unless otherwise stated). Cont working in spiral placing marker on first st of rnd for easier counting.

With RS facing, join yarn with sl st at seam to work around Bottom edge of Diamond Pat Section (see diagram).

1st rnd: Ch 1. Work 98 sc evenly around Bottom edge of Diamond Pat Section working sts around sides of sc sts.

2nd rnd: Skip ch 1. Sc2tog. 1 sc in each of next 96 sc. 97 sc.

3rd rnd: 1 sc in each of next 24 sc. Sc2tog. 1 sc in each of next 46 sc. Sc2tog. 1 sc in each of next 23 sc. 95 sc.

4th rnd: Sc2tog. 1 sc in each of next 46 sc. Sc2tog. 1 sc in each of next 45 sc. Join with sl st to first sc. 93 sc. **Do not** fasten off. Cont with Twisted Tabs (see diagram) as follows:

Tabs


1st row: (RS). Ch 1. 1 scbl in each of first 3 sc. Turn.

2nd to 8th rows: Ch 1. 1 sc in each of next 3 sc. Turn. - *First Tab made*. Fasten off.

With RS facing, join yarn with sl st in next st along rnd. Rep 1st to 8th rows to create next Tab. Fasten off.

Cont working in this manner, working individual 3-st Tabs around. 31 Tabs.

Twist Tabs and begin working in rnds: 1st rnd: With RS facing, twist first Tab so WS of top of Tab is facing and Tab has a single twist in it. Join yarn with sl st in first sc of Tab to work around. Ch 1. 1 scbl in each of next 3 sc. Twist second Tab in same manner as first, being sure to twist in same direction. 1 scbl in each of 3 sc across second Tab. Cont working in this manner, twisting each Tab and working 1 scbl in each sc around. Join with sl st to first sc. 93 sc.



2nd rnd: Ch 1. (Sc2tog. 1 sc in each of next 29 sc) 3 times. 90 sc. **3rd rnd:** Skip ch 1. 1 sc in each sc around. Join with sl st to first sc. Fasten off.

FINISHING

Surface Crochet:

Top of Twisted Tabs: With RS facing, join yarn with sl st at first rem loop aligned with seam from 1st row of Twisted Tabs. Ch 1. 1 sc in each rem loop around. Join with sl st to first sc. Fasten off.

Bottom of Twisted Tabs: Work as for Top of Twisted Tabs around 1st rnd at bottom of Twisted Tabs.

Top Hdc Ridge: With RS facing, join yarn at seam with sl st around first hdc of Top Hdc Ridge of Diamond Pat Section (see chart). Ch 1. Sc evenly around, working sts around hdc sts. Join with sl st to first sc. Fasten off.

Bottom Hdc Ridge: Work as for Top Hdc Ridge around Bottom Hdc Ridge of Diamond Pat Section.





Elastic Thread Weaving: (WS). With sewing needle and elastic thread, weave elastic thread through every other st around 2nd row from Top Edge of Cozy, being sure thread is not visible on RS of work. Tie thread tightly so Cozy fits snuggly around pot. Rep on 3rd and 4th rows from Top Edge of Cozy (3 rows of elastic thread weaving in total).

Optional: To keep Cozy from sliding down slippery pot surface, use hot glue gun and glue sticks to apply small dots of glue to WS around Top Edge of Cozy. Let dry.

Fringe: Cut strands of yarn 3½" [9 cm] long. Taking 1 strand, fold in half and knot into fringe in each sc around bottom edge of Cozy. Unply each strand of yarn in fringe.

