



DAISY DO PUNCH NEEDLE WALL

SCN0518-036089M | January 11, 2024



MATERIALS

Lily[®] **Sugar'n Cream**[®] (2.5 oz/70.9 g; 120 yds/109 m)

Contrast A Ecru (00004) 1 ball or 26 yds/24 m

Contrast B Country Yellow (01612) 1 ball or 6 yds/15.5 m

Contrast C Seabreeze (01201) 1 ball or 26 yds/24 m

Note: 1 ball of each A, B, and C will make 4 Wall Hangings.

Susan Bates® Adjustable Punch Needle. 6" [15 cm] Anchor® Faux Wood Embroidery Hoop. 1 piece of 8" [20.5 cm] square of monk's cloth. Hot glue gun and glue sticks. Scissors. 1 piece of 6" [15 cm] diameter felt for backing.





ABBREVIATIONS

Approx = Approximately

MEASUREMENT

Approx 16" [15 cm] diameter.

INSTRUCTIONS



- 1. Place the fabric centered in 6" [15 cm] Anchor® Faux Wood Embroidery Hoop.
- 2. Transfer the daisy design to fabric, ensuring pattern is sized to 6" [15 cm] diameter. See page 2 for methods of transferring the design and page 3 for template.



- 3. Thread the punch needle following the package instructions. It should move freely through the barrel of the needle.
- 4. Keep in mind that the loop side of your project will be the reverse of what you have traced.





DAISY DO PUNCH NEEDLE WALL

SCN0518-036089M | January 11, 2024

5. Set punch needle to D setting. Start with the main outline of daisies then move to fill them following colors indicated on diagram. When flowers are complete, turn work over and punch through front of work for daisy centers and background to create low loops that sit flush to the fabric. Start with main outlines then move to fill in.









- 6. Keep slack on the yarn as you punch so that the yarn will stay in the cloth. If you have too much tension on the yarn it will pull back up as you pull up your needle for the next punch.
- 7. Keep the opening (eye) of the needle facing the direction you are punching.

- 8. Be sure to punch the needle all the way down until the handle touches the foundation cloth.
- 9. **Do not** lift the needle too high out of your cloth in between punches. Again, the tension will pull up the prior stitches. Drag the needle across the cloth to the next punch.
- 10.Once complete, trim excess fabric around hoop, leaving about 1" [2.5 cm] border.
- 11. Using hot glue, fold the edges to back of work and glue in place around inside of hoop.
- 12.Glue piece of felt to back of Hoop.

HERE ARE TWO METHODS FOR TRANSFERRING THE PATTERN Light box or source

- 1. Place the printed pattern on a light box or tape to a window-the sunnier outside it is, the better.
- 2. Center the cloth over the pattern and tape or hold in place.
- 3. Trace pattern onto cloth with pencil or felt tip marker.

In Hoop Method

- 1. Cut out the pattern.
- 2. Center and tape the pattern to the inside of the hoop.
- 3. Trace pattern onto cloth with pencil or felt tip marker. Remove pattern.







DAISY DO PUNCH NEEDLE WALL

SCN0518-036089M | January 11, 2024

