EFFECTIVE 04.01.23

3







April 2023

Retail* Price List & Product Information Guide *10% tariff has been included.

Contents

General Information » Production Time, Pricing & Terms, Returns, Changes & Cancellations, Shipping, Installation, Dimension Key, Materials, Finishes, PTH Perfect Match™

Portfolio Collection »

1 1/8" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe, Bohemian Chic, Rustic Retreat	7
1 3⁄8" Finial Collections Modern, Today's Traditional, Heritage Classics	14
2 ¼" Finial Collections Today's Traditional, Heritage Classics	22
Traverse Systems »	
1 3⁄8" Motorized Metal Traverse R-TEC Automation® Motorized System	32
Motorized Heavy Duty Traverse R-TEC Automation® or Somfy®	42
Metal Manual Baton Draw Traverse 1 ⅛" - 1 ¾" Diameters, Baton Draw	63
Heavy Duty Manual Traverse 1¾" - 2¼" Diameters, Corded or Baton	74
Quick Ship Collection »	
1 ⅛" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe	87
1 ¾" Finial Collections Modern, Today's Traditional, Heritage Classics	93

- 2¹/₄" Finial Collections 102 Today's Traditional, Heritage Classics
- Sales Tools »

106



For over 30 years, Paris Texas Hardware has been dedicated to evolving our legacy of providing exceptional design and superior service. Our in-house design team places you at the center of the design process while staying true to our heritage of curating designs that are uniquely our own.



We respect the important relationship between style and function in design and are excited to introduce many customized solutions that are perfectly balanced to inspire your vision into a reality.

Whether it's a Modern finial silhouette that has never been seen before, a Heritage Classic with a new twist or a customized traverse solution integrated with the latest smart home technology, we promise to provide you with something different - a collective style designed to inspire that you cannot find anywhere else in the world.



Trusted Heritage

In celebration of our 30 year anniversary, we promise to deliver on our rich legacy of providing high quality products, unique & elegant designs, a wide selection of finishes and superior service combined with designer expertise to elevate your design vision.




High Quality Products

Our products are tailored specifically to your needs and designed to be unrivaled in their ability to stand alone as the perfect combination of smart, decorative, durable and functional.



Wide Selection of Finishes

With a choice between our 35 Hand Painted Portfolio Finishes, 6 Quick Ship Metal Finishes, 5 Quick Ship Wood & Resin Finishes and PTH Perfect Match™, the possibilities are endless. Our talented artisans enjoy the challenge of creating any finish that you can envision.



Available Stock | Quick Ship

When you need products to complete a project in a hurry, our Quick Ship Collection offers products that are in stock and ship within 24 hours. Available in 6 plated metal finish options, 5 wood & resin finish options, over 50 finial designs and many bracket and accessory styles.



Superior Service

2


Paris Texas Hardware promises to offer an enjoyable customer experience that includes honest dialogue and responsive feedback.




Designer Expertise 🎇

Our talented team, with years of experience, are ready to help design the perfect window treatment solution for your project. Look for the icon throughout the catalog for tips, techniques and inspiration provided by our design experts, and download the full booklet using the QR code above, or by visiting: bit.ly/PTH-DE

Dimension Key





Materials

Some finials, brackets, holdbacks and rings are made of resin composite materials. Resin may be damaged by cutting, drilling or attempting to alter the size or shape of products. Some items are made of cast aluminum or stamped steel. Wood poles and wood rings are made of various hardwoods. Metal poles and metal rings are made of metal or steel.

Poles & Rods

Wood poles may be spliced together using a dowel splicing screw, which is included with each pole. Metal poles may be spliced together using our pole splice, sold separately, or a dowel splicing screw where plastic inserts are included. We recommend a center support bracket for pole lengths in excess of four feet. We cannot guarantee against sagging caused by unsupported spans greater than our recommended four feet.

Finials

All finials are sold as pairs. Most resin finial bases have a ¹/₈" recess for a clean pole fit. Resin finials are fitted with a dowel screw that may not be removed without damaging the finial. 1 ¹/₈" metal finials are supplied with plastic inserts to attach the finials. 1 ³/₈" metal finials are fitted with a set screw, which can be tightened using an allen wrench provided.

Brackets

Brackets are sold individually. Depending on the style of the bracket, there are three wall mounting styles; key lock, round mounting plate or front drill. Some heavier treatments may require stronger fasteners (mollies and screws) than those included with the brackets. Brackets should be installed securely into wall studs.

Rings

Rings are sold individually. Eyelets are not detachable from rings. Excessive movement of rings on the top of the pole will naturally abrade the finish. We recommend three to four rings per foot of finished pole length, or six to seven rings per width of fabric.

General Information

Production Time

Purchase orders are processed once they are received by Paris Texas Hardware. Incomplete information will delay processing and shipping. Quick Ship collections are in stock and ship within 24 hours. Quick Ship orders received before noon CST ship the same day. Portfolio custom collection is hand finished and ships within 10-15 business days.

Heavy Duty Corded or Baton & Motorized Traverse Systems

Heavy duty traverse systems are available with or without decorative wood fascia, available in 1 ⅔" or 2 ¼" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 ⅔" slim round smooth profile, 2 ¼" flat smooth profile with flush ends or mitered returns, in Portfolio, PTH Perfect Match[™] and Quick Ship Wood & Resin. Production time for traverse system orders is 10-15 business days. Please refer to pages 49 & 77 for available fascia styles, sizes and finishes.

Metal Baton Draw & Motorized Traverse Systems Metal traverse systems are available in 1 ⅓" and 1 ¾" Portfolio (except Antique Gold Leaf), PTH Perfect Match[™], Quick Ship Metal and Quick Ship Wood & Resin. All 1 ⅓" and Wood & Resin 1 ¾" require Transitional Cuff / Finial Adapters to attach finials, sold separately. Production time for traverse system orders is 10-15 business days. Please refer to pages 32 - 41 and 63 - 73 for available metal track sizes and finishes.

Pricing & Terms

Pricing found in the Paris Texas Hardware Price List are our Suggested Retail Prices. Prices are subject to change without notice. Due to the U.S. government's current policy on China tariffs, all products are subject to a tariff surcharge as of September 1, 2019. Prices are quoted exclusive of Freight and Packaging. The Buyer should always inspect the product upon receipt.

IMPORTANT: Please note that your order will be placed with an authorized Paris Texas Hardware Distributor. While most of the following will generally apply, your distributor may have terms and conditions of the sale that will vary from what is stated here.

Returns, Changes & Cancellations

All Portfolio and PTH Perfect Match™ products are custom painted and may not be Returned. Orders may not be changed or canceled once production has begun.

Quick Ship items may be Returned if poles are uncut and all products are received in sellable condition. A restocking fee of 40% will apply and the customer will prepay freight. All Returns must be authorized by the Paris Texas Hardware customer service department, and are authorized at our discretion, given the circumstances and nature of each order. A Return Authorization Number (RA#) must be issued by customer service, and the RA# must be noted on all Return packages. Return Credit is issued on Returned goods that are inspected and deemed undamaged. Customers should exercise care to adequately package Return goods. Return Credit will not be issued for unauthorized Returns or damaged Returns.

Shipping (NET Fees)

All hardware orders are shipped FOB Dallas, Texas. Standard size orders ship using normal guidelines via UPS or FedEx ground. Average transit time is three to seven business days. Three Day Select, Second-Day or Next-Day Air services may be requested. Poles over 92" MUST be shipped by common carrier. For current common carrier freight rates and orders subject to actual freight costs, visit www.paristexashardware.com/freight-rate. Shipments exceeding these limits will require a special freight quote. Expedited shipments are not available in all areas. Any additional charges for expedited shipments will be in addition to the published net fees. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

Packaging Fees (NET Fees)

A net packaging fee of \$10.00 per order will apply to any order that has a pole. A net packaging fee of \$10.00 will apply to any order with a traverse rod less than 16 feet. The net packaging fee increases to \$25.00 for all orders with rods with returns; motorized traverse track; or poles, rods and corded traversing track 16 feet or longer.

Damaged Goods & Freight Claims

Immediately upon receipt, your order should be inspected to ensure that there is no damage from shipping. To report a claim, contact your Paris Texas Hardware distributor. Damage and freight claims must be made within 15 days of receipt of goods. Claims reported after 15 days will not be accepted. To expedite the claim process, please provide your distributor with the following information: purchase order number, Paris Texas Hardware order number, shipping phone number and address, a complete list of damaged items and a picture of the box/packaging. Freight companies require all packaging materials and damaged items to be kept for inspection. Merchandise damaged in shipping will be replaced. Our policy is that we replace damaged product per the original order. Please note on the Bill of Lading if there is any possibility of damage. If shipping through a 3rd party, distributor is responsible for claiming damages and the remakes will be at charge.

Installation

We recommend using a professional installer. Installation hardware is included. The fasteners (screws and mollies) may not be appropriate for every installation or wall material. Brackets and holdbacks should be installed securely into wall studs when possible. Paris Texas Hardware will not assume responsibility for damages incurred by improperly mounted or inadequately supported hardware.

Po	ortfolio Finishes
AM	Amulet
AND	Andiron
AG	Antique Gold
AGL	Antique Gold Leaf
AB	Art Bronze
BW	Barnwood
BL	Black
BLU	Blush
BP	Bronzed Pewter
СО	Concrete
COU	Couture
DC	Dark Chocolate
FL	
	Firelight
GOS	Gossamer
GRE	Greige
HA	Halo
JA	Java
LIN	Linen
LU	Luminous
MA	Manor
MK	Mink
ML	Moonlight
MYS	Mystic
NAB	New Age Bronze
PAT	Patina
SH	Shimmer
SM	Silver Maple
SPW	Spicewood
SPG	Spun Gold
STA	Stardust
ST	Starlet
ТТМ	Titanium
TRU	Truffle
URB	Urban Bronze
WН	White
Quick Ship Wood	& Resin 1 3⁄8" and 2 ¼" Finishes
AB	Antique Brass
ORB	Oil Rubbed Bronze
PL	Platinum
RG	Rose Gold
WAL	Walnut
Quick Ship Me	etal 1 1/8" and 1 3/8" Finishes
BZ	Brushed Bronze
	Brushed Bronze Brushed Nickel
BZ	
BZ BN CZ	Brushed Nickel Charcoal Zinc
BZ BN CZ MK	Brushed Nickel Charcoal Zinc Matte Black
BZ BN CZ MK RGD	Brushed Nickel Charcoal Zinc Matte Black Rose Gold
BZ BN CZ MK RGD SG	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold
BZ BN CZ MK RGD SG PTH Per	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes
BZ BN CZ MK RGD SG PTH Per PPMEF	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes Eggshell Sheen Level
BZ BN CZ MK RGD SG PTH Per PPMEF PPMHGF	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level
BZ BN CZ MK RGD SG PTH Per PPMEF PPMHGF PPMGLITTER	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level Glitter Highlights
BZ BN CZ MK RGD SG PTH Per PPMEF PPMHGF PPMGLITTER PPMGOLD	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level Glitter Highlights Gold Highlights
BZ BN CZ MK RGD SG PTH Per PPMEF PPMHGF PPMGLITTER	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level Glitter Highlights

Finishes

Finishes with antiquing, dusting or glazing will vary from product to product depending on the level of detail. Areas with deeper recesses will appear darker than smooth areas.

For the best possible finish match, refer to the 2022 Paris Texas Hardware Finish Chips. These chips have smooth, fluted and carved detailed areas, enabling you to see the beautiful shadings and highlights that make our finishes so special.

Portfolio

Portfolio Strike-offs: For a fee of \$50 (net) per finish / strike-off, Paris Texas Hardware will provide a sample of your Portfolio finish on any 6" wood or metal pole as requested. Customer approval of the strike-off sample is required before production will begin.

Portfolio Touch up paint: For a fee of \$20 per vial, touch-up paint can be sent to the customer on request.

PTH Perfect Match™

On your purchase order, specify the following:

- Benjamin Moore[®] color name and number
- · Sheen level: high-gloss or eggshell
- Highlight color, if desired (silver, gold, rose gold or glitter)

Each color specified (every time we purchase paint) will be subject to a separate minimum. If you have different colors for different rooms of hardware, please put them on separate purchase orders. Purchase includes 1 oz of touch-up paint. If there is enough of your Benjamin Moore® paint leftover, we'll keep it for 30 days. After 30 days, we'll dispose of it using an environmentally responsible paint service.

Single Color - No Highlight:

10% upcharge or \$100 minimum (net)

Strike-off available: For a fee of \$50 (net) per color, a sample of your Benjamin Moore® paint will be provided on a PTH sample chip. When you place your order, we will credit \$25 of this fee toward your order with that paint color.

Single Color - With Highlight:

15% upcharge or \$150 minimum (net)

Strike-off available: For a fee of \$60 (net) per color with highlight, a sample of your Benjamin Moore[®] paint with highlight will be provided on a PTH sample chip. When you place your order, we will credit \$30 of this fee toward your order with that paint color.

Order must be received within 30 days or strike-off paint will be disposed and no credit will be Issued. In lieu of purchasing strike-offs, we encourage you to use your Benjamin Moore® paint deck for color reference.

Portfolio Collection

Featuring the complete range of Paris Texas Hardware finials and accessories, with 7 style categories and over 200 finials available in 35 hand painted finish options.

ships in 10 - 15 business days

PTH PARIS TEXAS HARDWA

6

1 1/8" Modern Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 10.

PO118COFI	PO118ELAFI	PO118EMFI	PO118EMFIGL	PO118EMEC
Cole	Ella	Elm	Elm - Smoke Glass	Emery End Cap
3 ¼" L x 1 ½" W Metal	1 5⁄8" L x 1 5⁄8" W Metal	1 ⅓" L x 2" W Metal	1 ⅓" L x 2" W Metal / Glass	¾" L x 1 ¼" W Metal
\$101.20 pair*	\$89.10 pair*	\$89.10 pair*	\$101.20 pair*	\$37.40 pair*
PO118EVEC	PO118KNFI	PO118LXFI	PO118LOFI	PO118REFI
Evan End Cap	Knox - Crystal	Lex	London - Crystal	Reese - Crystal
³ ⁄4" L x 1 ³ ⁄4" W Metal	1 ¼" L x 2 %" W Crystal, Metal Pole	1 %" L x 2" W Metal	1 1⁄8" L x 3" W Metal / Crystal	2 ¾" L x 2 ½" W Crystal, Metal Pole
\$37.40 pair*	\$158.40 pair*	\$89.10 pair*	\$183.70 pair*	\$158.40 pair*
PO118RYFI	Style Meets F 1 ¼s" Finials require a cu See pages 63 - 67.	Function uff/finial adapter to work v	vith 1 1/8" Metal Traverse.	

1 1/8" Clean Deco Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 10.

PO118ANFI	PO118DAFI	PO118DEEC	PO118NVFI	PO118PEFI
Andes	Dakota - Crystal	Deco End Cap	Neve - Crystal	Penelope
2 ½" L x 2 5/8" W Metal	2 ¾" L x 2 ½" W Metal / Crystal	¾" L x 1 ⅔" W Metal	2 ½" L x 2" W Metal / Crystal	1 ¼8" L x 2 ¾" W Metal
\$114.40 pair*	\$183.70 pair*	\$37.40 pair*	\$183.70 pair*	\$101.20 pair*
PO118VIFI	PO118WRFI	PO118WIFI	PO118ZAEC	
Viktor	Wren	Wright - Crystal	Zane End Cap	
1 ½" L x 2 ¾" W Metal / Acrylic	2" L x 1 %" W Metal	2 ½" L x 2 ¾" W Metal / Crystal	5⁄8" L x 2 3⁄8" W Metal	
\$101.20 pair*	\$101.20 pair*	\$183.70 pair*	\$50.60 pair*	

Ryder - Crystal

\$158.40 pair*

1 🔏 " Transitional Luxe Finial Collection fits 1 16" poles. Finial adapters are required to adapt to 1 16" metal traverse, sold separately on page 10.					
	Top view showing Marble Finish				
PO118BEEC	PO118CAFI	PO118FBFI	PO118HUEC	PO118JUFI	
Beale End Cap	Callie	Fairbanks	Hudson End Cap	Jules	
½" L x 2" W Resin	1 ½" L x 2 5⁄8" W Resin	3 ¼" L x 2" W Resin	%" L x 1 %" W Resin	2 %" L x 2 ¾" W Resin	
\$44.00 pair*	\$114.40 pair*	\$114.40 pair*	\$50.60 pair*	\$114.40 pair*	
			(M-		
PO118KEFI	PO118NLFI	PO118NOFI	PO118NOFIGL	PO118PIFI	
Kensington - Crystal	Nola	Nora	Nora - Mercury Glass	Piper	
2 5⁄8" L x 2 5⁄8" W Resin / Crystal	2 ¾" L x 2 ¾" W Resin	2 ¼" L x 2 ¾" W Metal	2 ¼" L x 2 ¾" W Metal / Glass	3 ⅓" L x 2 ⅛" W Resin / Glass	
\$183.70 pair*	\$114.40 pair*	\$101.20 pair*	\$158.40 pair*	\$158.40 pair*	



See page 10 for our 1 1/8" Finial Accessories!

- Mix & Match finishes and materials for the ultimate customized style, or use to adapt your 1 $\frac{1}{8}$ " Finial to work with Baton Draw Metal Traverse on pages 63 67
- Transitional Style » Transitional Cuff / Finial Adapter PO118CUFF
- Need Some Glamour? » Crystal Band PO118CRMEBAND
 - · Clean Deco Style » Deco Cuff / Finial Adapter PO118DECUFF

1 1/8" Bohemian Chic Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.

PO118ACFI	PO118ASFI	PO118MOFI	PO118NEFI	PO118PAFI
Achilles	Astor	Monet	Nerissa	Patience
4 1⁄8" L x 1 7⁄8" W Resin	1 ¾" L x 2 ¼" W Resin	2 ¼" L x 2 %" W Resin	4 ½" L x 3 ¾" W Resin	5 ¼8" L x 5 ½" W Metal
\$114.40 pair*	\$89.10 pair*	\$101.20 pair*	\$114.40 pair*	\$114.40 pair*
PO118PHFI Phoebe	PO118TBFI Tybalt			
2 1/8" L x 3" W	2" L x 1 5⁄8" W			

Resin

\$89.10 pair*


Resin / Glass

\$158.40 pair*

1 1/8" Rustic Retreat Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.

		· · · · · · · · · · · · · · · · · · ·		
PO118AAFI	PO118AHFI	PO118CHFI	PO118FIFI	PO118KAFI
Annabel	Ash	Cheyenne - Crystal	Finley	Kane
2" L x 2 ½" W Resin	3 ¼" L x 2 ¼" W Resin	2 ½" L x 2 ½" W Metal / Crystal	3" L x 2 ¼" W Resin	2 ½" L x 2 ¼" W Resin
\$101.20 pair*	\$101.20 pair*	\$183.70 pair*	\$101.20 pair*	\$101.20 pair*
PO118LEEC	PO118RHFI	PO118STFI		
Lena End Cap	Rhea	Stowe		
¾" L x 1 ½" W Resin	2" L x 2 7⁄8" W Resin	2 ¼" L x 3 ¾" W Resin		
\$50.60 pair*	\$101.20 pair*	\$101.20 pair*		


1 🔏 " French Returns fit the 1 🕼 pole. Look for coordinating brackets on pages 11 - 12 marked with the 🖻 icon.





Style Meets Function

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.






10

1 1/8" Modern Metal Brackets fit the 11/8" pole.


Note: Return indicates distance from wall to center of pole. Look for coordinating br

Look for coordinating brackets for French Returns marked with the 🕫 icon.



1 1/8" Metal Brackets fit the 1 1/8" pole.

Note: Return indicates distance from wall to center of pole. Look for coordinating brackets for French Returns marked with the 🕫 icon.



1¹/₈" Metal Pole

1 1/38" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'. 1 1/4" metal poles are supplied with plastic inserts to attach the finials.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per ord	der.
--	------

P0118ME02	P0118ME04	P0118ME06	P0118ME08	P0118ME10	P0118ME12
2'	4'	6'	8'	10'	12'
\$31.90 each	\$63.80 each	\$95.70 each	\$127.60 each	\$159.50 each	\$191.40 each

1%" Metal Rings fit the 1%" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

POI18SWRI Swing Ring 1 ¼" ID, 1 5%" OD, 5%" drop Metal	PO118SCRI Small C-Ring 1 ¼" ID, 1 5%" OD, 5%" drop, use with Gregory brackets Metal	POIIBAURI Austin Ring 1 ¼" ID, 1 5%" OD, 3⁄4" drop Metal	POI18CACRI Caden C-Ring 1 ¼" ID, 1 5%" OD, 3⁄4" drop, use with Aiden brackets Metal	Austin Ring Small C-Ring Swing Ring Swing Ring
\$6.60 each	\$6.60 each	\$7.70 each	\$7.70 each	Top of Fabric


1¹/₈" Metal Accessories

		and the second se
Metal Baton	Clear Acrylic Baton	PO118MEL Hinged Elbow
³∕ø" DIA, Metal	½" DIA, Acrylic	1 ¼" DIA, 2 %" overall length,
POME36WAND - 36" - \$62.70 each	AC36WAND - 36" - \$49.50 each	1 ³⁄4" L each side when bent
POME48WAND - 48" - \$68.20 each	AC48WAND - 48" - \$55.00 each	Metal
POME60WAND - 60" - \$73.70 each	AC60WAND - 60" - \$60.50 each	\$50.60 each
Handicap Metal Baton 4" Loop, ADA Compliant, Metal	Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	PSME118403 Pole Splice 4 5%" L, must be ordered separately
POME48HWAND - 48" - \$68.20 each	АС48HWAND - 48" - \$55.00 each	\$6.60 each
POME60HWAND - 60" - \$73.70 each	AC60HWAND - 60" - \$60.50 each	
	AC72HWAND - 72" - \$66.00 each	

78 MODELTI FITTAL COTTECTION fits the 1% metal pole and metal traverse.				
PO138ADFI Adair	PO138AIEC Ainsley End Cap	PO138ASEC Asher End Cap	PO138COFI Cohen	PO138EXFI Exton
3 ¾" L x 3" W Metal	¾" L x 1 ½" W Metal	1" L x 2 ¼" W Metal	1 %" L x 3 %" W Metal / Clear Acrylic	2 ¾" L x 2 ¼" W Metal
\$101.20 pair*	\$44.00 pair*	\$44.00 pair*	\$209.00 pair*	\$101.20 pair*
PO138LOFI	POI38QUFI	POI38REFI	PO138STFI	POI38ZAFI
London - Crystal	Quinn	Remi - Crystal	Sterling - Crystal	Zara
2 5⁄8" L x 3 3⁄8" W Metal / Crystal	1 ¾" L x 2 ¼" W Metal	3 ¼" L x 3" W Metal / Crystal	2 ¼" L x 3" W Metal / Crystal	2 ½" L x 3 ½" W Metal / Clear Acrylic
\$220.00 pair*	\$101.20 pair*	\$198.00 pair*	\$198.00 pair*	\$220.00 pair*


1 3/8" Modern Finial Collection fits the 13/8" metal pole and metal traverse

1 3/8" French Returns fit the 1 3/8" pole. Look for coordinating brackets on pages 15 & 19 marked with the 🕫 icon.



13/8" Modern Metal Brackets fit the 13%" pole.

Note: Return indicates distance from wall to center of pole.



^{*}Sold in pairs only.


1 3/8" Metal Pole | 1 3/8" Acrylic Pole 1 3/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'. 1 3/8" metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

				÷ .	
P0138ME02	P0138ME04	P0138ME06	P0138ME08	P0138ME10	P0138ME12
2'	4'	6'	8'	10'	12'
\$38.50 each	\$77.00 each	\$115.50 each	\$154.00 each	\$192.50 each	\$231.00 each
P0138AC02	P0138AC04	P0138AC06	P0138AC08	P0138AC10	P0138AC12
2'	4'	6'	8'	10'	12'
\$84.70 each	\$169.40 each	\$254.10 each	\$338.80 each	\$423.50 each	\$508.20 each

1³/₈" Metal Rings fit the 1³/₈" pole. Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

Q	Ç] Rowan Ring] Calla C-Ring
	PO138CLCRI Calla C-Ring	
3⁄4" drop Metal	2" ID, 2 ¾" OD, ¾" drop, use with Talon brackets Metal	3/4"
\$8.25 each	\$8.25 each	Top of Fabric

1³/₈" Metal Accessories



Clear Acrylic Baton
½" DIA, Acrylic
AC36WAND - 36" - \$49.50 each
AC48WAND - 48" - \$55.00 each
AC60WAND - 60" - \$60.50 each

Handicap Metal Baton	Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic
POME48HWAND - 48" - \$68.20 each	AC48HWAND - 48" - \$55.00 each
РОМЕ60HWAND - 60" - \$73.70 each	ас60нwand - 60" - \$60.50 each
	ac72HWAND - 72 " - \$66.00 each



2" L each side when bent Metal

\$56.10 each



PSME138403 Pole Splice 4 ¾" L, must be ordered separately

\$6.60 each

1 3/8" Today's Traditional Finial Collection fits the 1 3/8" wood poles and heavy duty traverse.

PO138AUEC	PO138BRFI	PO138ESEC	PO138EVFI	PO138JUFI
Aubrie End Cap	Bradford	Essex End Cap	Everette	June
³ ⁄4" L x 2 ¹ ⁄4" W Resin	3 ¼" L x 2 ¼" W Resin	³ ⁄4" L x 2" W Resin	2 %" L x 3 ¼" W [2 ½" square] Resin	2 ¾" L x 2 ⅛" W Resin
\$50.60 pair*	\$103.40 pair*	\$50.60 pair*	\$103.40 pair*	\$103.40 pair*

PO138LEFI	PO138LIFI	PO138LIFIGL	PO138LYFI	PO138ROFI
Leo	Lillian	Lillian - Mercury Glass	Lyla	Rose - Crystal
3 ½" L x 2 ¾" W Resin	4" L x 3 ¾" W Resin	4" L x 3 ¾" W Resin / Glass	2 5⁄8" L x 2 3⁄4" W Resin	2 ⅔" L x 2 ¾" W Resin / Crystal
\$103.40 pair*	\$103.40 pair*	\$170.50 pair*	\$103.40 pair*	\$231.00 pair*

1 3/8" Heritage Classics Finial Collection fits the 1 3/6" wood poles and heavy duty traverse.

PO138AEFI	PO138AMFI	PO138AVFI	PO138BYFI	PO138BLFI
Adele	Amboise	Avon	Blythe	Brielle
3 %8" L x 2 %8" W Metal / Glass	5 ¼" L x 2 %" W Resin	3 5⁄8" L x 3 3⁄4" W Resin	3 5⁄⁄8" L x 2 7⁄⁄8" W Metal / Glass	4" L x 3" W Resin
\$231.00 pair*	\$103.40 pair*	\$103.40 pair*	\$231.00 pair*	\$103.40 pair*

PO138GSFI	PO138HAFI	PO138LAFI	PO138LOEC	PO138SEFI
Gaston	Harper	Lane	Lowell End Cap	Severn
3 %" L x 3 %" W Resin	3" L x 2 ¾" W Resin	3 5⁄8" L x 3 ½" W Resin	1" L x 2" W Resin	3 ¾" L x 3" W Resin
\$103.40 pair*	\$103.40 pair*	\$103.40 pair*	\$50.60 pair*	\$103.40 pair*




1³/₈" Transitional Cuff / Finial Adapter PO138CUFF

See next page for more details

- ³/4" L x 1 ¹/2" W
- Metal, Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™
- Mix & Match finishes and materials for the ultimate customized style, or use to adapt your 1³/₈" Today's Traditional or Heritage Classics Finial to work with R-TEC Automation® Metal Traverse on pages 32 - 41 and Baton Draw Metal Traverse on pages 68 - 73. Finial Adapters required, sold separately.

\$42.90 pair*

1 3/8" Mix & Match create an even more customized design!



• Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$42.90 pair*

1 3/8" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 3/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff/Finial Adapter PO138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff / Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73

How To Add Your Transitional Cuff / Finial Adapter » Place Cuff onto metal traverse and tighten set screw with Allen Wrench. Select your Cuff style and finish - Mix & Install finials by screwing into Match for the ultimate customization. the Cuff / Finial Adapter.

18

1 3/8" Metal Brackets fit the 1 3/8" wood poles.


Note: Return indicates distance from wall to center of pole.



*Sold in pairs only.

1 3/8" Wood & Resin Brackets fit the 1 3/6" wood poles.

Note: Return indicates distance from wall to center of pole.




1³/₈" Wood Poles

1³/₈" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders v	Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.						
PO138SM02	P0138SM04	P0138SM06	P0138SM08	P0138SM10	P0138SM12	P0138SM14	P0138SM16
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	Smooth - 14'	Smooth - 16'
\$66.00 each	\$132.00 each	\$198.00 each	\$264.00 each	\$330.00 each	\$396.00 each	\$462.00 each	\$528.00 each
P0138GR02	P0138GR04	P0138GR06	P0138GR08	P0138GR10	P0138GR12	P0138GR14	P0138GR16
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	Grooved / Fluted - 14'	Grooved / Fluted - 16'
\$66.00 each	\$132.00 each	\$198.00 each	\$264.00 each	\$330.00 each	\$396.00 each	\$462.00 each	\$528.00 each
P0138RE02	P0138RE04	P0138RE06	P0138RE08	PO138RE10	PO138RE12	P0138RE14	PO138RE16
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	Reeded - 14'	Reeded - 16'
\$66.00 each	\$132.00 each	\$198.00 each	\$264.00 each	\$330.00 each	\$396.00 each	\$462.00 each	\$528.00 each









Smooth

Grooved / Fluted

Reeded

EZ Glide Tape Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.

Ô	
PO138WRI	PC
Wood Ring	Me
1 ¾" ID, 2 %" OD,	1 3⁄.
¾" drop	5∕8"
Wood	M€
\$9.90 each	




\$8.80 each

Note: Ring drop indicates distance from bottom of pole to bottom of ring.

1 3/8" Wood & Metal Rings fit the 1 3/8" wood poles.


A ring's drop changes on different diameter poles.*

PO138MCRI Medium C-Ring 2" ID, 2 3/8" OD, 3/4" drop, use with Gregory brackets Metal \$8.80 each





1³/₈" Accessories



21/4" Today's Traditional Finial Collection fits the 21/4" wood poles and heavy duty traverse.

PO214AMFI	PO214AMFIGL	PO214APFI	PO214APFIGL	PO214EDFI
Amelie	Amelie - Glass	Aspen	Aspen - Glass	Edward
2" L x 3 ¼" W Resin	2" L x 3 ¼" W Resin / Glass	4 ½" L x 4 ½" W Resin	4 ½" L x 4 ½" W Resin / Glass	4 ¼" L x 3 ¼" W Resin
\$114.40 pair*	\$198.00 pair*	\$127.60 pair*	\$198.00 pair*	\$127.60 pair*



PO214OPFI	PO214SIFI	PO214STFI
Opal	Sidney	Stella
3 ¼" L x 3 ¾" W Resin	3 ⅛" L x 4 ⅛" W [3" square] Resin	2 ½" L x 3 ¼" W Resin
\$127.60 pair*	\$114.40 pair*	\$114.40 pair*

21/4" Heritage Classics Finial Collection fits the 21/4" wood poles and heavy duty traverse.


	Sin Stor			
PO214ADFI	PO214ADFIGL	PO214BOFI	PO214DUEC	PO214FAFI
Adelaide	Adelaide - Mercury Glass	Bordeaux	Durham End Cap	Farrin - Mercury Glass
5" L x 3 ½" W Resin	5" L x 3 ½" W Resin / Glass	4 5⁄8" L x 4" W Resin	1" L x 3" W Resin	4 ½" L x 4 1⁄8" W Metal / Glass
\$127.60 pair*	\$198.00 pair*	\$151.80 pair*	\$63.80 pair*	\$198.00 pair*

	163			
PO214FIFI	PO214GKFI	PO214LCEC	PO214LYFI	PO214MAEC
Fiona	Greek	Large Carved End Cap	Lyon	Margot End Cap
4" L x 5" W Resin	5" L x 4 ¼" W Resin	1 ⅓" L x 2 ¾" W Resin	4 ½" L x 4 5%" W Resin	¾" L x 3" W Resin
\$151.80 pair*	\$127.60 pair*	\$63.80 pair*	\$151.80 pair*	\$63.80 pair*

PO214MIFI	PO214OLFI	PO214QNFI	PO214RYFI	PO214VVFI
Michael	Oliver	Quentin	Rydal	Vivian
6 ½" L x 4" W Resin	3 5⁄8" L x 3 7⁄8" W Resin	5" L x 3 ½" W Metal / Glass	5 ¾" L x 4 ¼" W Resin	5 ¼" L x 4" W Metal / Glass
\$151.80 pair*	\$127.60 pair*	\$247.50 pair*	\$151.80 pair*	\$247.50 pair*


2¹/₄" Metal Brackets fit the 2¹/₄" wood poles.


Note: Return indicates distance from wall to center of pole.



1" W x 3 ½" H backplate, 3 1/2" - 5" adjustable return


\$66.00 each





\$66.00 each





Inside Mount


backplate per bracket


page 26*

24 PARIS TEXAS HARDWARE

2¹/4" Wood & Resin Brackets fit the 2¹/4" wood poles.

Note: Return indicates distance from wall to center of pole.





2¹/₄" Wood Poles

2¹/₄" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders with poles and/or traverse track will incur a \$10.00 p	backaging fee per order.
--	--------------------------

PO214SM02	PO214SM04	PO214SM06	PO214SM08	PO214SM10	PO214SM12	PO214SM14	PO214SM16
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	Smooth - 14'	Smooth - 16'
\$88.00 each	\$176.00 each	\$264.00 each	\$352.00 each	\$440.00 each	\$528.00 each	\$616.00 each	\$704.00 each
PO214GR02	PO214GR04	PO214GR06	PO214GR08	PO214GR10	PO214GR12	PO214GR14	PO214GR16
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	Grooved / Fluted - 14'	Grooved / Fluted - 16'
\$88.00 each	\$176.00 each	\$264.00 each	\$352.00 each	\$440.00 each	\$528.00 each	\$616.00 each	\$704.00 each
PO214RE02	PO214RE04	PO214RE06	PO214RE08	PO214RE10	PO214RE12	PO214RE14	PO214RE16
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	Reeded - 14'	Reeded - 16'
\$88.00 each	\$176.00 each	\$264.00 each	\$352.00 each	\$440.00 each	\$528.00 each	\$616.00 each	\$704.00 each



Smooth Wood Pole PO214SM



Grooved / Fluted Wood Pole PO214GR




Reeded Wood Pole PO214RE

$2\,\ensuremath{{}^{\prime\prime}}$ Rings fit the $2\,\ensuremath{{}^{\prime\prime}}$ wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

Q	Ô	Ô
PO214WRI	PO214MRI	PO214FORI
Wood Ring	Metal Ring	Forrest Ring
2 5%" ID, 3 5%" OD,	2 ½" ID, 3" OD,	2 ¾" ID, 3 ⅛" OD,
7%" drop	½" drop	¾" drop
Wood	Metal	Metal
\$11.00 each	\$9.90 each	\$9.90 each



EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



2¹⁄₄" Accessories

Fiberglass Baton
¾" DIA, Fiberglass
PORE36WAND - 36" - \$63.80 each
PORE48WAND - 48" - \$69.30 each
PORE60WAND - 60" - \$74.80 each







Modern Holdback Medallions fit modern or transitional resin holdback stems.

РОАСНВ	РОВКНВ	РОНАНВ	РОЈЕНВ	POMARHB	РОРАНВ
Achilles	Blake - Mercury Glass	Hadley	Jem	Mara	Parker
2 ½" square, ½" TH Metal	3" DIA, 2 ¾" TH Metal / Glass	3 ½" DIA, 1" TH Metal	2 ½" DIA, ¾" TH Metal	3" DIA, 1⁄8" TH Metal	3 ¼" square, 1" TH Metal
\$99.00 pair*	\$148.50 pair*	\$77.00 pair*	\$77.00 pair*	\$110.00 pair*	\$77.00 pair*

Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.

-			
POMHBSTEM2	POMHBSTEM4	POMHBSTEM6	« Don't forget to order your
2" PROJ	4" PROJ	6" PROJ	Holdback Stems
Base: 2 ³ /16" DIA Stem: ½" DIA Metal	Base: 2 ³/16" DIA Stem: ½" DIA Metal	Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	separately
\$50.60 pair*	\$57.20 pair*	\$61.60 pair*	

Holdback Arms May be used with any 1 1/8" metal or resin finial without Cuff. Finials are sold separately.





Holdback Arm 7" W, ½" DIA stem 1 5⁄8" H backplate, 5 ½" D, 4 ½" PROJ Metal

\$66.00 pair*

Holdback Arm shown with Achilles Finial (sold separately) Metal

Holdback Medallion Bands Attaches any Holdback Medallion to the front of a pole. Holdback Medallions sold separately.

SP	
	١

PO118MEBAND	PO138MEBAND
1 ¼" Band	1¾" Band

3⁄4" W, 1 3/₁₆" ID, 1 ⁵/16" OD Metal \$37.40 pair*

6	6	1	8	١
6	ŝ	()	2	
6		Ŋ	g	Į

)

3⁄4" W, 1 7/₁₆" ID, 15⁄8" OD Metal

Contraction of the local division of the loc

3⁄4" W, 2 5/₁₆" ID, 2 ½" OD Metal \$42.90 pair* \$48.40 pair*

PO214MEBAND

2 ¼" Band

Common uses for Medallion Bands:

- Repeated decorative embellishment along the length 1. of a pole.
- 2. Hold gathered rod pocket drapery panel in place.
- 3. Ring stop.






Transitional Holdback Medallions fit modern or transitional resin holdback stems.

РОВЕНВ	POBLHB	POBRHB	РОСННВ	POGEHB	POGLHB
Bernadette	Blois	Brooks	Chenonceau	Genette	Gloria
4 ½" DIA, 1 ¼" TH Resin	3 ¾" DIA, ¾" TH Resin	4" DIA, 1 ¼" TH Resin	3 ¾" DIA, ¾" TH Resin	4" DIA, 1 ¼" TH Resin	5" DIA, 1 ¾" TH Resin
\$132.00 pair*	\$77.00 pair*	\$99.00 pair*	\$77.00 pair*	\$110.00 pair*	\$132.00 pair*

POISHB	POLYHB	РОМІНВ	POMRHB	POSWHB	POTRHB
Isabelle	Lyon	Miranda	Mirna	Swindon	Trudy
5 ½" DIA, 1 ¼" TH Resin	4 ¾" DIA, 2 ½" TH Resin	5" DIA, 1 ½" TH Resin	4 ½" DIA, 1 ¼" TH Resin	5 ⅛" DIA, 1 ¼" TH Resin	4 ¾" DIA, ¾" TH Resin
\$99.00 pair*	\$132.00 pair*	\$99.00 pair*	\$132.00 pair*	\$99.00 pair*	\$99.00 pair*

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.









Traverse Systems

Motorized and Manual Systems, featuring the AUTOMATION^{*} Collection Traverse Systems available in Portfolio or Quick Ship finishes.

ships in 10 - 15 business days

Featuring the RTEC AUTOMATION[®] Slim Drapery Motor.

Designed to install seamlessly behind the drapery panel, providing the ultimate integrated functionality without compromising the look of your window treatment.

REC AUTOMATION[®] 1³/₈" Motorized Metal Traverse Systems

Motorized 1 3/8" Metal traverse systems create smart design solutions for both residential and commercial environments.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Finials may be ordered separately from 1 3/8" Diameter Collections. Modern Finial Collection do not require use of Cuff and attach using set screw. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 40.

Select from 35 Portfolio hand painted finishes (except Antique Gold Leaf), 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 13%" collection finials and additional remote options sold separately



Single Traverse System, Ceiling Mount

- Ceiling bracket: 3 ¹¹/16" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Double Traverse System, Ceiling Mount


- · Ceiling bracket: 4" drop, 4 1/2" between centers of tracks
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3⁄8" collection finials and additional remote options sold separately



Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately

RTEC AUTOMATION



Motor & Power Options



RTMLDSS50



RTMLDSSB



USB Charger Cable

RTMLDSSUSB



110v AC/DC Power Transformer 10' (plug included) RTMDSSPT

Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on page 34 lists the varied functions of the motor.

RTMLDSSBC

	maximum drapery weight per total length of system (lbs)					
Motor	18' or less	20'	22'	24'		
REG AUTOMATION* Slim Drapery Motor	77	77	77	77		

Note: 77 lbs. is the maximum weight for one-way or center draw panels for each track on single and double traverse systems. Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance.

RTEC) AUTOMATION®

System Features	R-TEC Automation® Slim Drapery Moto
/stem Features	
enter Draw or One-Way Draw Available	x
'hite or Bronze Track, Components & Brackets /ailable	х
ack Maximum Length	24'
iximum Number of Track Splices	2
or Features	
tery Power Option	х
or Cord Length as Purchased	10' (custom length up to 20' available)
ay RF Communication	х
ustable Speed	х
ferred Open / Close Position	х
prite Position	x
truction Detection	x
ual Override	×
t Operation	×
Start / Stop	x
age Linear Speed	5.5" (14 cm)/sec
prized Track Noise Level	44 dB
mum Weight	77 lbs
or Unit can be Installed on Either End of Track	x
rol Options	
Control	x
al Technology	ARCTM
Power	Х
allation Features	
ramming Buttons on Motor Unit	х
er Supply	Li-Ion Battery or 110v AC/DC Power Transformer
berage	1.3 A
er Consumption	20 W
er Cable Type	3 Conductor Male Plug
ndard Accessories Included with System	
nannel Handheld Remote with Wall Mount (Remote trol; White)	Х
rier Features	
ite or Bronze Pinch Pleat Glides	х
ite or Bronze Ripplefold Glides (Choose 60%, 80%, % or 120% Fullness)	х




coverings with a smartphone or tablet Our App enables simple, intuitive control and system configuration from your smartphone or tablet.

> App Store bit.ly/R-TEC-Automation-Rowley

Google Play bit.ly/R-TEC-Automation-Rowley-Android

Pair the R-TEC Hub and App with these systems (not sold by Rowley):



dditional R-TEC Smart Controls an be ordered at additional cost

RTMHUB2 R-TEC Hub 2-way RF; Wi-Fi built in

• 4 ½" H x 1 ¼" W x 4 ½" D · Range: 60'

RTMHRIC Handheld Remote with Wall Mount, 1 Channel

- · 5 ¾ " H X 1 ¼ " W X ½" D
- · Range: 65'
- · Available in White

RTMHR5C Push5 Handheld Remote with Wall Mount, 5 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'

0

· Available in Off-White

RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- Available in White or Black

RTMHR15C Handheld Remote with Wall Mount, 15 Channel

- ·5¾" H x 1¼" W x½" D
- · Range: 65'
- · Available in White

RTMWSR5C Surface Mount

- Wall Switch, 5 Channel
- · 4 ½" H x 2 ¾" W x ⅛" D
- · Range: 65'
- · Available in White

RTMWCRIC RTMWCR2C RTMWSR15C Cut-In Wall Mount Switch, 1, 2 or 15 Channel

- · 4 ½" H x 2 ¾" W x 1" D
- Range: 65'
- · Available in White
- RTMSMB/W required for installation

RTMISS Interior Sun Sensor

- ·1¾" H x 1¾" W x %" D
- · Range: 65'
- · Available in White

RTMUSR ARC™ USB Signal Repeater

- 2" L x 2 ½" L with USB x 1 5/6" W
- · Extends the wireless range of the R-TEC Hub and remotes up to 60'
- · Maximum 2 repeaters per system or network
- Available in White (color may vary)

RTMLDSSBC Wall Charger

- for USB Signal Repeater
- ·17/16" W x 1 13/16" L
- Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

- 4 ⁵/₈" H x 12 ⁹/₁₆" W x 1 ³/₈" D
- · Includes I-bracket, cables
- & fastener



1³/₈" Motorized Metal Traverse Systems Finishes

35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

Diameter	Track Finish	Component Color	Max. Continuous Length
] ¾"	Amulet	White	12'
] ¾8"	Andiron	White	12'
1 3⁄8"	Antique Gold	White	12'
1 3⁄8"	Art Bronze	Bronze	12'
] 3⁄8"	Barnwood	Bronze	12'
] 3⁄8"	Black	Bronze	12'
] ¾"	Blush	White	12'
] ¾"	Bronzed Pewter	Bronze	12'
1 3⁄8"	Concrete	White	12'
] ¾"	Couture	White	12'
] ¾"	Dark Chocolate	Bronze	12'
] ¾r"	Firelight	White	12'
] ¾r	Gossamer	Bronze	12'
1 3⁄8"	Greige	White	12'
] 3⁄8"	Halo	White	12'
1 3⁄8"	Java	Bronze	12'
1 3⁄8"	Linen	White	12'
1 3⁄8"	Luminous	Bronze	12'
1 3⁄8"	Manor	White	12'
] 3⁄8"	Mink	Bronze	12'
] 3⁄8"	Moonlight	Bronze	12'
] ¾r"	Mystic	White	12'
] ¾r	New Age Bronze	Bronze	12'
] ¾r"	Patina	White	12'
] ¾"	Shimmer	Bronze	12'
] ¾"	Silver Maple	White	12'
] 3⁄8"	Spicewood	Bronze	12'
] ¾"	Spun Gold	White	12'
] ¾"	Stardust	White	12'
] ¾"	Starlet	White	12'
] ¾″	Titanium	White	12'
] ¾"	Truffle	Bronze	12'
] 3⁄8"	Urban Bronze	Bronze	12'
] 3⁄8"	White	White	12'
] 3⁄8"	PTH Perfect Match™	please specify	12'
] ¾"	Brushed Nickel	White	12'
] ³ ⁄8"	Brushed Bronze	Bronze	8'
] ¾"	Charcoal Zinc	White	8'
] ¾"	Matte Black	White	12'
] ¾"	Rose Gold	White	8'
1 3⁄8"	Satin Gold	White	8'
] 3⁄8"	Antique Brass	White	12'
] 3⁄8"	Oil Rubbed Bronze	Bronze	12'
] 3⁄8"	Platinum	White	12'
1 3⁄8"	Rose Gold	White	12'
1 3⁄8"	Walnut	Bronze	12'


1³/₈" Motorized Metal Traverse Systems Pricing

	C motorized traverse systems will incur a			-	vill be charged a \$2	25.00 shipping	g surcharge
Li-ion Battery or 110v AC/DC Power, Ripplefo			old or Pin	d or Pinch Pleat Systems are			ncremen [.]
ltem #	4' 5' 6	5' 7'	8'	9' 10'	יון	12' p	orice per
Single Traver	se System, Wall Mount, 3½" re	turn (includes track	, motor, power opti	ion, brackets, Ainsley end	d caps, 5 channel rer	mote & compon	ents)
CSRPTHM1384	400 \$1,669.80 \$1,756.70 \$1,84	43.60 \$1,930.50	\$2,017.40	\$2,104.30 \$2,191.2	20 \$2,278.10	\$2,365.00	\$86.90
Single Traver	se System, Wall Mount, 6" retu	rn (includes track, m	otor, power option	, brackets, Ainsley end ca	aps, 5 channel remo	te & component	is)
CSRPTHM1384	401 \$1,753.40 \$1,850.20 \$1,94	47.00 \$2,043.80	\$2,140.60	\$2,237.40 \$2,334.	20 \$2,431.00	\$2,527.80	\$96.80
Double Trave	erse System, Wall Mount (includes	s tracks, motors, powe	r options, brackets	. Ainsley end caps, 5 cha	nnel remote & comr	oonents)	
CSRPTHM1384		37.20 \$3,861.00				\$4,730.00	\$173.80
Cinala Travar	an System Coiling Mount (
CSRPTHM1384	se System, Ceiling Mount (includ 403 \$1.669.80 \$1.756.70 \$1.84	43.60 \$1,930.50		Ainsley end caps, 5 chan \$2,104.30 \$2,191.2		\$2,365.00	\$86.90
	+03 \$1,009.00 \$1,730.70 \$1,84	+3.00 \$1,930.30	φ2,017.40	\$2,104.30 \$2,131.2	<u>-0 </u>	\$2,303.00	\$00.90
Double Trave	erse System, Ceiling Mount (inclu	udes tracks, motors, po	ower options, brac	kets, Ainsley end caps, 5	channel remote & co	omponents)	
CSRPTHM1384		87.20 \$3,861.00		\$4,208.60 \$4,382.4		\$4,730.00	\$173.80
Single Traver	se System, Low-Profile Ceiling	Mount (includes t	rack, motor, power	r option, brackets, Ainsle	y end caps, 5 channe	el remote & com	ponents)
CSRPTHM1384	406 \$1,669.80 \$1,756.70 \$1,84	43.60 \$1,930.50	\$2,017.40	\$2,104.30 \$2,191.2	20 \$2,278.10	\$2,365.00	\$86.90
Item #	Name	NET Price	ltem #	Name		Color	NET
R-TEC Aut	tomation [®] Motor Kits						Price
	Slim Drapery Motor with Li-ion		R-TEC Sr	mart Control		dheld or Wall I channel inclu	
RTMLDKIT	Battery, Wall Charger & USB Cable (included)	\$350.00	RTMHRIC	Handheld Remo Mount, 1 ch		White	\$65.00
RTMLDS2KIT	Slim Drapery Motor with Li-ion Battery & Solar Panel Charger	\$470.00	RTMHR5C	Push5 Handheld		Off-	\$70.00
RTMLDACKIT	Slim Drapery Motor with 110v AC/D Power Transformer 10' with 3	C \$295.00	RTMHRP15C	Wall Mount, 5 ch Push15 Handheld	d Remote with	White White	\$75.00
	Conductor Male Plug		RTMHRP15C/F			or Black	\$73.0C
ltem #	Name	NET Price	RTMHR15C	Handheld Remo Mount, 15 ch	te with Wall	White	\$85.00
			RTMWSR5C	Surface Wall Mount Switch, 5 ch		White	\$70.00
	tor & Components		RTMWCRIC	Cut-In Wall Mou	Cut-In Wall Mount Switch, 1 ch*		
RTMLDSS50	Slim Drapery Motor	\$200.00	RTMWCR2C	Cut-In Wall Mou	nt Switch, 2 ch*	White	\$56.5
RTMLDSSB	Li-ion Battery	\$120.00	RTMWSR15C	Cut-In Wall Mou	nt Switch, 15 ch*	White	\$75.00
RTMLDSSBC	Battery Wall Charger	\$15.00	RTMSMB/W	*Surface Mount V	Wall Back Box	White	\$8.5
RTMLDSSUSB	USB Cable	\$15.00		Wi-Fi to ARC Brid			
RTMDSSPT	110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$70.00	RTMHUB2	RF-includes USE Power Plug & Etl		White	\$255.00
RTMDSSPTCS	110v AC/DC Power Transformer 20' (plug RTMP sold separately) specify	ft. \$75.00	RTMISS	Interior Sun Sens		White	\$45.00
RTMP	3 Conductor Male Plug	\$25.00	RTMUSR	ARC USB Signal		White	\$120.00
RIMP	S CONductor Male Plug	φ25.00	RTMLDSSBC	Wall Charger for Repeater	USB Signal	White	\$15.00
			RTMSOLAR2	Solar Panel Batte includes L-Brack		Black	\$120.0

*RTMSMB/W required for installation.

Fastener





Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'	21'	22'	23'	24'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8	8	8	8	8

PTH Motorized Traverse Tips

- Specified custom system length is from drapery return to drapery return including pulleys. Ainsley end caps included with the system, and will add ¹/₂" at each end, totaling 1".
- Track will be spliced in the center of overall length.
- R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING: Modifications of internal components will void R-TEC warranty.

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# carriers on panel x carrier width) + 3.75" = stack per drapery panel

Ex: R-TEC 20 ft. one-way draw, Ripplefold® style 80% fullness

6.75" + (98 x .563") + 3.375" = 65.3" stack, underlap master panel BEFORE drapery fabric is installed


Please note: Calculations result in stack back width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

1³/₈" Motorized Metal Traverse Systems Information

 $1^{3}/_{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions.

			T	E E	ļ
PTHMT138400	PTHMT138401	PTHMT138402	PTHMT138403	PTHMT138404	PTHMT138405
Wall Mount 3 ½" return	Wall Mount 6" return	Wall Mount Double	Ceiling Mount Single	Ceiling Mount Double	Ceiling Bracket Extender
\$31.90 each	\$41.80 each	\$56.10 each	\$31.90 each	\$86.90 each	\$16.50 each







Wall Mount Bracket Mounting Plate \bigcirc 21/4" С 2 5/16"


Wall Mount Double PTHMT138402

2 5/







Ceiling Mount Double PTHMT138404



Ceiling Bracket Extender PTHMT138405




Low-Profile Single Ceiling PTHMT138406



Carriers for additional carriers.

Pinch Pleat Glides



Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order. See page 53 for measurements & diagrams.

Ripplefold Butt Master Carrier Arm for One-Way Draw RTPTH1380BR RTPTH1380BL	Right and left use. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.	\$4.00 NET each
Ripplefold Butt Master Carrier Arms for Center Draw RTMDTCDB	Pair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$4.75 NET pair*
Master Carrier Arm for One-Way Draw RTPTH138PPOR RTPTH138PPOL	Right (R) or Left (L). Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only.	\$3.00 NET each
Overlap Master Carrier Arms for Center Draw RTPTH138CD	Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$5.50 NET pair*
Master Carrier Body RTPTH138MCB RTPTH138MCB/BR	Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Available in white or bronze /BR.	\$10.50 NET each

Upgrade your End Cap with Finial Styles

1 3/8" R-TEC Motorized Metal Traverse Systems include End Caps, but are designed to work with all 1 3/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.




Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



3/4" L x 1 1/2" W

40

• Metal, Available in any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or PTH Perfect Match™ • Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$42.90 pair*

How To Add Your Transitional Cuff / Finial Adapter »



Select your Cuff style and finish - Mix & Match for the ultimate customization.



Place Cuff onto metal traverse and tighten set screw with Allen Wrench.



Install finials by screwing into the Cuff / Finial Adapter.


	-
H	PARIS TEXAS

Metal Motorized Traverse Order Form




HARDWARE					-									-	
	# 04				Sid	Side Mark				Ship via	via			Date	
Company Information		l		l	l			Shippi	Shipping Information	ation		l	l	l	
Company Name				Acct #				Compar	Company Name				Acct #	#	
Contact Person				_				Contact Person	Person				_		
Street Address								Street Address	ddress						
City				State		ZIP		City					State		ZIP
Email								Email							
Phone		Fax					_	Phone				Fax			
MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed Specified custom cut length indicates track length including pulleys.	TEMS - (track leng	Consult Pric th including p	e List f	or detailed	l specifications.	tions.									
ttem #	R-TEC Motor	Power Option **see additional R-TEC options below	wer Optic al R-TEC o	on ptions below	System Length (sold bv 1')	Custom Cut Length (inches)	n Finish Code	Center	N STOR	e _	лем-еио	Glides pinch pleat OR Ripplefold [®] style*	ğ	Price per Unit	Subtotal
	Slim	Li-ion Battery		110v AC/DC Power							L R	PP RF			
	Slim	Ili-ion Battery		110v AC/DC Power						–	L R	PP RF			
	Slim	Ii-ion Battery		T10v AC/DC Power						–	L R	PP			
	Slim	Li-ion Battery		T10v AC/DC Power					_	R	L 	PP RF			
MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND A Order finials, cuffs & collars, additional brackets and accessories here.	ZDINATI brackets	NG ACCES and accessol	SORI	ES AND A	DDITIONAL FEES	'AL FEE	S		**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$120; 20' corc	tions for F L: solar pi	R-TEC Moi	or (NET) 20' cord \$75 - s	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$120; 20' cord \$75 - specify total feet; plug \$25	plug \$25	
Item #	Fin	Finish Code						Description	iption				Qty Pric	Price per Unit	Subtotal
Glide and Bracket Information													'When ordering Rippl	lefold carriers, a	"When ordering Ripplefold carriers, answer these questions
Quantity included per system based on cut track length	cut track	length 4'	2	6' 7' 8 24 20 22	9' 10' 36 40	11' 12' 11 12'	13' 14' E2 E6	15'	16' 17' 18' 64 68 70	· 19· 20'	21'	22' 23' 24' 0.7 0.6	1. Select Ripplefold fullness: □ 60% □ 80% □ 100%	old fullness: % 🛛 100%	□120%
Brackets		2 N	3 6	4	2		_	8 9	7	2	5 ∞	8		ld masters:	
Special Instructions												Ι		□ Overlap	
														TOTAL	


Fascia Profiles for Motorized Heavy Duty Systems



Flat



Slim Round



*Fascia Profile is not available for back track in double systems and does not accept finials.

*Fascia Profile is not

not accept finials.

available for back track in

double systems and does

REE AUTOMATION[®] Motorized Heavy Duty Traverse Systems

Create a commercial look with the benefits of motorization using our R-TEC Automation® Track.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Decorative wood fascia available in 1 3/8" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/8" slim round smooth profile, 2 ¼" flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



Single Traverse System With Fascia

- Standard single brackets are adjustable: 2 7/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 1 3/8" and 2 1/4" finials and additional remote options sold separately

Double



(front fascia shown; front and back fascia also available)

Double Traverse System With Fascia

- Standard double brackets are 5 1/4" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 1 3⁄8" and 2 1⁄4" finials and additional remote options sold separately



Single Traverse System With Mitered Returns

- Standard single brackets are adjustable: 2 7/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



Single or Double Traverse System Without Fascia

- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Standard double brackets are adjustable 4 5/8" 5 1/4" front return and adjustable 2" - 2 7/16" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track(s), motor(s), power option(s), drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately



(front fascia shown; front and back fascia also available; mitered returns on front only)

Double Traverse System With Mitered Returns

- Standard double brackets are 5 ¼" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



(back track shown with fascia & finials)


Stationary Front Pole With Back Traverse

- Traverse system coordinates with all 2 1/4" round fascia profiles; flat and slim fascia may not be used
- Coordinates with 2 ¼" poles for stationary front pole; back track available with or without wood fascia.
- Stationary front pole and TBKT bracket are included
- Finials and additional remote options sold separately
 - Full rings available on stationary



RTEC) AUTOMATION®

Finial, End Cap or Mitered Return



Motor & Power Options

Slim Drapery Motor

RTMLDSS50



RTMLDSSBC





110v AC/DC Power Transformer 10' (plug included) RTMDSSPT

Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on the next page lists the varied functions of the motor.

			maxi	mum di	rapery w	eight pe	er total l	ength of	fsystem	(lbs)	
	Motor	18' or less	20'	22'	24'	26'	28'	30'	32'	34'	36'
RTEC AUTOMATION®	Slim Drapery Motor	110	110	110	110	110	110	110	110	110	110

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately.

Ships in 10 - 15 business days.

System Features	R-TEC Automation [®] Slim Drapery Motor
System Features	
Center Draw or One-Way Draw Available	×
White or Bronze Track, Components & Brackets Available	×
Track Maximum Length	36'
Maximum Number of Track Splices	2
Motor Features	Z
Battery Power Option	×
Motor Cord Length as Purchased	10' (custom length up to 20' available)
2-Way RF Communication	X
Adjustable Speed	X
Preferred Open / Close Position	X
Favorite Position	X
Obstruction Detection	X
Manual Override	X
Quiet Operation	X
Soft Start / Stop	X
Average Linear Speed	5.5" (14 cm)/sec
Motorized Track Noise Level	44 dB
Maximum Weight	110 lbs
Motor Unit can be Installed on Either End of Track	X
Control Options	
Sun Control	X
Digital Technology	ARC™
Solar Power	X
Installation Features	
Programming Buttons on Motor Unit	X
Power Supply	Li-Ion Battery or 110v AC/DC Power Transformer
Amperage	1.3 A
Power Consumption	20 W
Power Cable Type	3 Conductor Male Plug
Standard Accessories Included with System	
5 Channel Handheld Remote with Wall Mount (Remote Control; White)	x
Carrier Features	
White or Bronze Pinch Pleat Glides	x
White or Bronze Ripplefold Glides (Choose 60%, 80%, 100% or 120% Fullness)	Х





bit.ly/R-TEC-Automation-Rowley-Android

Pair the R-TEC Hub and App with these systems (not sold by Rowley):








R-TEC Automation® App - Control your window

configuration from your smartphone or tablet.

Our App enables simple, intuitive control and system

coverings with a smartphone or tablet



Additional R-TEC Smart Controls

can be ordered at additional cost

- RTMHUB2 R-TEC Hub
- 2-way RF; Wi-Fi built in • 4 ½" H x 1 ¼" W x 4 ½" D
- · Range: 60'

RTMHRIC Handheld Remote with Wall Mount, 1 Channel

- · 5 ³/₁₆" H X 1 ¹/₄" W X ¹/₂" D
- · Range: 65'
- · Available in White

RTMHR5C Push5 Handheld Remote with Wall Mount, 5 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in Off-White

RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65' • Available in White or Black

RTMHR15C Handheld Remote with Wall Mount, 15 Channel

- •5¾" H x 1¼" W x½" D
- · Range: 65'
- · Available in White

RTMWSR5C Surface Mount

- Wall Switch, 5 Channel · 4 ½" H x 2 ¾" W x 1/8" D
- · Range: 65'
- · Available in White

RTMWCRIC RTMWCR2C RTMWSR15C Cut-In Wall Mount Switch, 1, 2 or 15 Channel

- · 4 ½" H x 2 ¾" W x 1" D
- · Range: 65'
- · Available in White
- · RTMSMB/W required for
- installation

RTMISS Interior Sun Sensor

- •1¾"Hx1¾"Wx5%"D
- · Range: 65'
- · Available in White

RTMUSR ARC™ USB Signal Repeater

- 2" L x 2 ½" L with USB x 1 5/6" W
- · Extends the wireless range of the R-TEC Hub and remotes up to 60'
- Maximum 2 repeaters per
- system or network · Available in White (color may vary)

RTMLDSSBC Wall Charger for USB Signal Repeater

- ·17/6" W x 1 13/6" L
- · Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

• 4 ⁵/₈" H x 12 ⁹/₁₆" W x 1 ³/₈" D Includes I-bracket, cables & fastener









.

0



































amazon alexa



R-TEC Motorized Heavy Duty Traverse Systems Pricing

Li-ion Battery or 110v AC/DC Power, Ripplefold or Pinch Pleat

ltem

Motorized Traverse System with Wood Fascia

Name

Single Track System wi	ith Wood Fascia for 1 ³/8" round	4'	5'	6'	7'	8'	9'	10'	
CSRPTH138WF	R-TEC Slim Drapery Motor	\$1,789.70	\$1,863.40	\$1,937.10	\$2,010.80	\$2,084.50	\$2,158.20	\$2,231.90	
Double Track System	ns with Wood Fascia Front Only fo	or 1 ³/8" round	k						
CSRPTH138WFFDBL	R-TEC Slim Drapery Motor	\$3,180.10	\$3,297.80	\$3,415.50	\$3,533.20	\$3,650.90	\$3,768.60	\$3,886.30	
Double Track System	with Wood Fascia Front and Bad	ck for 1 ³/8" rc	bund						
CSRPTH138WFDBL	R-TEC Slim Drapery Motor	\$3,579.40	\$3,726.80	\$3,874.20	\$4,021.60	\$4,169.00	\$4,316.40	\$4,463.80	
Single Track System wi	ith Wood Fascia for 1 $^7/_8$ " slim, 2 $^1/_4$ " $^\circ$	flat smooth	or 2 1/4" rour	nd					
CSRPTH214WF	R-TEC Slim Drapery Motor	\$1,934.90	\$2,082.30	\$2,229.70	\$2,377.10	\$2,524.50	\$2,671.90	\$2,819.30	
Double Track System	ns with Wood Fascia Front Only fo	or 1 7/8" slim, 2	2 1/4" flat smo	ooth or 2 1/4"	round				
CSRPTH214WFFDBL	R-TEC Slim Drapery Motor	\$3,325.30	\$3,516.70	\$3,708.10	\$3,899.50	\$4,090.90	\$4,282.30	\$4,473.70	
Double Track System	with Wood Fascia Front and Bad	$ck for 2^{1}/_{4}$ " ro	ound						
CSRPTH214WFDBL	R-TEC Slim Drapery Motor	\$3,869.80	\$4,164.60	\$4,459.40	\$4,754.20	\$5,049.00	\$5,343.80	\$5,638.60	
Double Track System	ns with Stationary Front Only 2 $^{1\!/_{4}}$	' Wood Pole							
CSRPTH214SDBL	R-TEC Slim Drapery Motor	\$1,834.80	\$2,041.60	\$2,226.40	\$2,411.20	\$2,596.00	\$2,780.80	\$2,965.60	
Double Track System	ns with Stationary Front 2 1/4" Woo	d Pole & Wo	ood Fascia B	Back for $2^{1/4}$	round				
CSRPTH214WFBSDBL	R-TEC Slim Drapery Motor	\$2,401.30	\$2,689.50	\$2,977.70	\$3,265.90	\$3,554.10	\$3,842.30	\$4,130.50	

Motorized Traverse System without Wood Fascia

5								
Single Track System track available in white and bronze	e 4'	5'	6'	7'	8'	9'	10'	
CSRPTHTRACK R-TEC Slim Drapery Motor	\$1,390.40	\$1,434.40	\$1,478.40	\$1,522.40	\$1,566.40	\$1,610.40	\$1,654.40	
Double Track System track available in white and br	onze							
CSRPTHTRACKDBL R-TEC Slim Drapery Motor	\$2,780.80	\$2,868.80	\$2,956.80	\$3,044.80	\$3,132.80	\$3,220.80	\$3,308.80	
Additional R-TEC Traverse Fees		ltem #	Name			NET	Price	
PTHFEEMITER-EACH Wood Fascia Mitered Return per retur	n \$80.00	R-TEC A	utomat	ion® Mo	tor Kits			
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00	RTMLDKIT		apery Motor , Wall Charge		1e \$3	50.00	
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45°	\$65.00	I I I I I I I I I I I I I I I I I I I	(include			,ie (0.	50.00	
angle (non-90° corner) per connection PTHFEEBLEND Blended Fascia Splice per blend	\$108.00	RTMLDS2KI		apery Motor		\$4	70.00	
PTITELEBEEND biended Fascia Splice per biend	.9108.00		Battery	& Solar Pane	ei Charger			
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fasc	ia \$65.00	RTMLDACK		apery Motor Transformer			95.00	
PTHFEERESTRING Restringing Fee per track	\$100.00		Conduc	ctor Male Plu	g			
Standard 45 Fascia Splice	No Charge							

Quantity Per System

Ex:

	4'	5'	6'	7'	8'	9'	10'	יוו	12'	13'	14'	15'	16'	17'	18'	19'
Pinch Pleat Glides	21	27	33	38	44	50	55	61	67	72	78	84	89	95	100	106
Brackets	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# glides on panel x carrier width) + 3.375" = stack per drapery panel

R-TEC Automation[®] 10ft. center draw, pinch pleat (standard 4 glides per ft.)

4.2" + [(40/2) x .563"] + 3.375" = 18.84" stack, for each panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

RTEC AUTOMATION®

Orders with R-TEC motorized traverse systems will incur a \$25 packaging fee.

Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

Available in all profiles for 1 3/8", 1 7/8" and 2 1/4" diameter fascias or without a wood fascia.

Systems are sold in 1 ft increments

		omation [®] Track,	Brackets, Cor	mpohents, Motor,	Power Option &	Push5 Channe	el Handheid Rem	iote with wa	ll Mount
							Splic	ed systems	s begin at
יון	12'	13'	14'	15'	16'	17'	18'	19'	per add'l
\$2,305.60	\$2,379.30	\$2,453.00	\$2,526.70	\$2,600.40	\$2,674.10	\$2,747.80	\$2,821.50	\$2,895.20	\$73.
	·								
\$4,004.00	\$4,121.70	\$4,239.40	\$4,357.10	\$4,474.80	\$4,592.50	\$4,710.20	\$4,827.90	\$4,945.60	\$117.
\$4,611.20	\$4,758.60	\$4,906.00	\$5,053.40	\$5,200.80	\$5,348.20	\$5,495.60	\$5,643.00	\$5,790.40	\$147.
	1	1	1	1					1
\$2,966.70	\$3,114.10	\$3,261.50	\$3,408.90	\$3,556.30	\$3,703.70	\$3,851.10	\$3,998.50	\$4,145.90	\$147
1	1	1	I	1	I I				1
\$4,665.10	\$4,856.50	\$5,047.90	\$5,239.30	\$5,430.70	\$5,622.10	\$5,813.50	\$6,004.90	\$6,196.30	\$191
		+c = = = = = = =		47330 CO		47700 00	4700700	#0.001.00	tao (
\$5,933.40	\$6,228.20	\$6,523.00	\$6,817.80	\$7,112.60	\$7,407.40	\$7,702.20	\$7,997.00	\$8,291.80	\$294.
¢715070	¢7,775,20	¢7 520.00	tz 70/ 00	¢7,000,00	¢ (07 (/ 0	¢ (250 20	¢////00	¢ (c20 00	¢107
\$3,150.40	\$3,335.20	\$3,520.00	\$3,704.80	\$3,889.60	\$4,074.40	\$4,259.20	\$4,444.00	\$4,628.80	\$184
\$4,418.70	\$4,706.90	\$4,995.10	\$5,283.30	\$5,571.50	\$5,859.70	\$6,147.90	\$6,436.10	\$ 6,724.30	\$288
φ-,-10.70	\$4,700.50	φ-,555.10	\$3,203.30	\$5,571.50	\$3,035.70	\$0,147.50			
							Splic	ced systems	s begin at
יוו	12'	13'	14'	15'	16'	17'	18'	19'	per add
\$1,698.40	\$1,742.40	\$1,786.40	\$1,830.40	\$1,874.40	\$1,918.40	\$1,962.40	\$2,006.40	\$2,050.40	\$44
t7 705 00		¢7 552 0.0		\$7.5×0.00	#7.076.00	#7.00 (00	¢ (010 00	¢ (100 00	too.
\$3,396.80	\$3,484.80	\$3,572.80	\$3,660.80	\$3,748.80	\$3,836.80	\$3,924.80	\$4,012.80	\$4,100.80	\$88
ltem #	Name			NET Price	Item #	Name		Colo	or NE
R-TEC M	otor & Co	mponent	IS		R-TEC Sn	nart Cont		landheld Rem 5 channel inc	
R-TEC M	otor & Co Slim Drape	•	S	\$200.00		Handheld R		5 channel inc	luded
		ry Motor	S	\$200.00 \$120.00	R-TEC Sn	Handheld R Mount, 1 ch	Mount - emote with Wall	<i>5 channel inc</i> White	luded
RTMLDSS50	Slim Drape	ry Motor Pry	S			Handheld R Mount, 1 ch	Mount - emote with Wall sheld Remote wit	<i>5 channel inc</i> White	e \$65
RTMLDSS50 RTMLDSSB	Slim Drape Li-ion Batte Battery Wa	ry Motor Pry	S	\$120.00	RTMHRIC RTMHR5C RTMHRP15C	Handheld R Mount, 1 ch Push5 Hanc Wall Mount, Push15 Hanc	Mount - remote with Wall sheld Remote wit s c h dheld Remote wit	th White	e \$65 \$70 \$70
RTMLDSS50 RTMLDSSB RTMLDSSBC	Slim Drape Li-ion Batte Battery Wa USB Cable 110v AC/DC	ry Motor ry II Charger Power Transforr		\$120.00 \$15.00	RTMHRIC RTMHR5C	Handheld R Mount, 1 ch Push5 Hanc Wall Mount, Push15 Han Wall Mount,	Mount - temote with Wall dheld Remote wit , 5 ch dheld Remote wit , 15 ch	b S channel inc White h Off- White	e \$65. \$70. \$75.
RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUST RTMDSSPT	Slim Drape Li-ion Batte Battery Wa USB Cable 110v AC/DC 3 Conducto	ry Motor Pry II Charger Power Transforr r Male Plug	ner 10' with	\$120.00 \$15.00 \$15.00 \$70.00	RTMHRIC RTMHR5C RTMHRP15C	Handheld R Mount, 1 ch Push5 Hanc Wall Mount, Push15 Han Wall Mount,	Mount - lemote with Wall dheld Remote wit , 5 ch dheld Remote wit , 15 ch remote with Wall	th White	eluded \$65. \$70. \$75.
RTMLDSS50 RTMLDSSB RTMLDSSBC RTMLDSSUSI	Slim Drape Li-ion Batter Battery Wa USB Cable 110v AC/DC 3 Conducto 110v AC/DC	ry Motor ry II Charger Power Transforr	ner 10' with ner 20'	\$120.00 \$15.00 \$15.00	RTMHRIC RTMHR5C RTMHRP15C/K	Handheld R Mount, 1 ch Push5 Hanc Wall Mount, Vall Mount, Handheld R Mount, 15 ch	Mount - lemote with Wall dheld Remote wit , 5 ch dheld Remote wit , 15 ch remote with Wall	th White White White th White White	Sluded Set \$65. \$70. Set \$75. Set \$85.
RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUST RTMDSSPT	Slim Drape Li-ion Batter Battery Wa USB Cable 110v AC/DC 3 Conducto 110v AC/DC	ry Motor ery II Charger Power Transform r Male Plug Power Transform 9 sold separately	ner 10' with ner 20'	\$120.00 \$15.00 \$15.00 \$70.00	RTMHRIC RTMHR5C RTMHRPI5C RTMHRPI5C/K RTMHRI5C	Handheld R Mount, 1 ch Push5 Hand Wall Mount, Push15 Hand Wall Mount, Handheld R Mount, 15 ch Surface Wall	Mount - remote with Wall theld Remote wit , 5 ch dheld Remote wit , 15 ch	ch Off- White th Off- White or Bla White white ch White	cluded c
RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSI RTMDSSPTCS RTMDSSPTCS	Slim Drape Li-ion Batter Battery Wa USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto	ry Motor ery II Charger Power Transform r Male Plug Power Transform 9 sold separately	ner 10' with ner 20') specify ft.	\$120.00 \$15.00 \$15.00 \$70.00 \$75.00	RTMHRIC RTMHR5C RTMHRP15C RTMHRP15C/K RTMHR15C RTMWSR5C	Handheld R Mount, 1 ch Push5 Hanc Wall Mount, Push15 Han- Wall Mount, Handheld R Mount, 15 ch Surface Wall Cut-In Wall	Mount - lemote with Wall sheld Remote wit s5 ch dheld Remote with 15 ch remote with Wall n	ch Off- White th Off- White th White or Bla White h* White	cluded cluded <td< td=""></td<>
RTMLDSS50 RTMLDSSB RTMLDSSBC RTMLDSSUSI RTMDSSPT RTMDSSPTCS RTMP PTH MO1 • Specified cust	Slim Drape Li-ion Batter Battery Wa USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto corized Tra om cut length in	ry Motor Pry II Charger Power Transforr Male Plug Power Transforr Sold separately Male Plug Averse Tip dicates track leng	ner 10' with ner 20') specify ft.)S	\$120.00 \$15.00 \$15.00 \$770.00 \$75.00 \$25.00	RTMHRIC RTMHR5C RTMHRP15C/K RTMHR15C RTMWSR5C RTMWSR5C	Handheld R Mount, 1 ch Push5 Hanc Wall Mount, Push15 Hanc Wall Mount, Handheld R Mount, 15 ch Surface Wal Cut-In Wall	Mount - temote with Wall dheld Remote wit , 5 ch dheld Remote wit , 15 ch temote with Wall h I Mount Switch, 1 c	ch Off- White th Off- White th White ch White h* White th* White	cluded e \$65 e \$70 e \$75 e \$85 e \$70 e \$50 e \$50
RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSI RTMDSSPT RTMDSSPTCS RTMP PTH MOI • Specified cust gears; fascia w fascia will add	Slim Drape Li-ion Batte Battery Wa USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto corized Tra om cut length in ill be ¼" longer a the following to	ry Motor Pry II Charger Power Transforr r Male Plug Power Transforr 2 sold separately or Male Plug averse Tip dicates track leng t each end of track the traverse syste	ner 10' with ner 20') specify ft. OS gth including d ck (½" total); m m:	\$120.00 \$15.00 \$15.00 \$770.00 \$75.00 \$25.00	RTMHRIC RTMHR5C RTMHRPI5C/R RTMHRI5C RTMWSR5C RTMWCR1C RTMWCR2C	Handheld R Mount, 1 ch Push5 Hanc Wall Mount, Push15 Han- Wall Mount, Handheld R Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall	Mount - temote with Wall theld Remote wit to 5 ch dheld Remote wit to 5 ch temote with Wall the Wount Switch, 5 Mount Switch, 1 c Mount Switch, 2 c	S channel income White White	cluded cluded <td< td=""></td<>
RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSI RTMDSSPTCS RTMDSSPTCS RTMP PTH MOI • Specified cust gears; fascia w fascia will add Fascia 13/8"	Slim Drape Li-ion Batte Battery Wa USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto corized Tra om cut length in ill be ¼" longer a the following to 1 Depth + to 7%" 2"	ry Motor ry II Charger Power Transforr r Male Plug Power Transforr Sold separately r Male Plug averse Tip dicates track leng t each end of trac	ner 10' with ner 20') specify ft. OS gth including d ck (½" total); m m:	\$120.00 \$15.00 \$15.00 \$770.00 \$75.00 \$25.00	RTMHRIC RTMHRSC RTMHRPISC/K RTMHRISC RTMWSRSC RTMWCRIC RTMWCRIC RTMWSRISC RTMSRISC	Handheld R Mount, 1 ch Push5 Hano Wall Mount, Push15 Hano Wall Mount, Handheld R Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall Cut-In Wall Wi-Fi to ARC	Mount - lemote with Wall dheld Remote wit , 5 ch dheld Remote wit , 15 ch lemote with Wall n I Mount Switch, 1 c Mount Switch, 1 c Durt Wall Back Bo C Bridge Hub-2-W	s 5 charnel inc White White th Off- White th White or Bla White th White ch* White ch* White vay	cluded cluded <td< td=""></td<>
RTMLDSS50 RTMLDSSB RTMLDSSBC RTMLDSSUSI RTMDSSPT RTMDSSPTCS RTMP PTH Mot specified cust gears; fascia will add Fascia 13/6" 2 1/4"	Slim Drape Li-ion Batte Battery Wa USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto corized Tra om cut length in vill be ¼" longer a the following to Depth + to 7%" 2" 1 3%" 3"	ry Motor Pry II Charger Power Transforr r Male Plug Power Transforr sold separately or Male Plug averse Tip dicates track leng t each end of trac the traverse system o traverse system	ner 10' with ner 20') specify ft. OS gth including d ck (½" total); m m:	\$120.00 \$15.00 \$15.00 \$770.00 \$75.00 \$25.00	RTMHRIC RTMHRSC RTMHRPISC RTMHRISC RTMHRISC RTMWSRSC RTMWCRIC RTMWCRIC	Handheld R Mount, 1 ch Push5 Hano Wall Mount, Push15 Hano Wall Mount, Handheld R Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall Wi-Fi to ARC RF-includes	Mount - temote with Wall theld Remote wit 5 ch dheld Remote wit 15 ch lemote with Wall 1 Mount Switch, 5 Mount Switch, 2 c Mount Switch, 2 c Mount Switch, 15 ount Wall Back Bo	- 5 charnel inc White White th Off- White th White or Bla White ch* White ch* White ch* White ch* White	cluded cluded <td< td=""></td<>
RTMLDSS50 RTMLDSSB RTMLDSSBC RTMLDSSUSI RTMDSSPT RTMDSSPTCS RTMP PTH MO1 • Specified cust gears; fascia w fascia will add <u>Fascia</u> 2 ¼" Flat Slim Roun	Slim Drape Li-ion Batte Battery Wa USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto concut length in rill be ¼" longer a the following to the 7%" 2" 13%" 3" 3¼" 134 d 5%" 142	ry Motor Pry II Charger Power Transform r Male Plug Power Transform sold separately r Male Plug averse Tip dicates track leng t each end of trac the traverse system traverse system traverse system	ner 10' with ner 20') specify ft. DS th including d ck (½" total); m 	\$120.00 \$15.00 \$15.00 \$770.00 \$75.00 \$25.00	RTMHRIC RTMHRSC RTMHRPISC/K RTMHRISC RTMWSRSC RTMWCRIC RTMWCRIC RTMWSRISC RTMSRISC	Handheld R Mount, 1 ch Push5 Hano Wall Mount, Push15 Hano Wall Mount, Handheld R Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall Wi-Fi to ARC RF-includes	Mount - emote with Wall sheld Remote wit 5 ch dheld Remote wit 15 ch emote with Wall 1 Mount Switch, 5 Mount Switch, 2 c Mount Switch, 2 c Mount Switch, 2 c Mount Switch, 15 ount Wall Back Bo C Bridge Hub-2-W USB Power Cord & Ethernet Cable	- 5 charnel inc White White th Off- White th White or Bla White ch* White ch* White ch* White ch* White	Studed State
RTMLDSS50 RTMLDSSB RTMLDSSBC RTMLDSSBC RTMLDSSVSI RTMDSSPT RTMDSSPTCS RTMP PTH MOI • Specified cust gears; fascia w fascia will add Fascia 13%" 21%" 21%" Flat Slim Roun • Track and fascia	Slim Drape Li-ion Batte Battery Wa USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto corized Tra om cut length in vill be ¼" longer a the following to 1 Depth + to 7⁄6" 2" 13⁄8" 3" 3⁄4" 13⁄4 5⁄8" 13⁄4 d 5⁄8" 13⁄4	ry Motor ry II Charger Power Transforr r Male Plug Power Transforr Power Transforr P	ner 10' with ner 20') specify ft. OS gth including d ck (½" total); m m: 	\$120.00 \$15.00 \$15.00 \$70.00 \$25.00	RTMHRIC RTMHRSC RTMHRPISC RTMHRPISC RTMWSRSC RTMWCRIC RTMWCRIC RTMWSRISC RTMSMB/W	Handheld R Mount, 1 ch Vall Mount, Push5 Hanc Wall Mount, Handheld R Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall Wi-Fi to ARC RF-includes Power Plug Interior Sun	Mount - emote with Wall sheld Remote wit 5 ch dheld Remote wit 15 ch emote with Wall 1 Mount Switch, 5 Mount Switch, 2 c Mount Switch, 2 c Mount Switch, 2 c Mount Switch, 15 ount Wall Back Bo C Bridge Hub-2-W USB Power Cord & Ethernet Cable	S channel inc White Way	cluded cluded <td< td=""></td<>
RTMLDSS50 RTMLDSSB RTMLDSSBC RTMLDSSBC RTMLDSSUSI RTMDSSPT RTMDSSPTCS RTMP PTH MOI • Specified cust gears; fascia will add Fascia 13/8" 2 1/4" Flat Slim Roun • Track and fascia properly conn	Slim Drape Li-ion Batte Battery Wa USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto concut length in rill be ¼" longer a the following to 1 Depth + to 7%" 2" 13½" 3" 3¼" 13½ d 5%" 11½ ia will be spliced a savilable for a ect splice(s) and s	ry Motor ry II Charger Power Transforr r Male Plug Power Transforr o sold separately or Male Plug averse Transforr sold separately or Male Plug averse Transforr teach end of trac the traverse system traverse system "" " in the center of o	ner 10' with ner 20') specify ft. OS gth including d ck (½" total); m m: 	\$120.00 \$15.00 \$15.00 \$70.00 \$25.00	RTMHRIC RTMHR5C RTMHRPI5C/R RTMHRI5C RTMWSR5C RTMWCR1C RTMWCR2C RTMWSR15C RTMSMB/W RTMHUB2 RTMISS	Handheld R Mount, 1 ch Push5 Hanc Wall Mount, Push15 Hanc Wall Mount, Handheld R Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall Wi-Fi to ARC RF-includes Power Plug Interior Sun	Mount - lemote with Wall sheld Remote wit 5 ch dheld Remote wit 15 ch I Mount Switch, 5 Mount Switch, 1 c Mount Switch, 1 c Mount Switch, 1 c Mount Switch, 1 c Mount Switch, 1 c Sunt Wall Back Bo C Bridge Hub-2-W USB Power Cord & Ethernet Cable Sensor	s 5 charmel inco White White th Off- White th White ch White ch* White ch* White ch* White ch* White vay white White White	cluded cluded <td< td=""></td<>

caps sold separately. • R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING Modifications of internal components will void R-TEC warranties.

*RTMSMB/W required for installation.



R-TEC Motorized Heavy Duty Traverse Systems Finishes


Decorative wood fascia available in 1 ¾" or 2 ¼" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 1%" slim round smooth profile, 2 ¼" flat smooth profile with flush ends or mitered returns. See next page for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Wood Fascia Finish	Track and Bracket* Color	Component Color	Max. Continuous Length
	Amulet	White	White	16'
	Andiron	White	White	16'
	Antique Gold	White	White	16'
	Antique Gold Leaf	White	White	16'
	Art Bronze	Bronze	Bronze	16'
	Barnwood	Bronze	Bronze	16'
	Black	Bronze	Bronze	16'
	Blush	White	White	16'
	Bronzed Pewter	Bronze	Bronze	16'
	Concrete	White	White	16'
	Couture	White	White	16'
	Dark Chocolate	Bronze	Bronze	16'
	Firelight	White	White	16'
	Gossamer	Bronze	Bronze	16'
	Greige	White	White	16'
1 3⁄8" or 2 1⁄4"	Halo	White	White	16'
smooth, reeded or	Java	Bronze	Bronze	16'
grooved / fluted profiles	Linen	White	White	16'
with	Luminous	Bronze	Bronze	16'
coordinating finials	Manor	White	White	16'
1 7⁄8" slim round	Mink	Bronze	Bronze	16'
smooth profile	Moonlight	Bronze	Bronze	16'
2 ¼" flat	Mystic	White	White	16'
smooth profile	New Age Bronze	Bronze	Bronze	16'
With flush ends	Patina	White	White	16'
or mitered returns	Shimmer	Bronze	Bronze	16'
	Silver Maple	White	White	16'
	Spicewood	Bronze	Bronze	16'
	Spun Gold	White	White	16'
	Stardust	White	White	16'
	Starlet	White	White	16'
	Titanium	White	White	16'
	Truffle	Bronze	Bronze	16'
	Urban Bronze	Bronze	Bronze	16'
	White	White	White	16'
	PTH Perfect Match™	please specify	please specify	16'
	Antique Brass	White	White	12'
	Oil Rubbed Bronze	Bronze	Bronze	12'
	Platinum	White	White	12'
	Rose Gold	White	White	12'
	Walnut	Bronze	Bronze	12'



White brackets may be substituted upon request.

Motorized Heavy Duty Traverse Systems Fascia Profiles



Smooth

- 1³/₈" and 2 ¹/₄" diameters available with R-TEC Systems
 2 ¹/₄" diameter available with Somfy Systems
- · See below for coordinating finial options

Reeded

- .13/8" and 2 1/4" diameters available with R-TEC Systems
- $\cdot\,2$ ¼" diameter available with Somfy Systems
- ·See below for coordinating finial options

Grooved / Fluted

- .13/8" and 2 1/4" diameters available with R-TEC Systems
- $\cdot 2$ ¼" diameter available with Somfy Systems
- ·See below for coordinating finial options

Slim Round Smooth, No Finials

.1 7/8" diameter, available with flush ends or mitered returns

Flat Smooth, No Finials

 $\cdot\,2\,$ ¼" height, available with flush ends or mitered returns

Mitered Returns

(sold separately) .13%", 1 7%" and 2 1/4" diameters available

· All profiles

Upgrade your Motorized HD Traverse with Finial Styles

Finials are sold separately. 1 3/8" or 2 1/4" Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with 1 3/8" fascias and finials.



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 22 | 2 1/4" Quick Ship page 102




1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 23 | 2 1/4" Quick Ship page 102


R-TEC Motorized Heavy Duty Traverse Systems Brackets

	R-TEC Single TB035-R	$2^{11}/16"$ H x $1^{1}/2"$ W backplate, adjustable up to $3^{1}/4"$ return Available in white or bronze /BR.	\$31.63 each
	R-TEC Single or Double TB060-R	$3{}^{5}\!/{}^{_{16}"}$ H x 1 $^{1}\!/{}^{_{2}"}$ W backplate, 5 ${}^{1}\!/{}^{_{4}"}$ front return and 2" back return Available in white or bronze /BR.	\$50.60 each
TB035-R TB060-R TB100-R	R-TEC Single, Double or Triple TB100-R	4 ¼2" H x 1 ¼2" W backplate, adjustable up to 9" return Available in white or bronze /BR.	\$50.60 each
	Ceiling Mount Clip Single RTMDTBCM	¼" H x 2 ¼" D x 1 ¼ ₆ " W May only be used in systems without fascia. For double ceiling mount installation, install two brackets into ceiling. Available in white.	\$3.00 NET each
	Fascia Mount Clip RTMDTFC	1/2" H x 1" W Use to attach fascia to traverse systems; included. Available in zinc.	\$2.50 NET each


R-TEC Single Motorized Bracket TB035-R



R-TEC Single or Double Motorized Bracket TB060-R




R-TEC Single, Double or Triple Motorized Bracket TB100-R



R-TEC Ceiling Mount Bracket RTMDTBCM

Please note: Ceiling Bracket will not accommodate fascia and finials.




	Custom Over- Bracket Single TBKT214-R	3 ½" H x ¾" W backplate, 7 %" front return and 3" back return Use to combine 2 ¼ full wood pole with single traverse systems; includes traverse ceiling mount bracket attached onto the bottom of the over-bracket. Steel *Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™	\$88.55 each
	Custom Ceiling Single CMTB-R	2 ¾" H x ¾" W backplate for double ceiling mount installation, install two brackets into ceiling. Steel *Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™ When ordering, specify: A. Fascia diameter and profile. B. Projection to carrier and/or to front of fascia. C. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling). D. Width of mounting plate if longer than 2 ¾".	\$75.90 each

R-TEC Custom Traverse Bracket


TBKT214-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



R-TEC Custom Traverse Ceiling Bracket CMTB-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- C. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).
- D. Width of mounting plate if longer than 2 3/4.

R-TEC Motorized Heavy Duty Traverse Systems Information

Carriers for additional carriers.

Pinch Pleat Glides

See page 39 for diagrams. Wheel for smooth movement. Available in white or bronze /BR. **Pinch Pleat Glides** \$3.25 NET pack CP40 CP40/BR /BR (10 pieces) Included in system; additional glides may be ordered separately. Ripplefold[®] Style Glides See page 39 for diagrams. Ripplefold Glides with detachable pendents. 60%, 80%, Ripplefold[®] Style Glides 100% or 120% fullness - specify R4060/P R4060/P/BR /BR \$0.63 NET fullness on order. Available in R4080/P/BR R4080/P each white or bronze /BR. R4100/P R4100/P/BR R4120/P R4120/P/BR Included in system; additional glides may be ordered separately.

Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order.


Master Carrier Body RTMDTMCB RTMDTMCB/BR	Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Available in white or bronze /BR.	\$4.00 NET each
Overlap Master Carrier Arms for Center Draw RTMDTCD	Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$4.75 NET pair*
Tandem Master Carrier Arms for Center Draw RTMDTCDTAN	Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$7.00 NET pair*
Master Carrier Arm for One-Way Draw RTMDTOR RTMDTOL	Right (R) or Left (L). Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only.	\$2.75 NET each
Ripplefold Butt Master Carrier Arms for Center Draw RTMDTCDB	Pair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$4.75 NET pair*
Ripplefold Butt Master Carrier Arm for One-Way Draw RTMDTOB	Right and left use. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.	\$2.75 NET each
	RTMDTMCB RTMDTMCB/BR B Overlap Master Carrier Arms for Center Draw RTMDTCD Tandem Master Carrier Arms for Center Draw RTMDTCDTAN Master Carrier Arm for One-Way Draw RTMDTOR RTMDTOL Ripplefold Butt Master Carrier Arms for Center Draw RTMDTCDB Ripplefold Butt Master Carrier Arm for One-Way Draw	RTMDTMCB RTMDTMCB/BRorder two if ordering Center Draw MC Arms - sold separately. Available in white or bronze /BR.Overlap Master Carrier Arms for Center Draw RTMDTCDPair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.Tandem Master Carrier Arms for Center Draw RTMDTCDTANPair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.Master Carrier Arms for One-Way Draw RTMDTOLPair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.Ripplefold Butt Master Carrier Arms for Center Draw RTMDTOLPair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.Ripplefold Butt Master Carrier Arms for Center Draw RTMDTCDBPair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.Ripplefold Butt Master Carrier Arms for One-Way DrawPair. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.Ripplefold Butt Master Carrier Arms for One-Way DrawRight and left use. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.

Tandem Alternative


Tandem alternative ARC[™] motorized systems utilize two drapery motors and are used for draperies that exceed the maximum single motor capacity, available in center draw only. Use Tandem Center Draw Overlap Arms RTMDTCDTAN (for pinch pleat or ripplefold draperies) or two Butt Master One-Way Draw Arms RTMDTOB (for ripplefold draperies only).

R-TEC Motorized Carrier Diagrams


R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arms, Center Draw RTMDTCD




R-TEC Motorized Heavy Duty Traverse ONLY Universal Tandem Master Carrier Arms, Center Draw RTMDTCDTAN (see page 52 for details)




R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arm, One-Way Draw




R-TEC Motorized Heavy Duty Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw, Right or Left - RTMDTOB







R-TEC Motorized Heavy Duty AND 1 3/8" Metal Traverse Ripplefold Butt Master Carrier Arms, Center Draw RTMDTCDB




1 3/3" R-TEC Motorized Metal Traverse ONLY Pinch Pleat / Ripplefold Master Carrier Arms, Center Draw RTPTH138CD



1 3⁄8" R-TEC Motorized Metal Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw Right - RTPTH1380BR or Left - RTPTH1380BL



1 3/8" R-TEC Motorized Metal Traverse ONLY Pinch Pleat Master Carrier Arm, One-Way Draw Right - RTPTH138PPOR or Left - RTPTH138PPOL



R-TEC Automation[®] & Somfy Comparison

Slim Drazer Valvor Heavy Day Randard Standard Standard Man gigstem Facture Slim Dropeny Motor Glydert ULTRA 30e Existem 01178.30e Histon 01178.30e gigstem Facture Track Available X X X X X X White ar Bronze Track Available X X X X X X White ar Bronze Track Available X X X X X X X White ar Bronze Track Available X X X X X X X X Markmun Langen 38 39 52 33 52 2			€/	1		
SpannerNon-Add to the set of	System Features	R-TEC [®] Automation [®] Slim Drapery Motor				
Fach Ball Table Statute Table Statute <thtable statute<="" td=""><td>System Features</td><td>Slim Drapery Motor</td><td>Glydea® ULTRA 60e</td><td>Glydea® ULTRA 35e</td><td>Irismo™ 45</td><td>Irismo™ 35</td></thtable>	System Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
White or bronze Grupoment AvailableXXXXXXWhite or bronze Munper AvailableXXXXXXXNameur orgh3%3%3%3%3%3%3%Mannum Number of Track Splices22222222Minimum Gurong BalliaMulter GoLMTiller GoLMTiller GoLMTiller GoLMTiller GoLMWhite or fanzer WallaceXXXXXXXNithe or fanzer WallaceXXXXXXX18' Tracsa AvailableXXXXXXXXNither Cord Length as Purchaseo120' or specify firmth 20' or specify firmth 20' or specify firmth 20' or specify firmth 		\$2,295.00	\$3,550.00	\$3,105.00	\$3,550.00	\$3,105.00
White or Brown Components Analiable X X X X X X X X X Track Maximum Length 360 360 370 370 370 370 Minimum Munder Drack Splits 2	Center Draw or One-Way Draw Available	X	X	Х	Х	X
Tack Maximum Longth $36'$ $36'$ $32'$ $33'$ $32'$ Madmum Number of Tack Splices 2	White or Bronze Track Available	X	Х	Х	Х	X
Maximum Number of Track Splices. 2 2 2 2 2 2 2 Minimum Quring Bidlus III8*00 CMI X	White or Bronze Components Available	X	X	X	X	X
Minimum Curving Badius Intell	Track Maximum Length	36'	36'	32'	33'	32'
White or Brance Wall Mount Brackets [5gl & Dit) X X X X X X X X X White Standard Ceiling Mount Brackets Sim Drageny Motor Cipitea ¹¹ LITEA Size Intomo ¹⁴ 45 Intomo ¹⁴ 45 Motor Card Length as Purchased ¹²⁰ or specify feighting Dito' Dito' Dito' Na Motor Card Length as Purchased ¹²⁰ or specify feighting Dito' Dito' Na X Motor Card Length as Purchased ¹²⁰ or specify feighting Dito' Dito' Na X Soft Start X X X X X X Soft Start X X X X X Soft Start X X X X X Soft Start X X X X X Adverse Linnis X X X X X Motor Adjustment Sin As B25 in A ² B Bit As Patient As Bit Methods My Position My Position Motor Adjustate Linnis X X X X X Addrese Table Motor Filly Cosof Position Bit	Maximum Number of Track Splices	2	2	2	2	2
white at Branze Wall Mount Brackets (Spl & Dbl) X X X X X X X X X White Standard Geling Mount Bracket X C X	Minimum Curving Radius		11.8" (30 CM)	11.8" (30 CM)		11.8" (30 CM)
White Standard Ceiling Mount BracketXXXXXX15' Fractional SelectionStim Drapery MoorOlydea* ULTRA 60eGivdea* ULTRA 50eFiltermor* 36Motor FeaturesStim Drapery MoorUpor*Tao*Tao*Intermor* 36Motor Cord Langth as Purchased120' or specify englTao*Tao*NAXXTouch MotionXXXXXXXManual OverrideXXXXXXXSoft StantXXXXXXXXSoft StantXX		X			X	
3% Fascia Available X Clyster* III.TRA 50e Versme ¹⁴ 45 Insme ¹⁴ 45 Motor Cord Langth as Purchased 10 ¹⁰ rspecify length up to 2001 120° ná 188.4″ Motor Cord Langth as Purchased X X X XX XX Manual Overside X X XX XX XX XX Start X X XX XX XX XX Start X XX XX XX XX XX Start X XX XX XX XX XX Start X XX XX XX XX XX Average Linear Speed 5.5 in, A · B25 in, A 4 ³ in A · 7.25 in, A 49 in A · 7.86 in, A 49 in A · 7.86 in, A Motor Altronatically Stop When System Reaches full Consel Paction My Paciton My Paciton My Paciton My Paciton Motor Altronatically Stop When System Reaches full Consel Paciton My Paciton My Paciton My Paciton Mator Altronatically Stop When System Reaches full Consel Paciton My Paciton My Paciton My Paciton Mator Altronatically Stop When System Reaches full Construmatically Stop When System Sin A · 82 in Consel Paciton My Paciton Mator Altronatically Stop When System <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td>		X				
Motor FeaturesSlim Dropery MotorClydes* ULTRA 50eDiverse* 45Hisme**35Motor Card Length as Purchased120 or specify length upto 2400120 r120 rn.d.a358.4 rToroch MotonXXXXXXXManual OverrideXXXXXXShi StartXXXXXXXSoft StartXXXXXXXShi StartXXXXXXXXSpeci Control & AdjustmentXXX						
Motor Cand Length as Purchased 120° or predity length up to 2002TooTooNa 158.4° Touch MotionXXXXXXXXFouch MotionXXXXXXXSoft StartXXXXXXXXSoft StartXXXXXXXXXSpeed Control & AdjustmentXXX <td></td> <td></td> <td>Glvdea® UI TRA 60e</td> <td>Glvdea® ULTRA 35e</td> <td>Irismo™ 45</td> <td>Irismo™ 35</td>			Glvdea® UI TRA 60e	Glvdea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Touch Motion X X X X X X X Manual Override X X X X X X X Soft Start X X X X X X X Soft Start X X X X X X X Speed Control & Adjustment X X X X X X Word Pattomatically Stops When System SS in <i>Ls</i> - 25 in <i>.k</i> 49 in <i>k</i> - 786 in <i>k</i> 49 in <i>k</i> - 786 in <i>k</i> Motor Automatically Stops When System X X X X X Adjustable Limits X X X X X X Adjustable Limits X<		120" or specify length	-			
Soft StartXXXXXXXSoft StopXXXXXXXSpeed Cortrol & AdjustmentXXXXXXXAuerage Linear Speed $55 \ln A \cdot 82 \ln A$ $49 \ln A \cdot 726 \ln A$ $40 \ln A \cdot 726 \ln A \cdot 726 \ln A$ $40 \ln A \cdot 726 \ln A \cdot 726 \ln A$ $40 \ln A \cdot 726 \ln A \cdot 726 \ln A \cdot 726 \ln A$ $40 \ln A \cdot 726 \ln$	Touch Motion		X	X	X	X
Soft StartXXXXXXSoft StortXXXXXXSpeed Control & AdjustmentXXXXXXAverage Linear Speed $55 \text{ in}, k - 82 \text{ in}, k$ $49 \text{ in}, k - 786 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ X						
Speed Control & AdjustmentXXXXXXAverage Linear Speed $55 \ln/s - 825 \ln/s$ $49 \ln/s - 726 \ln/s$ (glient 295 in/s) $49 \ln/s - 726 \ln/s$ 						
Speed Control & AdjustmentXXXXXXAverage Linear Speed $5.5 in/s - 8.25 in/s$ $4.9 in/s - 7.26 in/s$ Motor Quert Fully Closed PositionXXX <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Average Linear Speed 55 in /s - 8.25 in /s $4.9 \text{ in } \frac{k}{528 \text{ in } \frac{k}{5}}$ $4.9 \text{ in } \frac{k}{k} - 7.86 \text{ in } \frac{k}{50 \text{ in } k}$ $4.9 \text{ in } \frac{k}{k} - 7.86 \text{ in } \frac{k}{k}$ $4.9 \text{ in } \frac{k}{k} - 7.86 \text{ in } \frac{k}{k}$ Motor Automatically Stops When System X						
Reaches Pully Open or Fully Closed PositionAAAAAdjustable LimitsXXXXXAdjustable LimitsFavorite PositionMy PositionMy PositionMy PositionMotorized Track Noise Level44 db38 dB in silent mode38 dB in silent mode38 dB in silent mode44 dB44 dBMaximum Weight110 lbs132 lbs77 lbs99 lbs77 lbsTandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsMotor Unit can be Installed on Either End of TrackXXXXXKot Unit can be Installed on Either SindoXXXXXXFactory ResetXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXPower CollXXXXXX			4.9 in./s - 7.86 in, /s	4.9 in./s - 7.86 in _. /s		4.9 in./s - 7.86 in./s
NoticeFavorite PositionMy Posit	Motor Automatically Stops When System Reaches Fully Open or Fully Closed Position	X	Х	X	X	X
Motorized Track Noise Level44 db38 dB in silent mode38 dB in silent mode44 dB44 dB44 dBMaximum Weight110 lbs132 lbs77 lbs99 lbs77 lbsTandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs1154 lbsMotor Unit can be Installed on Either End of TrackXXXXXXMotor Unit can be Installed on Either End of TrackXXXXXXXInverse Mounting of MotorXXXXXXXXXXFactory ResetXXX	Adjustable Limits	X	X	X	Х	х
Maximum Weight110 lbs132 lbs77 lbs99 lbs77 lbsTandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsMotor Unit can be Installed on Either End of Track.XXXXXInverse Mounting of MotorXXXXXXFactory ResetXXXXXXXControl Options**Slim Drapery MotorGlydea" ULTRA 60eGlydea" ULTRA 35eIrismo™ 45Irismo™ 45Irismo™ 45Sun ControlXXXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXXSolar PowerXXXXXXXXPower SupplyILi-ion Battery or 10 V AC/CC Power TransformerGlydea" ULTRA 60eGlydea" ULTRA 35eIrismo™ 45Irismo™ 45Power Consumption13.A0.8 A0.8 A0.5 A2.4XXPower Cable Type3 conductor male plug3 con	Intermediate Position	Favorite Position	My Position	My Position	My Position	My Position
Tandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsMotor Unit can be Installed on Either End of TrackXXXXXXMotor Unit can be Installed on Either End of TrackXXXXXXInverse Mounting of MotorXXXXXXXPactory ResetXXXXXXXControl Options***Slim Drapery MotorGlydea ^a ULTRA 60eGlydea ^a ULTRA 35eIrismol ^m 45Irismol ^m 45Sun ControlXXXXXXXXSun ControlXXXXXXDigital Communication TechnologyARC TM Frado Technology Somfy (RTS)Irismol ^m 45Irismol ^m 45Solar PowerXXXXXXXXProgramming Buttons on Motor UnitXXXXXXPower Supply103 AC/DC Power Transformer08 A08 A05 A2AAmperage13 A0.8 A0.8 A0.5 A2A2APower Cable Type3 conductor male plug3 conductor male plug <td>Motorized Track Noise Level</td> <td>44 db</td> <td>38 dB in silent mode</td> <td>38 dB in silent mode</td> <td>44 dB</td> <td>44 dB</td>	Motorized Track Noise Level	44 db	38 dB in silent mode	38 dB in silent mode	44 dB	44 dB
Noter Unit can be installed on Either End of TrackXXXXXInverse Mounting of MotorXXXXXXFactory ResetXXXXXXXControl Options**Slim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Timer ControlXXXXXXXSun ControlXXXXXXDigital Communication TechnologyARC™Glydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Digital Communication TechnologyARC™Cilydea® ULTRA 60eGlydea® ULTRA 55eIrismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXXPower Supply10×AC/DC Power Transformer13.A0.8.A0.8.A0.8.A0.5.A2.4Power Consumption20.W96.W96.W60.W48.W2.42.42.4Power Cable Type3 conductor male plug3	Maximum Weight	110 lbs	132 lbs	77 lbs	99 lbs	77 lbs
TrackAAAAAInverse Mounting of MotorXXXXXXFactory ResetXXXXXXXControl Options**Slim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35Timer ControlSlim Drapery MotorXXXXXXSun ControlXXXXXXXDigital Communication TechnologyARC™Clydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 45Solar PowerXXXXXXXInstallation FeaturesSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 45Programming Buttons on Motor UnitXXXXXXXPower Supply10×AC/DC Power Transformer13A0.8A0.8A0.8A0.5A24V DC Power SupPower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug1 irismo™ 451 irismo™ 45Schannel Transmitter (Remote Control; White)XXXXXXXWhite or Bronze Pinch Pleat or Ripplefold* StyleSim Drapery MotorGlydea* ULTRA 50eGlydea* ULTRA 55eIrismo™ 45I irismo™ 45Schannel Transmitter (Remote Control; White)X	Tandem Alternative Maximum Weight	220 lbs	266 lbs	154 lbs	198 lbs	154 lbs
Actory ResetXXXXXXXControl Options***Slim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35Timer ControlXXXXXXSun ControlXXXXXDigital Communication TechnologyARC™Radio Technology Somfy (RTS)Solar PowerXImprove ARImprove ARImprove ARInstallation FeaturesSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Programming Buttons on Motor UnitXXXXXPower Supply110° AC/DC Power TransformerImprove AC/DC Power24V DC Power Supply24V DC Power SupplyAmperage13A0.8A0.8A0.5A2APower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEcTUV tuctCC, CECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXXCarrier FeaturesSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXWhite or Bronze Pinch Pleat or Ripplefold* Styleyyyyy		Х	×	×	×	×
Control Options***Slim Drapery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo [™] 45Irismo [™] 45Timer ControlXXXXXSun ControlXXXXXDigital Communication TechnologyARC [™] Radio Technology Somfy (RTS)Solar PowerXImbo Papery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo [™] 45Irismo [™] 45Installation FeaturesSlim Drapery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo [™] 45Irismo [™] 45Programming Buttons on Motor UnitXXXXXXPower SupplyLi-ion Battery or Transformer10.4 AC/DC Power Transformer25.9 V DC Power (Li-ion Rechargeabel)24V DC Power SupplyAmperage13.A0.8 A0.8 A0.5 A2.APower Consumption20 W96 W96 W60 W48 WPower Cable TypeSconductor male plug3 conductor male plug3 conductor male plugCertificationsCECTUV UV CC, CECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo [™] 45Irismo [™] 45Schannel Transmitter (Remote Control; White)XXXXXXXCarrier FeaturesSlim Drapery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo [™] 45Irismo [™] 45White or Bronze Pinch Pleat or Ripplefold [®] StyleVXXX <td< td=""><td>Inverse Mounting of Motor</td><td>X</td><td>X</td><td>X</td><td>Х</td><td>X</td></td<>	Inverse Mounting of Motor	X	X	X	Х	X
Immer ControlXXXXXSun ControlXXXXXXDigital Communication TechnologyARC TM Radio Technology Somfy (RTS)XXXSolar PowerXClydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXPower SupplyLl-ion Battery or TransformerIti-M 62/E Power TransformerIti-M 62/E Power Transformer259 V DC Power (Li-ion Rechargeable)24V DC Power SupplyAmperage13A0.8A0.8A0.5A2.APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCettificationsCEc TUV \downarrow CC, CECECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXXXWhite or Bronze Pinch Pleat or Ripplefold® Style χ	Factory Reset	X	Х	Х	Х	X
Sun ControlXXXXXXXDigital Communication Technology ARC^{TM} RC^{TM} $Radio Technology Somfy (RTS)$ Solar PowerXRadio Technology Somfy (RTS)Solar PowerXClydea® ULTRA 50eClydea® ULTRA 35eIrismo TM 45Irismo TM 35Installation FeaturesSlim Drapery MotorClydea® ULTRA 60eClydea® ULTRA 35eIrismo TM 45Irismo TM 35Programming Buttons on Motor UnitXXXXXXXPower SupplyLi-ion Battery or Transformer13 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEcTUV usCECECEStandard Accessories Included With SystemSlim Drapery MotorClydea® ULTRA 60eClydea® ULTRA 35eIrismo TM 45Irismo TM 35S Channel Transmitter (Remote Control; White)XXXXXXXCarrier FeaturesSlim Drapery MotorClydea® ULTRA 60eClydea® ULTRA 35eIrismo TM 45Irismo TM 35White or Bronze Pinch Pleat or Ripplefold® Styleyyyyyy	Control Options***	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Digital Communication Technology ARC™ Radio Technology Somfy (RTS) Solar Power X Image: Communication Technology Somfy (RTS) Image: Communication Technology Somfy (RTS) Solar Power X Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 Installation Features Slim Drapery Motor X X X X X X Power Supply Li-ion Battery or TIO AC/DC Power Transformer Li-ion Rechargeable 24V DC Power Supply 24V DC Power Supply Amperage 13 A 0.8 A 0.8 A 0.5 A 2 A Power Consumption 20 W 96 W 96 W 60 W 48 W Power Cable Type 3 conductor male plug 3 conducto	Timer Control		X	Х	X	X
Solar Power X Clydea® ULTRA 60e Clydea® ULTRA 35e Irismo™ 45 Irismo™ 35 Programming Buttons on Motor Unit X	Sun Control	X	X	X	X	X
Solar PowerXClydea® ULTRA 60eClydea® ULTRA 35eIrismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXPower Supply10° Ac/DC Power Transformer11° A0.8 A0.8 A0.5 A24V DC Power SupplyAmperage1.3 A0.8 A0.8 A0.6 W60 W48 WPower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEc TUV us CCC, CECECEStandard Accessories Included With SystemSlim Drapery MotorClydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXXWhite or Bronze Pinch Pleat or Ripplefold® StyleyyyyyyyWhite or Bronze Pinch Pleat or Ripplefold® StyleyyyyyyyyWhite or Bronze Pinch Pleat or Ripplefold® StyleyyyyyyyyyyWhite or Bronze Pinch Pleat or Ripplefold® StyleyyyyyyyyyyyyYYYYYYYYYYyyy	Digital Communication Technology	ARCTM		Radio Technolo	agy Somfy (RTS)	1
Installation FeaturesSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXXPower SupplyLi-ion Battery or Transformer10V AC/DC Power Transformer259 V DC Power (Li-ion Rechargeable)24V DC Power SupplyAmperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCECTUV us, CC, CECECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Carrier FeaturesSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35White or Bronze Pinch Pleat or Ripplefold® Stylexxxxxx						
Programming Buttons on Motor UnitXXXXXXXPower SupplyLi-ion Battery or TransformerLi-ion Battery or Transformer25.9 V DC Power (Li-ion Rechargeable)24V DC Power SupplyAmperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEc TUV u, CC, CECECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXXWhite or Bronze Pinch Pleat or Ripplefold® Styleyyyyyyy			Glydea® UI TRA 60e	Glydea® ULTRA 35e	lrismo™ 45	Irismo™ 35
Amperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor			-	-		
Amperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conducto	Power Supply	Li-ion Battery or 110v AC/DC Power Transformer	12	0V		24V DC Power Supp
Power Consumption 20 W 96 W 96 W 60 W 48 W Power Consumption 3 conductor male plug 3 conductor male	Amperage		0.8 A	0.8 A	0.5 A	2 A
Power Cable Type3 conductor male plug3 conductor male plug <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Certifications CE cTUV us, CCC, CE CE CE Standard Accessories Included With System Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 5 Channel Transmitter (Remote Control; White) X X X X X X Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style y y y y y						
Standard Accessories Included With System Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 S Channel Transmitter (Remote Control; White) X X X X X X Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style x x x x x						
S Channel Transmitter (Remote Control; White) X X X X X Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style y y y y y						
Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style v v v v v v			-	-		
White or Bronze Pinch Pleat or Ripplefold® Style v v v v v						
			-	Jiyuea ULI KA 558	115110	
		X	X	X	X	X

*components include: carriers, master carriers, drive gears, return hooks and fascia clips. **maximum allowable charging current. ***DCT motors are available for Glydea Ultra 60e, 35e and Irismo 35. Special order required.

Somfy Motorized Heavy Duty Traverse Systems

Motorized System is perfect for all treatments – from lightweight sheers to heavily lined fabrics, and is the ideal solution for treatments mounted where corded systems are not easily reached.

Decorative wood fascia available in 2 ¼" smooth, reeded, grooved / fluted profiles with flush ends or mitered returns. Finials may be ordered separately from 2 ¼" Portfolio or Quick Ship Wood and Resin.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



Single Traverse System With Fascia

- Standard single bracket is adjustable 2 ¾" 3 5⁄8" return
- Longer return bracket options may be substituted at no charge
- · Traverse system includes track, fascia, motor, power option,
- brackets, components and a standard 5 channel remote control
 Coordinates with all fascia profiles
- Coordinates with all fascia profiles
- \cdot $\,$ 2 ¼" finials and additional remote options sold separately



Single Traverse System With Mitered Returns

- Standard single bracket is adjustable 2 ¾" 3 ⅛" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
 Coordinates with all fascia profiles
- Additional remote options sold separately





Single Traverse System Without Fascia

- \cdot Standard single bracket is adjustable 2 $^3\!\!4"$ 3 $^5\!\!8"$ return
- \cdot $\,$ Longer return bracket options may be substituted at no charge
- Traverse system includes track, motor, power option, brackets, components and a standard 5 channel remote control
- \cdot $\,$ Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Double



Double Traverse System With Fascia

- Standard double brackets are adjustable 5" 5 3" front return and adjustable 1 3" 2 3" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
 Coordinates with all fascia profiles
- Coordinates with all lascia profiles
- \cdot $\,$ 2 ¼" finials and additional remote options sold separately



(front fascia shown; front and back fascia also available; mitered returns on front only)

Double Traverse System With Mitered Returns

- Standard double brackets are adjustable 5" 5 %" front return and adjustable 1 %" 2 %" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options,
- brackets, components and a standard 5 channel remote control Coordinates with all fascia profiles
- Additional remote options sold separately


	and the second s	
56-8- 5 4	3, 3-3-3	

Double Traverse System Without Fascia

- Standard double brackets are adjustable 5" 5 $3\!$ front return and adjustable 1 $3\!$ back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Single and Double Systems without Fascia can be curved for an additional fee:





Please note: Somfy Glydea[®] systems can be curved with a minimum 11.8" radius. All curves require a template. Curving track reduces weight capacity of motor. Please refer to motor specifications on page 56.

Somfy Motorized Heavy Duty Traverse Systems Information

Somfy Motorized Track

- Track sold in 1 foot increments, 6' minimum
- Maximum continuous length is 20'; spliced lengths up to 36'
- · Includes one motor, standard remote control 5-channel transmitter per track, and fascia with fascia clips when applicable
- · Available in white or bronze; track finish will complement fascia finish
- End drive gears available in white
- May be ordered with or without fascia options
- Curved tracks available with minimum 11.8" radius; curving fees apply

Somfy Irismo[™] 45 RTS Motor

1002353

- · Heavy duty motor, 1 per track
- · Maximum drapery weight for motor: 99 lbs
- · Maximum length for motor: 33'
- · 25.9V Li-ion Battery Power
- · Motor can be mounted on right or left for center draw, or top mounted
- · Return hooks/snaps included; available in white
- · Available in white
- 5 vear warrantv

Somfy Glydea® ULTRA 60e RTS Motor 1003159

Heavy duty motor, 1 per track

- Maximum drapery weight for heavy duty motor: 132 lbs
- Maximum length for heavy duty motor: 36'
- 110V Power Supply cord with plug: 120" cord length
- · Motor can be mounted on right or left for center draw,
- or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- Available in brushed aluminum

Somfy Motorized Traverse System

· 5 year warranty (warranty voided if hardwired)

Somfy Situo[®] standard remote control transmitter

1870575 (multi-channel handheld remote)

- ·51/4"H x15/8"W · 1 remote control per track
- 5 channels
- Programmable My Position to set your favorite drapery position
- · Available in white

Somfy Irismo[™] 35 Mini RTS Motor 1003004

• Mini motor, 1 per track


- · Maximum drapery weight for mini motor: 77 lbs
- · Maximum length for mini motor: 32
- · 24V DC Power Supply cord with plug: 158.4" cord length · Motor can be mounted on right or left for center draw,
- or top mounted
- · Return hooks/snaps included; available in white
- · Available in white 5 vear warrantv

Somfy Glydea® ULTRA 35e RTS Motor 1003152

- · Light duty motor; 1 per track
- Maximum drapery weight for light duty motor: 77 lbs
- Maximum length for light duty motor: 32
- · 110V Power Supply cord with plug: 120" cord length
- · Motor can be mounted on right or left for center
- draw, or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- Available in brushed aluminum
- · 5 year warranty (warranty voided if hardwired)

includes 1 motor with power supply (1 per track), track(s) with components, brackets,

and 1 standard 5 channel transmitter (1 per system), and fascia with fascia clips when



Motor Weight Capacity

Be sure to select the best motor for your window treatment. Use the Motor Weight Capacity chart below to determine which motor best accommodates your length of track and your drapery weight. The System Features chart on page 54 lists the varied functions of each motor.

		maximum drapery weight per total length of system (lbs)												
		Motor	18' or less	20'	22'	24'	26'	28'	30'	32'	34'	36'	38'	40'
	Std	Glydea® ULTRA 35	77	77	77	77	77	77	77	77	-	-	-	-
somfy.	HD	Glydea® ULTRA 60e	132	132	132	132	132	132	132	132	132	132	-	-
South y	Std	Irismo 45	99	99	99	99	99	99	99	99	-	-	-	-
	Mini	Irismo 35	77	77	77	77	77	77	77	77	-	-	-	-

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Curving: System curves reduce maximum drapery weight capacity by a minimum of 15% per bend. Please call us regarding weight capacity for your curved track. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately

PH PARIS TEXAS HARDWARE

56

Somfy Motorized Heavy Duty Traverse Systems Finishes

Decorative wood fascia available in 2 ¼" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7%" slim round smooth profile, 2 ¼" flat smooth profile with flush ends or mitered returns. See page 49 for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Wood Fascia Finish	Track and Bracket* Color	Component Color	Max. Continuous Length
	Amulet	White	White	16'
	Andiron	White	White	16'
	Antique Gold	White	White	16'
	Antique Gold Leaf	White	White	16'
	Art Bronze	White	Bronze	16'
	Barnwood	Bronze	Bronze	16'
	Black	White	Bronze	16'
	Blush	White	White	16'
	Bronzed Pewter	Bronze	Bronze	16'
	Concrete	White	White	16'
	Couture	White	White	16'
	Dark Chocolate	Bronze	Bronze	16'
	Firelight	White	White	16'
	Gossamer	Bronze	Bronze	16'
	Greige	White	White	16'
2 ¼" smooth,	Halo	White	White	16'
reeded or grooved /	Java	White	Bronze	16'
fluted profiles	Linen	White	White	16'
with coordinating	Luminous	White	Bronze	16'
finials	Manor	White	White	16'
1 %" slim round	Mink	Bronze	Bronze	16'
smooth profile	Moonlight	Bronze	Bronze	16'
2 ¼" flat smooth profile	Mystic	White	White	16'
	New Age Bronze	Bronze	Bronze	16'
With flush ends or mitered	Patina	White	White	16'
returns	Shimmer	Bronze	Bronze	16'
	Silver Maple	White	White	16'
	Spicewood	Bronze	Bronze	16'
	Spun Gold	White	White	16'
	Stardust	White	White	16'
	Starlet	White	White	16'
	Titanium	White	White	16'
	Truffle	Bronze	Bronze	16'
	Urban Bronze	White	Bronze	16'
	White	White	White	16'
	PTH Perfect Match™	please specify	please specify	16'
	Antique Brass	White	White	12'
	Oil Rubbed Bronze	White	Bronze	12'
	Platinum	White	White	12'
	Rose Gold	White	White	12'
	Walnut	Bronze	Bronze	12'

White brackets may be substituted upon request.



Somfy Motorized Heavy Duty Traverse Systems Pricing

,						8	, 	
Item #	Name Pricing Includes Somfy® Motorized Traverse Trad	ck with Motor,	Remote and B	attery Charger	when orderin	g the Irismo™	45 Std Motor	
	se System with Wood Fascia	6'	7'	8'	9'	10'	יוו	
Single Track System v	with Wood Fascia for 1 7⁄8" slim, 2 ¼" flat smooth	ו and 2 ¼" ו ו	round					
STRACKF2S6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,619.00	\$3,762.00	\$3,905.00	\$4,048.00	\$4,191.00	\$4,334.00	
STRACKF2S35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,129.50	\$3,272.50	\$3,415.50	\$3,558.50	\$3,701.50	\$3,844.50	
Double Track System	with Wood Fascia Front Only for 1 7/8" slim, 2 ¼	4" flat smoo	th and 2 ¼'	' round				
STRACKF2DF6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$6,891.50	\$7,128.00	\$7,364.50	\$7,601.00	\$7,837.50	\$8,074.00	
STRACKF2DF35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$5,912.50	\$6,149.00	\$6,385.50	\$6,622.00	\$6,858.50	\$7,095.00	
STRACKF2DFMix	Mixed Motors	\$6,402.00	\$6,638.50	\$6,875.00	\$7,111.50	\$7,348.00	\$7,584.50	
Double Track System	n with Wood Fascia Front and Back for 2 ¼" rou	ind only						
STRACKF2DFB6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$7,238.00	\$7,524.00	\$7,810.00	\$8,096.00	\$8,382.00	\$8,668.00	
STRACKF2DFB35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$6,259.00	\$6,545.00	\$6,831.00	\$7,117.00	\$7,403.00	\$7,689.00	
STRACKF2DFBMix	Mixed Motors	\$6,748.50	\$7,034.50	\$7,320.50	\$7,606.50	\$7,892.50	\$8,178.50	
Double Track System	with Stationary Front Wood Pole & No Back Fa	ascia						
STRACKF2DSF6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,923.70	\$4,158.00	\$4,392.30	\$4,626.60	\$4,860.90	\$5,095.20	
STRACKF2DSF35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,434.20	\$3,668.50	\$3,902.80	\$4,137.10	\$4,371.40	\$4,605.70	
Double Track System	with Stationary Front Wood Pole & Back Wood	d Fascia for	2 ¼" round	only				
STRACKF2DSFB6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$4,270.20	\$4,554.00	\$4,837.80	\$5,121.60	\$5,405.40	\$5,689.20	
STRACKF2DSFB35	Glydea [®] ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,780.70	\$4,064.50	\$4,348.30	\$4,632.10	\$4,915.90	\$5,199.70	
Motorized Travers	se System without Wood Fascia							
	track available in white or bronze	6'	7'	8'	9'	10'	יון	
STRACK6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,272.50	\$3,366.00	\$3,459.50	\$3,553.00	\$3,646.50	\$3,740.00	
STRACK35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$2,783.00	\$2,876.50	\$2,970.00	\$3,063.50	\$3,157.00	\$3,250.50	
Double Track System	n track available in white or bronze							
STRACKDBL6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$6,545.00	\$6,732.00	\$6,919.00	\$7,106.00	\$7,293.00	\$7,480.00	
STRACKDBL35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$5,566.00	\$5,753.00	\$5,940.00	\$6,127.00	\$6,314.00	\$6,501.00	
STRACKDBLMix	Mixed Motors	\$6,055.50	\$6,242.50	\$6,429.50	\$6,616.50	\$6,803.50	\$6,990.50	
Ouantity Dor S	victoro	·			lotorizor			

Quantity Per System

	6'	7'	8'	9'	10'	יוו	12'	13'	14'	15'	16'
Pinch Pleat Glides	24	28	32	36	40	44	48	52	56	60	64
Brackets	3	3	4	4	4	5	5	5	6	6	6

Somfy glides are 4 per foot | Somfy brackets are 1 every 3-4 feet

Motorized Stack Back Calculation (each drapery panel) master carrier + (# glides on panel x carrier width) + 3.75" = stack per drapery panel

Ex: Somfy 10ft. center draw, pinch pleat (standard 4 glides per ft.)

 $4.67" + [(40/2) \times .563"] + 3.75" = 19.7"$ stack, panel with over arm BEFORE drapery fabric is installed $4.07" + [(40/2) \times .563"] + 3.75" = 19.1"$ stack, panel with under arm BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

PTH Motorized Traverse Tips

 Specified custom cut length indicates track length including drive gears; fascia will be ¼" longer at each end of track (½" total); mitered fascia will add the following to the traverse system:


Fascia	Depth	+ to traverse system
1 3⁄8"	7⁄8"	2"
2 1/4"	1 3⁄8"	3"
Flat	3/4"] 3/4"
Slim Round	5⁄8"	1 1/2"

• Track and fascia will be spliced in the center of overall length.

• Blended fascia is available for an additional fee per blend; PTH will properly connect splice(s) and ship your fascia in one continuous length.

 Back fascia can accommodate decorative end caps; decorative end caps sold separately. Orders with Somfy motorized traverse systems will incur a \$25 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge. Available in all profiles for 1 7%" and 2 1/4" diameter fascias or without a wood fascia. 1 3%" not available with Somfy Systems.

12'	13'	14	15'	16'	per add'l ft
	1		Systems are	e sold in 1 ft	
\$4,477.00	\$4,620.00	\$4,763.00	\$4,906.00	\$5,049.00	\$143.00
\$3,987.50	\$4,130.50	\$4,273.50	\$4,416.50	\$4,559.50	\$143.00
\$8,310.50	\$8,547.00	\$8,783.50	\$9,020.00	\$9,256.50	\$236.50
\$7,331.50	\$7,568.00	\$7,804.50	\$8,041.00	\$8,277.50	\$236.50
\$7,821.00	\$8,057.50	\$8,294.00	\$8,530.50	\$8,767.00	\$236.50
\$8,954.00	\$9,240.00	\$9,526.00	\$9,812.00	\$10,098.00	\$286.00
\$7,975.00	\$8,261.00	\$8,547.00	\$8,833.00	\$9,119.00	\$286.00
\$8,464.50	\$8,750.50	\$9,036.50	\$9,322.50	\$9,608.50	\$286.00
\$5,329.50	\$5,563.80	\$5,798.10	\$6,032.40	\$6,266.70	\$234.30
\$4,840.00	\$5,074.30	\$5,308.60	\$5,542.90	\$5,777.20	\$234.30
\$5,973.00	\$6,256.80	\$6,540.60	\$6,824.40	\$7,108.20	\$283.80
\$5,483.50	\$5,767.30	\$6,051.10	\$6,334.90	\$6,618.70	\$283.80
			Systems are	e sold in 1 ft	increments
12'	13'	14'	15'	16'	per add'l ft
\$3,833.50	\$3,927.00	\$4,020.50	\$4,114.00	\$4,207.50	\$93.50
\$3,344.00	\$3,437.50	\$3,531.00	\$3,624.50	\$3,718.00	\$93.50
\$7,667.00	\$7,854.00	\$8,041.00	\$8,228.00	\$8,415.00	\$187.00
\$6,688.00	\$6,875.00	\$7,062.00	\$7,249.00	\$7,436.00	\$187.00
\$7,177.50	\$7,364.50	\$7,551.50	\$7,738.50	\$7,925.50	\$187.00



ltem #	Name	Color	Price
Somfy M	otors		
1003159	Somfy Glydea® ULTRA 60e Heav	y Duty Motor	\$1,518.00
1003152	Somfy Glydea® ULTRA 35e Std N	lotor	\$1,246.03
1002353	Somfy Irismo™ 45 Std Motor**		\$1,518.00
1003004	Somfy Irismo™ 35 Mini Motor*		\$1,246.03

* Transformers are included **Li-ion battery included; charger sold separately.

Motor Accessories

1003080	Battery Charger for Irismo™ 45 Std Motor	White	\$103.59
9026476	Rechargeable Li-ion Battery	White	\$221.38

Transmitters/Devices

1870575	Situo®Transmitter-5 channel (included)	White	\$284.63
1810652	Telis Transmitter-5 channel	Black	\$357.50
1870571	Situo® Transmitter-1 channel	White	\$192.50
1810639	Telis Transmitter-1 channel	Silver	\$286.00
1810650	Telis Transmitter-1 channel	Black	\$286.00
1811081	Telis16 RTS-16 channel	White	\$866.53
1811082	Telis16 RTS-16 channel	Silver	\$866.53
1810897	Wireless Wall Switch-1 channel	White	\$487.03
1810898	Wireless Wall Switch-1 channel	Ivory	\$487.03
1810899	Wireless Wall Switch-1 channel	Black	\$556.60
1810813	Wireless Wall Switch-5 channel	White	\$506.00
1810814	Wireless Wall Switch-5 channel	lvory	\$506.00
1810830	Wireless Wall Switch-5 channel	Black	\$588.23
1811185	Table Top Accessory *	White	\$151.80
1810972	Table Top Accessory *	Silver	\$151.80
1811051	Table Top Accessory *	Black	\$151.80
* 11.1.1.1			

* use with Wireless Wall Switch


Programmable Timers

0		
1811731	Somfy TaHoma® gateway	\$251.74 NET

Additional Somfy Traverse Fees

PTHFEEMITER-EACH Wood Fascia Mitered Return per return	n \$80.00
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fasci	a \$65.00
PTHFEERESTRING Restringing Fee per track	\$100.00
Standard 45 Fascia Splice	No Charge
Curving Fees (per bend, template required)	Quoted
Crating for Curved Track	\$75.00
Packaging fee per order	\$25.00

Somfy Motorized Heavy Duty Traverse Systems Information




D. Width of mounting plate if longer than 2 3/4.

Carriers for additional carriers.

	Somfy Standard Pinch Pleat Glide 1781415 white 1782869 bronze	Wheeled for smooth movement. Included in system; additional glides may be ordered separately. Available in white or bronze.	\$2.04 NET each
	Somfy Ripplefold Clide 1780901 white 1782870 bronze 120% 1780902 white 1782871 bronze 100% 1780903 white 1782872 bronze 80%	Snap accepts Ripplefold tape and swivels to create fold. Fullness 80%, 100% or 120% - specify fullness on order. Available in white or bronze.	\$2.86 NET each
0	Master Carrier Body 1781344	Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Pinch pleat or Ripplefold. Available in gray with white only.	\$16.50 NET each
	Overlap Master Carrier Arms for Center Draw 1782320 (Over Arm) 1782321 (Under Arm)	Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$14.03 NET each
	Tandem Master Carrier Arms for Center Draw 1782662 (Under Arm) 1780947 (Over Arm)	Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$14.03 NET each
	Master Carrier Arm for One-Way Draw 1782320	Right and Left use. Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only.	\$14.03 NET each
6 03 50 M	Ripplefold Butt Master Carrier Arms for Center Draw 1780953	Each, order 2. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$14.03 NET each
	Ripplefold Butt Master Carrier Arms for Center Draw Tandem Option 1782319	Each, order 2. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$14.03 NET each
	Ripplefold Butt Master Carrier Arm for One-Way Draw 1782319	Right and left use. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.	\$14.03 NET each


Somfy Pinch Pleat Glide

1781415 white 1782869 bronze 4 per foot, unless otherwise specified




Somfy Ripplefold Glide

1780901 white, 80% 1782870 bronze, 80% 1780902 white, 100% 1782871 bronze, 100% 1780903 white, 120% 1782872 bronze, 120%




IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides. Somfy Glydea[®] Ripplefold glides are only compatible with Kirsch Ripplefold snap tape. Other brand tapes are NOT COMPATIBLE with the Somfy Glydea[®] Motorized system.

Somfy Ripplefold Butt Master Carrier Arm - One-Way Draw 1782319




Somfy Pinch Pleat or Ripplefold Master Carrier Arms -Center Draw

Under Arm 1782321 Over Arm 1782320



Somfy Ripplefold Butt Master Carrier Arm - Center Draw 1780953



PARIS TEXAS	Motorized Travers	rave	rse (e Order Form	For	E		AUTOMATIGN ®	DMATI		HOME N	HOME MOTION by
HARDWARE	PO#			Side Mark			Ship via	e			Date	
Company Information		I		I		Shipping	Shipping Information	I	I	I	I	
Company Name		Acct #	#			Company Name	ame			Acct #		
Contact Person		-				Contact Person	son			-		
Street Address						Street Address	SS					
City		State		ZIP		City				State	ZIP	
Email						Email						
Phone	Fax					Phone			Fax			
MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed Specified custom cut length indicates track length including drive gears; Mitered fascia w	'STEMS - Consult Price Li track length including drive gears.	st for detai : Mitered fasc	led speci t sia will be up	specifications. ill be up to 3" longer	· than track	length, deper	specifications. "ill be up to 3" longer than track length, depending on the profile ordered.	dered.				
tem # Motor	Power Option **see additional R-TEC options below	Fascia Type	System Length Up to 36' (per 1')	Custom Cut Track Length (inches)	Fascia Finish Code	Bracket Preference	Draw Preference Center One-Wav	Motor Location	Glide Style pinch pleat or Ripplefold ®*	Qty	Price per Unit	Subtotal
	Ui-ion Battery 110v AC/DC Power							R L	PP RF			
	ILI-Ion Battery I110v AC/DC Power							R C L	PP RF			
	I Ii-ion Battery I 110v AC/DC Power							R	PP RF			
	Ui-ion Battery							RR	PP			
MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND A Order finials, mitered returns, and accessories here.	ORDINATING ACCESSO nd accessories here.	IRIES AND	ADDITI	DDITIONAL FEES	ES	**Pc ADL	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$120; 20' cord \$75 - specify total feet; plug \$25	EC Motor (NET) el \$120; 20' corc	l \$75 - specify t	otal feet; plu	ıg \$25	
ltem #	Finish Code					Description	Ę		Qty	Price per Unit		Subtotal
Additional Information		NOTE: Minimum track		ength for R-TEC is 4' and for Somfy is 6'	l' and for §	somfy is 6'	I				TOTAL	
Quantity included per system based on cut track length Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)] Brackets (1 per every 3-4 feet)	[2]]	6 7 2 4 2 8 4 4 4		10' 11' 1 40 44 4 4 5 5	12' 13' 48 52 5 5	14' 15' 16' 56 60 64 6 6 6	17 18 19 20 68 72 76 80 7 7 7 8				OIAL	
Special Instructions								* When ordering Ripplefold carriers, answer these questions: 1. Select Ripplefold fullness: 60% 80% 10% 11 2. Select Ripplefold masters: Overlap Butt Master	r Ripplefold ca old fullness: fold masters:	arriers, answe 60% 38 Overlap	swer these questi 80% 1100% p Butt Master	estions: %120% Ister
]]	

1¹/₈" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Finials may be ordered separately from 1 1/8" Diameter Collections and require the use of the Transitional or Deco Cuff / Finial Adapter (sold separately). See page 67.

Select from 35 Portfolio hand painted finishes (except Antique Gold Leaf), 6 Quick Ship Metal finishes or PTH Perfect MatchTM.



Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1¹/₈" collection finials and transitional or deco cuffs sold separately

Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Single Traverse System, Ceiling Mount

- Ceiling bracket: 3 ⁵/₁₆" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 11/2" collection finials and transitional or deco cuffs sold separately

Double Traverse System, Ceiling Mount

- Ceiling bracket: 3 ¹¹/₁₆" drop, 4 ¹/₂" between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1¹/₈" collection finials and transitional or deco cuffs sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 3/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

1¹/₈" Baton Draw Metal Traverse Systems Pricing

Orders with Baton Draw Metal traverse systems will incur a \$25 packaging fee.

Name & Item #	Price						Systems	s are sold	in 1 ft incr	ements
1 1⁄8" Baton Draw Metal Trave	erse Sy	ystem								
Single Traverse System Wall Mount 3 ½" Return	4'	5'	6'	7'	8'	9'	10'	יוו	12'	price per ft
CSPTHMT118400	\$264.00	\$330.00	\$396.00	\$462.00	\$528.00	\$594.00	\$660.00	\$726.00	\$792.00	\$66.00
Single Traverse System Wall Mount 6" Return										
CSPTHMT118401	\$299.20	\$374.00	\$448.80	\$523.60	\$598.40	\$673.20	\$748.00	\$822.80	\$897.60	\$74.80
Double Traverse System Wall Mount										
CSPTHMT118402	\$528.00	\$660.00	\$792.00	\$924.00	\$1,056.00	\$1,188.00	\$1,320.00	\$1,452.00	\$1,584.00	\$132.00
Single Traverse System Ceiling Mount										
CSPTHMT118403	\$264.00	\$330.00	\$396.00	\$462.00	\$528.00	\$594.00	\$660.00	\$726.00	\$792.00	\$66.00
Double Traverse System Ceiling Mount										
CSPTHMT118404	\$528.00	\$660.00	\$792.00	\$924.00	\$1,056.00	\$1,188.00	\$1,320.00	\$1,452.00	\$1,584.00	\$132.00
Single Traverse System Low-Profile Ceiling Moun	t									
CSPTHMT118406	\$211.20	\$264.00	\$316.80	\$369.60	\$422.40	\$475.20	\$528.00	\$580.80	\$633.60	\$52.80

1¹/₈" Baton Draw Metal Traverse Systems Information

Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

C-05	Cast				\sim
36" Metal Baton ¾" DIA, Metal	48" Metal Baton ¾" DIA, Metal	60" Metal Baton ¾" DIA, Metal	36" Clear Acrylic Baton ½" DIA, Acrylic	48" Clear Acrylic Baton ½" DIA, Acrylic	60" Clear Acrylic Baton ½" DIA, Acrylic
POME36WAND	POME48WAND	POME60WAND	AC36WAND	AC48WAND	AC60WAND
\$62.70 each	\$68.20 each	\$73.70 each	\$49.50 each	\$55.00 each	\$60.50 each
QSME36WAND	QSME48WAND	QSME60WAND			
\$55.00 each	\$60.50 each	\$66.00 each			

$- \bigcirc$	$-\bigcirc$
48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal	60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal
POME48HWAND	POME60HWAND
\$68.20 each	\$73.70 each
QSME48HWAND	QSME60HWAND
\$60.50 each	\$66.00 each

\sim		
48" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	60" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	72" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic
AC48HWAND	AC60HWAND	AC72HWAND
\$55.00 each	\$60.50 each	\$66.00 each

1¹/₈" Baton Draw Metal Traverse Systems Finishes

35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™ and 6 Quick Ship Metal finishes

Diameter	Track Finish	Component Color	Max. Continuous Length
] ¼8"	Amulet	White	12'
1 1⁄8"	Andiron	White	12'
1 1⁄8"	Antique Gold	White	12'
] 1⁄8"	Art Bronze	Bronze	12'
] 1⁄8"	Barnwood	Bronze	12'
] 1⁄8"	Black	Bronze	12'
] 1⁄8"	Blush	White	12'
] 1⁄8"	Bronzed Pewter	Bronze	12'
1 1⁄8"	Concrete	White	12'
] 1⁄8"	Couture	White	12'
] 1⁄8"	Dark Chocolate	Bronze	12'
] 1⁄8"	Firelight	White	12'
] 1⁄8"	Gossamer	Bronze	12'
] 1⁄8"	Greige	White	12'
] 1⁄8"	Halo	White	12'
] 1⁄8"	Java	Bronze	12'
] 1⁄8"	Linen	White	12'
] 1⁄8"	Luminous	Bronze	12'
] 1⁄8"	Manor	White	12'
] 1⁄8"	Mink	Bronze	12'
] 1⁄8"	Moonlight	Bronze	12'
] 1⁄8"	Mystic	White	12'
] 1⁄8"	New Age Bronze	Bronze	12'
] 1⁄8"	Patina	White	12'
] 1⁄8"	Shimmer	Bronze	12'
] 1⁄8"	Silver Maple	White	12'
] 1⁄8"	Spicewood	Bronze	12'
] 1⁄8"	Spun Gold	White	12'
] 1⁄8"	Stardust	White	12'
] 1⁄8"	Starlet	White	12'
] 1⁄8"	Titanium	White	12'
] 1⁄8"	Truffle	Bronze	12'
] 1⁄8"	Urban Bronze	Bronze	12'
] 1⁄8"	White	White	12'
1 1⁄8"	PTH Perfect Match™	please specify	12'
1 1⁄8"	Brushed Nickel	White	12'
1 1⁄8"	Brushed Bronze	Bronze	8'
] 1⁄8"	Charcoal Zinc	White	8'
] 1⁄8"	Matte Black	White	12'
] 1⁄8"	Rose Gold	White	8'
] 1⁄8"	Satin Gold	White	8'

1¹/₈" Baton Draw Metal Traverse Systems Information


 $1^{1}/_{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions.

1/8 DIACKELS &	CONTRECTORS for	additiona	i brackets. Se	ee below for diagrams/	aimensions.			
6		-		T	L	I		
PTHMT118400	PTHMT118401	PTHMT118402		PTHMT118403	PTHMT118404	PTHMT118405		
Wall Mount 3 ½" return	Wall Mount 6" return	Wall Mount Double		Ceiling Mount Single	Ceiling Mount Double	Ceiling Bracket Extender		
\$24.20 each	\$33.00 each	\$44.0	00 each	\$24.20 each	\$67.10 each	\$13.20 each		
Low-Profile Co Ceiling Single Sp	onnector / Hing	MT11840 ged Elbov	Aount 3 ¹ /2" return ITT18400 7/8"					
Wall Mount 6" return PTHMT118401			l Mount Dou IMT118402	ble	Low-Pro PTHMT1	file Ceiling Single		
Hinged Elbow PTHMT118409		3403	17/8" gle Ceilin PTHM	g Mount Double	3 ¹⁵ / ₁₆ " Ceiling E Extende PTHMTI	er • 2"		
Carriers for addition for master carrier diagr						• • •		
Pinch Pleat	Ripplefold		C	in the second		3		
			BT3005R or Stainless steel design for smo	Master Carrier BT3005L /BR overlap arms with multi-whee both movement. Available in w and left or right.	hite Ripplefold tape and a			
Pinch Pleat Glide	Ripplefold Glide	/BR	\$	4.75 NET each	\$5.65	NET each		
CP10 or CP10/BR	R4060/P R4060/ R4080/P R4080/ R4100/P R4100/I R4120/P R4120/F Ripplefold Glides wit detachable pendent Available in 60%, 80% 100% or 120% fullness specify fullness on or Available in white or bronze /BR.	/P/BR D/BR D/BR S. S. S -	accept Ripplef	overlap arms with snaps to old tape and a multi-wheel de ovement. Available in white or d left or right.	esign multi-wheel design for Master Carriers do no filter between draper treatments. Must be	DOL VBR ccept Ripplefold tape and a or smooth movement. Butt ot overlap, allowing light to		
\$2.95 NET pack (10 piece	es) \$0.63 NET ead	ch	\$	60.55 NET each	\$5.85	NET each		

Upgrade your End Caps with Finial Styles

1 1⁄8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1⁄8" Finials across five style categories using either Cuff / Finial Adapter.







Portfolio page 7 | Quick Ship page 87 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 7 | Quick Ship page 88 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 8 *Requires Transitional or Deco Cuff / Finial Adapter



Portfolio page 9 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 8 | Quick Ship page 88 *Requires Transitional or Deco Cuff/Finial Adapter



1³/₈" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Finials may be ordered separately from 1 3/8" Diameter Collections. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 72.

Select from 35 Portfolio hand painted finishes **(except Antique Gold Leaf)**, 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount


- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately

Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3⁄8" collection finials and additional remote options sold separately

Single Traverse System, Ceiling Mount

- Ceiling bracket: 3 ¹¹/₁₆" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 13/8" collection finials and additional remote options sold separately



- Ceiling bracket: 4" drop, 4 ½" between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
 - 1 3/8" collection finials and additional remote options sold separately

1³/₈" Baton Draw Metal Traverse Systems Finishes 35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect MatchTM, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

Diameter	Track Finish	Component Color	Max. Continuous Length
1 3⁄8"	Amulet	White	12'
] 3⁄8"	Andiron	White	12'
1 3⁄8"	Antique Gold	White	12'
1 3⁄8"	Art Bronze	Bronze	12'
	Barnwood	Bronze	12'
] 3⁄8"	Black	Bronze	12'
1 3⁄8"	Blush	White	12'
] 3⁄8"	Bronzed Pewter	Bronze	12'
] 3⁄8"	Concrete	White	12'
] 3⁄8"	Couture	White	12'
1 3⁄8"	Dark Chocolate	Bronze	12'
1 3⁄8"	Firelight	White	12'
1 3⁄8"	Gossamer	Bronze	12'
1 3⁄8"	Greige	White	12'
1 3⁄8"	Halo	White	12'
1 3⁄8"	Java	Bronze	12'
1 3⁄8"	Linen	White	12'
1 3⁄8"	Luminous	Bronze	12'
1 3⁄8"	Manor	White	12'
] 3⁄8"	Mink	Bronze	12'
] 3⁄8"	Moonlight	Bronze	12'
] ¾"	Mystic	White	12'
1 ¾"	New Age Bronze	Bronze	12'
] ¾ ["]	Patina	White	12'
1 3⁄8"	Shimmer	Bronze	12'
1 3⁄8"	Silver Maple	White	12'
1 3⁄8"	Spicewood	Bronze	12'
1 3⁄8"	Spun Gold	White	12'
1 3⁄8"	Stardust	White	12'
] ¾"	Starlet	White	12'
] 3⁄8"	Titanium	White	12'
1 3⁄8"	Truffle	Bronze	12'
1 3⁄8"	Urban Bronze	Bronze	12'
] 3⁄8"	White	White	12'
1 3⁄8"	PTH Perfect Match™	please specify	12'
1 3⁄8"	Brushed Nickel	White	12'
1 3⁄8"	Brushed Bronze	Bronze	8'
1 3⁄8"	Charcoal Zinc	White	8'
] 3⁄8"	Matte Black	White	12'
] 3⁄8"	Rose Gold	White	8'
1 3⁄8"	Satin Gold	White	8'
1 3⁄8"	Antique Brass	White	12'
] 3⁄8"	Oil Rubbed Bronze	Bronze	12'
] 3⁄8"	Platinum	White	12'
] 3⁄8"	Rose Gold	White	12'
] 3⁄8"	Walnut	Bronze	12'

1³/₈" Baton Draw Metal Traverse Systems Pricing

Orders with Baton Draw Metal traverse systems will incur a \$25 packaging fee.

Name & Item # Price Systems are sold in 1 ft increm										rements
1 ¾" Baton Draw Metal Traverse System										
Single Traverse System Wall Mount 3 ½" Return	4'	5'	6'	7'	8'	9'	10'	יוו	12'	price per ft
CSPTHMT138400	\$347.60	\$434.50	\$521.40	\$608.30	\$695.20	\$782.10	\$869.00	\$955.90	\$1,042.80	\$86.90
Single Traverse System Wall Mount 6" Return										
CSPTHMT138401	\$387.20	\$484.00	\$580.80	\$677.60	\$774.40	\$871.20	\$968.00	\$1,064.80	\$1,161.60	\$96.80
Double Traverse System Wall Mount										
CSPTHMT138402	\$695.20	\$869.00	\$1,042.80	\$1,216.60	\$1,390.40	\$1,564.20	\$1,738.00	\$1,911.80	\$2,085.60	\$173.80
Single Traverse System Ceiling Mount										
CSPTHMT138403	\$347.60	\$434.50	\$521.40	\$608.30	\$695.20	\$782.10	\$869.00	\$955.90	\$1,042.80	\$86.90
Double Traverse System Ceiling Mount										
CSPTHMT138404	\$695.20	\$869.00	\$1,042.80	\$1,216.60	\$1,390.40	\$1,564.20	\$1,738.00	\$1,911.80	\$2,085.60	\$173.80
Single Traverse System Low-Profile Ceiling Mount										
CSPTHMT138406	\$277.20	\$346.50	\$415.80	\$485.10	\$554.40	\$623.70	\$693.00	\$762.30	\$831.60	\$69.30

1³/₈" Baton Draw Metal Traverse Systems Information

Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.


C.~~	Cast				
36" Metal Baton ℁" DIA, Metal	48" Metal Baton ¾" DIA, Metal	60" Metal Baton ¾" DIA, Metal	36" Clear Acrylic Baton ½" DIA, Acrylic	48" Clear Acrylic Baton ½" DIA, Acrylic	60" Clear Acrylic Baton ½" DIA, Acrylic
POME36WAND	POME48WAND	POME60WAND	AC36WAND	AC48WAND	AC60WAND
\$62.70 each	\$68.20 each	\$73.70 each	\$49.50 each	\$55.00 each	\$60.50 each
QSME36WAND	QSME48WAND	QSME60WAND			
\$55.00 each	\$60.50 each	\$66.00 each			

$- \bigcirc$	$-\bigcirc$
48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal	60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal
POME48HWAND	POME60HWAND
\$68.20 each	\$73.70 each
QSME48HWAND	QSME60HWAND
\$60.50 each	\$66.00 each

\sim		\sim
48" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	60" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	72" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic
AC48HWAND	AC60HWAND	AC72HWAND
\$55.00 each	\$60.50 each	\$66.00 each

1³/₈" Baton Draw Metal Traverse Systems Information

 $1^{3}/_{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions



Upgrade your End Caps with Finial Styles

1 3/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 3/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff/Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.




Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff / Finial Adapter PO138CUFF or QS138CUFF below



\$42.90 pair*

How To Add Your Transitional Cuff / Finial Adapter »



Select your Cuff style and finish - Mix & Match for the ultimate customization.



Place Cuff onto metal traverse and tighten set screw with Allen Wrench.




Install finials by screwing into the Cuff / Finial Adapter.

HS										
PARIS TEXAS HARDWARE M6	Manual Metal Tr	al Trave	erse (Colle	averse Collection Order Form	er Form				
# Od	-		Side Mark	×		Ship via		Date	0	
Company Information	l	l	I		Shipping Information	mation	l		I	
Company Name		Acct #			Company Name		Ac	Acct #		
Contact Person					Contact Person					
Street Address					Street Address					
City		State	ZIP		City		St	State	ZIP	
Email					Email					
Phone	Fax				Phone		Fax			
METAL TRAVERSE SYSTEMS - Consult Price List for detailed specifications.	nsult Price List for de	tailed specific	ations.			l				
Item #	Ē	Finish Code		Custom Cut Length	Draw Preference	Baton (sold separately)	Glides Pinch Pleat or Rinnlefold*	Qty	Price per Unit	Subtotal
							JIL			
							PP			
					L L R		PP C			
METAL TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES Order finials cuffs batons additional brackets and accessories here	3 ACCESSORIES A	ND ADDITIO	VAL FEES		I	I	1		1	
				l	l		Ŀ	l		
Item #	Finish Code				Description		Gty	Price per Unit		Subtotal
Glide and Bracket Information			I				Ar	Iswer The	Answer These Questions	IS
Quantity included per system based on cut track length	4' 5'	6' 7' 8' 9	9' 10' 11'	12' 13'	14' 15' 16' 17'	18' 19' 20' 21' 22' 23' 24'	1. S	fold fullnes		
Glides [4 per foot, includes master carriers & end caps (2)]	16 20	24 28 32 3	36 40 44	48 52	56 60 64 68	72 76 80 84 88 92 96	00% 80% 100%	80% □ 10	0% □120%	
Brackets	2 3	4 4 4	5 5 5	5 6	6 6 6 7	7 7 8 8 8 8 8 8	2. Select Ripplefold masters: □ Butt Master □ Overlap	fold master er	s: rlap	
Special Instructions							* Must specify Ripplefold carrier fullness.	Ripplefola	carrier fullnes	šs.
								70	TOTAL	

Ľ 7 C ÷ Ì Ć ⊢ I ⊂ T I N N

Fascia Profiles for Manual Heavy Duty Systems



stationary front pole

Heavy Duty Corded or Baton Traverse Systems

Heavy Duty System is recommended for heavier treatments with lining. Longer lengths are versatile for residential or commercial projects.

Decorative wood fascia available in $1\frac{3}{4}$ " or $2\frac{1}{4}$ " smooth, reeded or grooved / fluted profiles with coordinating finials, $1\frac{7}{4}$ " slim round smooth profile, $2\frac{1}{4}$ " flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single Traverse System

- Coordinates with all fascia profiles or available with no fascia
- \cdot Standard corded single bracket has 3 % " 5 % " return;
- standard baton single bracket has adjustable 3 3⁄8" 4" return
- Longer return bracket options may be substituted at no charge
- Batons and finials sold separately
- \cdot $\,$ C-Rings available for 1 $_{3\!\!/\!\!8}$ " and 2 $_{1\!\!/\!\!4}$ "

Double Traverse System

Back track available with or without wood fascia. Back track shown with fascia and end caps.

- · Coordinates with all fascia profiles or available with no fascia
- Standard corded double brackets have 3" back track and adjustable 6" - 7 ¹/₂" front track return; standard baton double brackets have 2 ¹/₄" back track and adjustable 5 ¹/₄" - 6" front track return
- Longer return bracket options may be substituted at no charge
- · Batons and finials sold separately
- C-Rings available for 1 3/8" and 2 1/4" (front track)





Single or Double Traverse System With Mitered Returns

Back track available with or without wood fascia. Finials and c-rings are not available with this option.

- · Coordinates with all fascia profiles
- Standard corded single bracket has 4" 5 $\frac{1}{2}$ " return; standard baton single bracket has adjustable 3 $\frac{3}{8}$ " 4" return
- Standard corded double brackets have 3" back track and adjustable 6" 7 $\frac{1}{2}$ " front track return; standard baton double brackets have 2 $\frac{1}{4}$ " back track and adjustable 5 $\frac{1}{4}$ " 6" front track return
- · Batons and mitered returns sold separately
- C-Rings not available

Stationary Front Pole With Back Traverse System

2¹/₄" wood poles can be used. Back track available with or without wood fascia. Back track shown with fascia and end caps.

- Traverse system coordinates with all 2 ¼" round fascia profiles; flat and slim fascia may not be used
- Coordinates with 2 1/4" poles for stationary front pole
- Stationary front pole and TBKT bracket finished to match pole are included
- · Batons and finials sold separately
- Full rings available on stationary front pole, sold separately; C-Rings not available



(front and back fascia shown;

front fascia only also available;

mitered returns on front only)

Batons

(if applicable, sold separately) Fiberglass or Clear Acrylic | Stainless Steel Clip 36", 48" or 60"

Note: Fiberglass Baton available in 5 Wood & Resin Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

36" Fiberglass Baton ¾" DIA, Fiberglass	36" Clear Acrylic Baton ½" DIA, Acrylic
PORE36WAND	AC36WAND
\$63.80 each	\$49.50 each
QSRE36WAND	
\$63.80 each	
48" Fiberglass Baton ℁" DIA, Fiberglass	48" Clear Acrylic Baton ½" DIA, Acrylic
PORE48WAND	AC48WAND
\$69.30 each	\$55.00 each
QSRE48WAND	
\$69.30 each	
60" Fiberglass Baton ¾" DIA, Fiberglass	60" Clear Acrylic Baton ½" DIA, Acrylic
PORE60WAND	AC60WAND
\$74.80 each	\$60.50 each
QSRE60WAND	
\$74.80 each	

AC48HWAND
48" Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Acrylic
\$55.00 each
AC48HWAND
60" Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Acrylic
\$60.50 each
AC60HWAND
72" Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Acrylic

\$66.00 each

Finishes

Decorative wood fascia available in 1 3/8" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7%" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns - see next page. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Fascia Finish	Track and Bracket* Color	Component Color
	Amulet	White	White
	Andiron	White	White
	Antique Gold	White	White
	Antique Gold Leaf	White	White
	Art Bronze	Bronze	Bronze
	Barnwood	Bronze	Bronze
	Black	Bronze	Bronze
	Blush	White	White
	Bronzed Pewter	Bronze	Bronze
	Concrete	White	White
	Couture	White	White
	Dark Chocolate	Bronze	Bronze
	Firelight	White	White
	Gossamer	Bronze	Bronze
	Greige	White	White
] 3/8" or 2 1/4"	Halo	White	White
smooth, reeded or	Java	Bronze	Bronze
grooved / fluted	Linen	White	White
profiles with coordinating	Luminous	Bronze	Bronze
finials	Manor	White	White
1 %" slim round	Mink	Bronze	Bronze
smooth profile	Moonlight	Bronze	Bronze
2 ¼" flat smooth profile	Mystic	White	White
	New Age Bronze	Bronze	Bronze
With flush ends or mitered	Patina	White	White
returns	Shimmer	Bronze	Bronze
	Silver Maple	White	White
	Spicewood	Bronze	Bronze
	Spun Gold	White	White
	Stardust	White	White
	Starlet	White	White
	Titanium	White	White
	Truffle	Bronze	Bronze
	Urban Bronze	Bronze	Bronze
	White	White	White
	PTH Perfect Match™	please specify	please specify
	Antique Brass	White	White
	Oil Rubbed Bronze	Bronze	Bronze
	Platinum	White	White
	Rose Gold	White	White
	Walnut	Bronze	Bronze

PH PARIS TEXAS HARDWARE 76

White brackets may be substituted upon request.

Heavy Duty Corded or Baton Traverse Systems Fascia Profiles

	Smooth •1¾" and 2¼" diameters available • See below for coordinating finial options
	Reeded •1¾" and 2 ¼" diameters available • See below for coordinating finial options
	Grooved / Fluted ·1¾" and 2¼" diameters available · See below for coordinating finial options
	Slim Round Smooth, No Finials •17⁄8" diameter, available with flush ends or mitered returns
	Flat Smooth, No Finials · 2 ¼" height, available with flush ends or mitered returns
	Mitered Returns (sold separately) ·1¾",1 ⁷ %" and 2 ¹ ⁄4" diameters available · All profiles
Unorado vour Manual H	D Traverse with Finial Styles

Upgrade your Manual HD 'Iraverse with Finial Styles Finials are sold separately. 1 ³/₈" or 2 ¹/₄" Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with 1 ³/₈" fascias and finials.



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 22 | 2 1/4" Quick Ship page 102



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 23 | 2 1/4" Quick Ship page 102

Heavy Duty Corded or Baton Traverse Systems Pricing

Item # for Corded System Item # for Baton System Name

Manual Heavy Duty Corded or Baton Traverse System with Wood Fascia


l Fascia(s) for 1 3⁄8" round Baton Systems (batons s	old separately)	4'	6'	8'	10'	
CSPTHB138WF	Single with Fascia, No Rings	\$462.00	\$682.00	\$902.00	\$1,122.00	
CSPTHB138WFFDBL	Double with Front Fascia, No Rings	\$770.00	\$1,149.50	\$1,529.00	\$1,908.50	
CSPTHB138WFDBL	Double with Front & Back Fascias, No Rings	\$924.00	\$1,364.00	\$1,804.00	\$2,244.00	
CSPTHB138WFC	Single with Fascia, C-Rings	\$737.00	\$1,105.50	\$1,474.00	\$1,842.50	
CSPTHB138WFFCDBL	Double with Front Fascia, C-Rings	\$1,045.00	\$1,573.00	\$2,101.00	\$2,629.00	
CSPTHB138WFCDBL	Double with Front & Back Fascias, C-Rings	\$1,199.00	\$1,787.50	\$2,376.00	\$2,964.50	
1 % slim and 2 ¼ flat sr	mooth double systems are available in the front fascia option o	only 1%" slim ar	nd 2¼" flat smoof	th are not available	e with c-rings	
CSPTHB214WF	Single with Fascia, No Rings	\$599.50	\$896.50	\$1,193.50	\$1,490.50	
4	Baton Systems (batons s CSPTHB138WF CSPTHB138WFDBL CSPTHB138WFDBL CSPTHB138WFC CSPTHB138WFCDBL CSPTHB138WFCDBL CSPTHB138WFCDBL CSPTHB138WFCDBL CSPTHB138WFCDBL Baton Systems (batons s	Baton Systems (batons sold separately) CSPTHB138WF Single with Fascia, No Rings CSPTHB138WFFDBL Double with Front Fascia, No Rings CSPTHB138WFDBL Double with Front & Back Fascias, No Rings CSPTHB138WFDBL Double with Front & Back Fascias, No Rings CSPTHB138WFC Single with Fascia, C-Rings CSPTHB138WFFCDBL Double with Front Fascia, C-Rings CSPTHB138WFFCDBL Double with Front & Back Fascias, C-Rings CSPTHB138WFCDBL Double with Front & Back Fascias, C-Rings Fascia(s) for 1%" slim, 2¼" flat smooth, 2¼" round* 1%" slim and 2¼" flat smooth double systems are available in the front fascia option of Baton Systems (batons sold separately)	Baton Systems (batons sold separately) 4 CSPTHB138WF Single with Fascia, No Rings \$462.00 CSPTHB138WFFDBL Double with Front Fascia, No Rings \$770.00 CSPTHB138WFFDBL Double with Front & Back Fascias, No Rings \$924.00 CSPTHB138WFC Single with Fascia, C-Rings \$737.00 CSPTHB138WFFCDBL Double with Front Fascia, C-Rings \$1,045.00 CSPTHB138WFFCDBL Double with Front & Back Fascias, C-Rings \$1,045.00 CSPTHB138WFCDBL Double with Front & Back Fascias, C-Rings \$1,045.00 CSPTHB138WFCDBL Double with Front & Back Fascias, C-Rings \$1,045.00 CSPTHB138WFCDBL Double with Front & Back Fascias, C-Rings \$1,045.00 Fascia(s) for 1%" slim, 2¼" flat smooth, 2¼" round* \$1,199.00 \$1,199.00 Fascia(s) for 1%" slim, 2¼" flat smooth double systems are available in the front fascia option only 1%" slim are Baton Systems (batons sold separately) \$10	Baton Systems (batons sold separately)46CSPTHB138WFSingle with Fascia, No Rings\$462.00\$682.00CSPTHB138WFDBLDouble with Front Fascia, No Rings\$770.00\$1,149.50CSPTHB138WFDBLDouble with Front & Back Fascias, No Rings\$924.00\$1,364.00CSPTHB138WFCSingle with Fascia, C-Rings\$737.00\$1,105.50CSPTHB138WFCDBLDouble with Front Fascia, C-Rings\$1,045.00\$1,573.00CSPTHB138WFCDBLDouble with Front & Back Fascias, C-Rings\$1,045.00\$1,573.00CSPTHB138WFCDBLDouble with Front & Back Fascias, C-Rings\$1,199.00\$1,787.50Fascia(s) for 1%" slim, 2¼" flat smooth, 2¼" round*Iy1%" slim and 2¼" flat smooth double systems are available in the front fascia option only 1 1%" slim and 2¼" flat smoothBaton Systems (batons sold separately)	Baton Systems (batons sold separately) 4" 6 8 CSPTHB138WF Single with Fascia, No Rings \$462.00 \$682.00 \$902.00 CSPTHB138WFFDBL Double with Front Fascia, No Rings \$770.00 \$11,149.50 \$1,529.00 CSPTHB138WFFDBL Double with Front & Back Fascias, No Rings \$924.00 \$1,364.00 \$1,804.00 CSPTHB138WFC Single with Fascia, C-Rings \$777.00 \$1,105.50 \$1,474.00 CSPTHB138WFFCDBL Double with Front Fascia, C-Rings \$1,045.00 \$1,573.00 \$2,101.00 CSPTHB138WFFCDBL Double with Front & Back Fascias, C-Rings \$1,199.00 \$1,787.50 \$2,376.00 CSPTHB138WFCDBL Double with Front & Back Fascias, C-Rings \$1,199.00 \$1,787.50 \$2,376.00 CSPTHB138WFCDBL Double with Front & Back Fascias, C-Rings \$1,199.00 \$1,787.50 \$2,376.00 Fascia(s) for 1%" slim, 2¼" flat smooth, 2¼" round* " " " Superately" Baton Systems (batons sold separately) 1%" slim and 2¼" flat smooth double systems are available in the front fascia option only 1 1%" slim and 2¼" flat smooth are not available"	Baton Systems (batons sold separately) 4 6 8 10 CSPTHB138WF Single with Fascia, No Rings \$462.00 \$682.00 \$902.00 \$1,122.00 CSPTHB138WFFDBL Double with Front Fascia, No Rings \$777.00 \$1,149.50 \$1,529.00 \$1,908.50 CSPTHB138WFFDBL Double with Front & Back Fascias, No Rings \$924.00 \$1,364.00 \$2,244.00 CSPTHB138WFC Single with Fascia, C-Rings \$737.00 \$1,105.50 \$1,474.00 \$1,842.50 CSPTHB138WFFCDBL Double with Front Fascia, C-Rings \$1,045.00 \$1,573.00 \$2,200.00 CSPTHB138WFCDBL Double with Front & Back Fascias, C-Rings \$1,045.00 \$1,787.50 \$2,629.00 CSPTHB138WFCDBL Double with Front & Back Fascias, C-Rings \$1,045.00 \$1,787.50 \$2,964.50 Fascia(s) for 1%" slim, 2¼" flat smooth, 2¼" round* " " \$1,787.50 \$2,376.00 \$2,964.50 Baton Systems (batons solt separately) 1%" slim and 2½" flat smooth, 2¼" round* " " Superatervalue separately

CSPTHC214WF	CSPTHB214WF	Single with Fascia, No Rings	\$599.50	\$896.50	\$1,193.50	\$1,490.50	
CSPTHC214WFFDBL	CSPTHB214WFFDBL	Double with Front Fascia, No Rings	\$907.50	\$1,364.00	\$1,490.50	\$2,277.00	
CSPTHC214WFDBL	CSPTHB214WFDBL	Double with Front & Back Fascias, No Rings *	\$1,199.00	\$1,793.00	\$2,387.00	\$2,981.00	
CSPTHC214WFC	CSPTHB214WFC	Single with Fascia, C-Rings *	\$880.00	\$1,320.00	\$1,760.00	\$2,200.00	
CSPTHC214WFFCDBL	CSPTHB214WFFCDBL	Double with Front Fascia, C-Rings *	\$1,188.00	\$1,787.50	\$2,387.00	\$2,986.50	
CSPTHC214WFCDBL	CSPTHB214WFCDBL	Double with Front & Back Fascias, C-Rings *	\$1,479.50	\$2,216.50	\$2,953.50	\$3,690.50	
CSPTHC214SDBL	CSPTHB214SDBL	Double with Stationary Front & No Fascia *	\$774.40	\$1,074.70	\$1,375.00	\$1,675.30	
CSPTHC214WFBSDBL	CSPTHB214WFBSDBL	Double with Stationary Front & Back Fascia *	\$1,065.90	\$1,503.70	\$1,941.50	\$2,379.30	

Manual Heavy Duty Corded or Baton Traverse System without Wood Fascia

Single Track System Corded Systems	track available in white an Baton Systems (batons s		4'	6'	8'	10'	
CSPTHCTRACK	CSPTHBTRACK	Single with No Fascia	\$308.00	\$467.50	\$627.00	\$786.50	
CSPTHCTRACKDBL	CSPTHBTRACKDBL	Double with No Fascia	\$616.00	\$935.00	\$1,254.00	\$1,573.00	

includes 1 track, components, your choice of brackets, and fascia with fascia clips when applicable.



Quantity per System

Quantity included per system based on cut track length	4'	6'	8'	10'	12'	14'	16'	18'	20'
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	16	24	32	40	48	56	64	72	80
Brackets (1 per every 3-4 feet)	2	3	4	4	5	6	6	7	8

Note: All orders with poles and/or traverse rods will incur a \$10.00 packaging fee per order.

Pricing Includes Track, Components and your choice of TB035-, TB060- or TB100- Brackets

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$1,342.00	\$1,562.00	\$1,782.00	\$2,002.00	\$2,222.00	\$220.00
\$2,288.00	\$2,667.50	\$3,047.00	\$3,426.50	\$3,806.00	\$379.50
\$2,684.00	\$3,124.00	\$3,564.00	\$4,004.00	\$4,444.00	\$440.00
\$2,211.00	\$2,579.50	\$2,948.00	\$3,316.50	\$3,685.00	\$368.50
\$3,157.00	\$3,685.00	\$4,213.00	\$4,741.00	\$5,269.00	\$528.00
\$3,553.00	\$4,141.50	\$4,730.00	\$5,318.50	\$5,907.00	\$588.50

\$1,787.50	\$2,084.50	\$2,381.50	\$2,678.50	\$2,975.50	\$297.00
\$2,733.50	\$3,190.00	\$3,646.50	\$4,103.00	\$4,559.50	\$456.50
\$3,575.00	\$4,169.00	\$4,763.00	\$5,357.00	\$5,951.00	\$594.00
\$2,640.00	\$3,080.00	\$3,520.00	\$3,960.00	\$4,400.00	\$440.00
\$3,586.00	\$4,185.50	\$4,785.00	\$5,384.50	\$5,984.00	\$599.50
\$4,427.50	\$5,164.50	\$5,901.50	\$6,638.50	\$7,375.50	\$737.00
\$1,975.60	\$2,275.90	\$2,576.20	\$2,876.50	\$3,176.80	\$300.30
\$2,817.10	\$3,254.90	\$3,692.70	\$4,130.50	\$4,568.30	\$437.80

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$946.00	\$1,105.50	\$1,265.00	\$1,424.50	\$1,584.00	\$159.50
\$1,892.00	\$2,211.00	\$2,530.00	\$2,849.00	\$3,168.00	\$319.00

Additional Heavy Duty Traverse Fees

PTHFEEMITER-EACH Wood Fascia Mitered Return per return	\$80.00
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fascia	\$65.00
PTHFEERESTRING Restringing Fee per track	\$100.00
Standard 45 Fascia Splice	No Charge

Please specify:

- Item number for track or track with wood fascia
- Track length (custom cut length is finished track length + 1/4" fascia on each end to receive finial)
- Track and matching bracket color (if not specified, we will select color to match fascia finish)
- Bracket return: see page 80 for details.
- Cord location: right or left
- Draw: center, one-way stack right or one-way stack left
- Number of carriers if different than 4 per foot
- Pinch pleat or Ripplefold[®] style carriers
- · Cord drop (standard is 120")
- Finish name for fascia, if selected

Component

Colors	White	Bronze
Track	•	•
Master Carriers	•	•
Glides	•	•
Brackets	•	•
End Pulleys / Caps	•	•

Product information

- Single Corded or Baton traverse system price includes: traversing track, components, brackets (see system quantity chart on previous page) and 3 - 4 carriers per foot.
- Sold in 2' in increments, 4' minimum.
- · Cut to specified length. Fall off will not be saved or shipped.
- Track maximum continuous length up to 240 inches (20'); splice lengths available up to 40' for center draw only.
- Track, bracket and components available in White or Bronze.
- · Center or One-Way draw available.
- Fascia, if selected, in 1 3/8" or 2 ¼" wood pole profiles, available up to 16' in Portfolio or 12' in Quick Ship, is clipped onto traverse system track with a fascia L-bracket. Fascia over 16' in Portfolio finishes and 12' in Quick Ship finishes will be spliced.
- Standard cord drop: 120"
- Mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3⁄8"	7⁄8"	2"
2 1/4"	1 3⁄8"	3"
Flat	3/4"	1 3⁄4"
Slim Round	5⁄8"	1 1/2"

Heavy Duty Stack Back Calculation (each drapery panel)

Heavy Duty pinch pleat:	master carrier	+	(# glides on panel x .63")	+	2.75" (0")	=	stack per drapery panel for cord draw (baton draw)
Heavy Duty Ripplefold*:	master carrier	+	(# glides on panel x .563")	+	2.75" (0")	=	stack per drapery panel for cord draw (baton draw)

*note: number of glides on panel depends on which fullness of Ripplefold tape being used. Consult your workroom for quantity.

EX: Heavy Duty pinch pleat, 20ft. one-way cord draw (standard 4 glides per ft.)


4.25" + [80 glides on panel x .63"] + 2.75" = 57.5" stack back, per drapery panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.




Heavy Duty Corded Traverse Systems Information

	HD Corded Single TB035-H	$2{}^{11}\!/_{16}$ " H x 1 ${}^{1}\!/_{2}$ " W backplate, adjustable up to 5 ${}^{3}\!/_{8}$ " return Available in white or bronze /BR.	\$31.63 each
	HD Corded Single or Double TB060-H	3 ⁵ /16" H x 1 ½" W backplate, adjustable 6" - 7 ½" front return and 3" back return Available in white or bronze /BR.	\$50.60 each
ТВ035-Н ТВ060-Н ТВ100-Н	HD Corded Single, Double or Triple TB100-H	4 ¼2" H x 1 ¼2" W backplate, adjustable up to 11 ¼" return Available in white or bronze /BR.	\$50.60 each
er Bre	HD Corded Ceiling Mount Clip Single CD533	⁵ /a" H x 2 ⁵ /a" D x ⁷ /a" W May only be used in corded systems without fascia - for double ceiling mount installation, install two brackets into ceiling. Available in white.	\$3.15 NET each
	HD Corded Fascia Mount Clip CD4001FC	¹ /2" H x 1" W Use to attach fascia to corded traverse systems; included. Available in zinc.	\$7.35 NET each
	Corded Pinch Pleat Master Carrier VBR CD3300R or CD3300L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Corded Ripplefold Overlap Master Carrier CD3412R or CD3412L	Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Corded Ripplefold Butt Master Carrier CD3600R or CD3600L	Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right.	\$5.85 NET each
	Corded Pinch Pleat C-Ring Master Carrier BR CD3500R or CD3500L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$4.75 NET each
• •	Corded Universal End Pulley Body CD4311R or CD4311L	Pendants sold separately. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Corded One-Way End Pulley Body CD4310R or CD4310L	Pendants sold separately. Available in white or bronze /BR and left or right.	\$2.75 NET each
	HD Custom Use Over-Bracket bot Single any	2" H x ¾" W backplate, 7 %" front return and 3" back return e to combine 2 ¼ full wood pole with single traverse systems; ludes traverse ceiling mount bracket attached onto the ttom of the over-bracket. Fascias sold separately. Available in y of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood Resin finishes or your own custom PTH Perfect Match™ finish. reel	\$88.55 each
	HD CustomfasCeiling SingleWhCMTB-HB. ICI	4" H x ¾" W backplate. Specify drop: contingent upon which cia or finials are chosen - for double ceiling mount installation, tall two brackets into ceiling. Steel en ordering, specify: Fascia diameter and profile. Projection to carrier and/or to front of fascia. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling). Width of mounting plate if longer than 2 ¾.	\$75.90 each




Scan the QR code to the right or visit bit.ly/PTH-C-Rings for diagrams of C-Ring Systems »


Single, Double or Triple Corded Bracket ТВ100-Н




Corded Single Ceiling Mount Bracket CD533




Custom Over-Bracket TBKT214-H



Corded Track



Custom Ceiling Bracket CMTB-H



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- C. Drop from ceiling to carrier eyelet and/or from ceiling to
- top of fascia (tip: finial must clear ceiling). D. Width of mounting plate if longer than 2 3/4.


ANSI Standards: Child Safety Warning Tags

ANSI Standard 100.1: Safety of Corded Window Coverings Requires warning tags for child safety on all interior drapery hardware and window covering products that incorporate cords, bead chains, cord shrouds or any type of flexible loop control device in their operation INCLUDING sales collateral materials.



Heavy Duty Baton Traverse Systems Information

твоз5-нв	HD Baton Single TB035-HB	2 "/16" H x 1 ½" W backplate, adjustable up to 4" return Available in white or bronze /BR.	\$31.63 each
	HD Baton Single or Double TB060-HB	3 ¾" H x 1 ½" W backplate, adjustable 5 ¼" - 6" front return and adjustable 2 ¼" - 3 ½" back return Available in white or bronze /BR.	\$50.60 each
	HD Baton Single, Double or Triple TB100-HB	4 ¼" H x 1 ½" W backplate, adjustable up to 9 ¾" return Available in white or bronze /BR.	\$50.60 each
ТВО60-НВ ТВІОО-НВ	HD Baton Ceiling Mount Clip Single BT5333	¼" H x 2 ¼" D x 1" W May only be used in baton systems without fascia - for double ceiling mount installation, install two brackets into ceiling. Available in white.	\$1.00 NET each
	HD Baton Fascia Mount Clip BT4003NFC	¹ /2" H x 1" W Use to attach fascia to baton traverse systems; included. Available in zinc.	\$7.35 NET each
	Baton Pinch Pleat Master Carrier BR BT3005R or BT3005L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$4.75 NET each
	Baton Ripplefold Overlap Master Carrier BT3125R or BT3125L	Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Baton Ripplefold Butt Master Carrier / BR BT3600R or BT3600L	Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right.	\$5.85 NET each
	Baton Pinch Pleat C-Ring Master Carrier / ER BT3501R or BT3501L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$4.75 NET each
	Baton Pinch Pleat End Cap BT4013 /BR	Available in white or bronze /BR.	\$1.30 NET each
	Baton Pinch Pleat C-Ring End Cap BT4500	Right or Left. Pinch Pleat with C-Rings. Available in white or bronze /BR.	\$1.30 NET each
	Baton Ripplefold End Cap BT4123	Available in white or bronze /BR.	\$1.40 NET each
	HD Custom Use Over-Bracket bo Single any	4" H x ¾" W backplate, 7 %" front return and 3" back return e to combine 2 ¼ full wood pole with single traverse systems; cludes traverse ceiling mount bracket attached onto the ttom of the over-bracket. Fascias sold separately. Available in y of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood Resin finishes or your own custom PTH Perfect Match™ finish. ceel	\$88.55 each
	Coiling Single	4" H x ¾" W backplate. Specify drop: contingent upon which cia or finials are chosen - for double ceiling mount installation, tall two brackets into ceiling. eel	\$75.90 each




Heavy Duty Corded or Baton Traverse Systems Information

Carriers for additional carriers.




See pages 80 & 82 for Master Carrier options.



Heavy Duty Butt Master Carriers

\$1.80 NET pack (10 pieces)



	Heavy Duty Traverse Order Form	uty T	rave	rse (Order	Form							
HARDWARE PO#				Side	Side Mark		Ship via				Date	te	
Company Information	I	I	l	l	I	Shipping Information	mation	I	l	I	l	I	
Company Name			Acct #			Company Name				Ā	Acct #		
Contact Person						Contact Person							
Street Address						Street Address							
City			State		ZIP	City				õ	State	ZIP	
Email				-		Email				_		-	
Phone	Fax					Phone			Fax				
HEAVY-DUTY TRAVERSE SYSTEMS - Consult Price List for detai Specified custom cut length includes pulleys or end caps. For mitered ret	- Consult Pl s or end cap	rice List fo s. For mite		iled specifications. urns, see page 79.	ations. je 79.								
# mer	Fascia Type	System Length	Custom Cut Length	Fascia Finish Code	Bracket Preference	Draw Preference Center One-Way	Cord (s	Cord Length Ba (standard Dr 120") Ont	Baton Draw Pin Ontion* Ri	Glides Pinch Pleat or Ripplefold*	Ą	Price Der Unit	Subtotal
			ĺ				r			PP RF	î		
							L 			PP RF			
							L R			PP RF			
							L R			PP RF			
HEAVY-DUTY TRAVERSE COORDINATING ACCESSORIES AN Order finials, mitered returns, and accessories here.	ATING ACC ories here.	ESSORIE	S AND A	ΟΠΙΟΙ	D ADDITIONAL FEES	I	I	I					
+ mot	Einich Codo	- opo				Description				ç	Drice ner Hnit	, Init	Subtotal
Additional Information								* Baton d	raw opti	* Baton draw option available; batons sold separately.	e; baton	s sold sepa	rately.
Quantity included per system based on cut track length Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	k length & end caps (2)]	4' 6' 16 24	8' 10' 1 32 40 4	12' 14' 1 48 56 6	16' 18' 20' 64 72 80						T	TOTAL	
Brackets (1 per every 3-4 feet)		2 3	4 4	5 6	6 7 8								
Special Instructions							* *	'hen orderii	ıg Rippl	* When ordering Ripplefold carriers, answer these questions:	ırs, answ	rer these qu	lestions:
							1.5	1. Select Ripplefold fullness:	efold full		60%	80% 100%	% 120%
							2.8	2. Select Ripplefold masters:	efold ma		Overlap	Butt Master	aster

Quick Ship Collection

A carefully edited collection of drapery hardware and you get it fast! Orders ship within 24 hours, available in 6 metal and 5 wood & resin finishes.

ships within 24 hours!

1 1/8" Modern Finial Collection fits 1/6" poles. Finial adapters are required to adapt to 1/6" metal traverse, sold separately on page 89.

QS118COFI	QS118ELAFI	QS118EMFI	QS118EMFIGL	QS118EMEC
Cole	Ella	Elm	Elm - Smoke Glass	Emery End Cap
3 ¼" L x 1 ½" W Metal	1 5⁄8" L x 1 5⁄8" W Metal	1 ¼" L x 2" W Metal	1 ¼8" L x 2" W Metal / Glass	¾" L x l ¼" W Metal
\$88.00 pair*	\$77.00 pair*	\$77.00 pair*	\$88.00 pair*	\$33.00 pair*

_				
QS118EVEC	QS118KNFI	QS118LXFI	QS118LOFI	QS118REFI
Evan End Cap	Knox - Crystal	Lex	London - Crystal	Reese - Crystal
³ ⁄4" L x 1 ³ ⁄4" W Metal	1 ¼" L x 2 5⁄8" W Crystal, Metal Pole	1 %" L x 2" W Metal	1 ⅔" L x 3" W Metal / Crystal	2 ¾" L x 2 ½" W Crystal, Metal Pole
\$33.00 pair*	\$137.50 pair*	\$77.00 pair*	\$159.50 pair*	\$137.50 pair*





1 1/8" Clean Deco Finial Collection fits 1/6" poles. Finial adapters are required to adapt to 1/6" metal traverse, sold separately on next page.

	Ę	962		
QS118ANFI	QS118DAFI	QS118DEEC	QS118NVFI	QS118PEFI
Andes	Dakota - Crystal	Deco End Cap	Neve - Crystal	Penelope
2 ½" L x 2 5/8" W Metal	2 ¾" L x 2 ½" W Metal / Crystal	¾" L x 1 ⅔" W Metal	2 ½" L x 2" W Metal / Crystal	1 ¼8" L x 2 ¾" W Metal
\$99.00 pair*	\$159.50 pair*	\$33.00 pair*	\$159.50 pair*	\$88.00 pair*

QS118VIFI	QS118WRFI	QS118WIFI	QS118ZAEC
Viktor	Wren	Wright - Crystal	Zane End Cap
1 ½" L x 2 ¾" W Metal / Acrylic	2" L x 1 7⁄8" W Metal	2 ½" L x 2 ¾" W Metal / Crystal	5⁄8" L x 2 3⁄8" W Metal
\$88.00 pair*	\$88.00 pair*	\$159.50 pair*	\$44.00 pair*

1 1/8" Transitional Luxe Finial Collection fits 1/6" poles. Finial adapters are required to adapt to 1/6" metal traverse, sold separately on next page.




1 ¹/⁸" Mix & Match create an even more *customized* design!




Style Meets Function

1 ¹/₈" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 ¹/₈" Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.



1 1/8" Modern Metal Brackets fit the 1/8" pole.

Note: Return indicates distance from wall to center of pole.



1¹/₈" Metal Pole

1 1/18" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, SG, CZ and MK finishes; up to 8' on RGD and BZ finishes. 1 1/8" metal poles are supplied with plastic inserts to attach the finials.

Note: All orders with poles and/or traverse track will incur a \$10.00 packa	aging fee per order.
--	----------------------

QS118ME02	QS118ME04	QS118ME06	QS118ME08	QS118ME10	QS118ME12	
2'	4'	6'	8'	10'	12'	
\$27.50 each	\$55.00 each	\$82.50 each	\$110.00 each	\$137.50 each	\$165.00 each	

1 1/8" Metal Rings fit the 1 1/8" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**



1¹/₈" Metal Accessories

1/8 1/10201/1020501105		
Metal Baton	Clear Acrylic Baton	QS118MEL Hinged Elbow
¾" DIA, Metal	½" DIA, Acrylic	1 ½" DIA, 2 ½" overall length,
QSME36WAND - 36" - \$55.00 each	AC36WAND - 36" - \$49.50 each	1 ¾" L each side when bent
QSME48WAND - 48" - \$60.50 each	AC48WAND - 48" - \$55.00 each	Metal
QSME60WAND - 60" - \$66.00 each	AC60WAND - 60" - \$60.50 each	\$44.00 eac
]
Handicap Metal Baton	Handicap Clear Acrylic Baton	PSME118403 Pole Splice

4 5⁄8" L, must be ordered separately

\$6.60 each

4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic
Finishes Available: BN, BZ & MK	
QSME48HWAND - 48" - \$60.50 each	AC48HWAND - 48" - \$55.00 each
QSME60HWAND - 60" - \$66.00 each	ас60нwand - 60" - \$60.50 each
	AC72HWAND - 72" - \$66.00 each

Modern Holdback Medallions fit modern holdback stems only.

QSHAHB	QSPAHB
Hadley	Parker
3 ½" DIA, 1" TH Metal	3 ¼" square, 1" TH Metal
\$66.00 pair*	\$66.00 pair*

Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.

—	—	0
QSMHBSTEM2	QSMHBSTEM4	QSMHBSTEM6
2" PROJ	4" PROJ	6" PROJ
Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³/16" DIA Stem: ½" DIA Metal	Base: 2 ³/ ₁₆ " DIA Stem: ½" DIA Metal
\$44.00 pair*	\$49.50 pair*	\$55.00 pair*

« Don't forget to order yourHoldback Stems separately

1 3/8" Modern Finial Collection fits the 13/6" metal pole and metal traverse.


QS138ADFI	QS138AIEC	QS138ASEC	QS138COFI	QS138EXFI
Adair	Ainsley End Cap	Asher End Cap	Cohen	Exton
3 ¾" L x 3" W Metal	¾" L x 1 ½" W Metal	1" L x 2 ¼" W Metal	1 %" L x 3 %" W Metal / Clear Acrylic	2 ¾" L x 2 ¼" W Metal
\$88.00 pair*	\$38.50 pair*	\$38.50 pair*	\$181.50 pair*	\$88.00 pair*

QS138LOFI	QS138QUFI	QSI38REFI	QS138STFI	QS138ZAFI
London - Crystal	Quinn	Remi - Crystal	Sterling - Crystal	Zara
2 5⁄8" L x 3 3⁄8" W Metal / Crystal	1 ¾" L x 2 ¼" W Metal	3 ¼" L x 3" W Metal / Crystal	2 ¼" L x 3" W Metal / Crystal	2 ½" L x 3 ½" W Metal / Clear Acrylic
\$192.50 pair*	\$88.00 pair*	\$170.50 pair*	\$170.50 pair*	\$192.50 pair*



1 3/8" Modern Metal Brackets fit the 1 3/8" pole.

Note: Return indicates distance from wall to center of pole.



13/8" Metal Pole | 13/8" Acrylic Pole

1 3/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, SG, CZ and MK finishes; up to 8' on RGD and BZ finishes. 1 3/8" metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

Nata All a sala sa suita		+ $ -$	
NOLE: All orders with	i noies ang/or i raverse	ласк will incur a siluu	packaging fee per order.
	, poies ana/or craverse	, cracit will infoar a protoc	packaging rec per oraci.

				3 3 1	
QS138ME02	QS138ME04	QS138ME06	QS138ME08	QS138ME10	QS138ME12
2'	4'	6'	8'	10'	12'
\$33.00 each	\$66.00 each	\$99.00 each	\$132.00 each	\$165.00 each	\$198.00 each
QS138AC02	QS138AC04	QS138AC06	QS138AC08	QS138AC10	QS138AC12
2'	4'	6'	8'	10'	12'
\$84.70 each	\$169.40 each	\$254.10 each	\$338.80 each	\$423.50 each	\$508.20 each

13/8" Metal Rings fit the 13/8" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

Q	Ç	Rowan Ring Calla C-Ring
QS138RORI Rowan Ring	QS138CLCRI Calla C-Ring	
2" ID, 2 ¾" OD, ¾" drop Metal	2" ID, 2 ¾" OD, ¾" drop, use with Talon brackets Metal	3/4"
\$7.70 each	\$7.70 each	Top of Fabric

1³/₈" Metal Accessories

Metal Baton	Clear Acrylic Baton
¾" DIA, Metal	½" DIA, Acrylic
QSME36WAND - 36" - \$55.00 each	AC36WAND - 36" - \$49.50 each
QSME48WAND - 48" - \$60.50 each	AC48WAND - 48" - \$55.00 each
QSME60WAND - 60" - \$66.00 each	AC60WAND - 60" - \$60.50 each



Cxxa	\sim	PSME138403
Handicap Metal Baton	Handicap Clear Acrylic Baton	Pole Splice
4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic	4 ¾" L, must be ordered separately
QSME48HWAND - 48" - \$60.50 each	ac48hwand - 48" - \$55.00 each	\$6.60 each
QSME60HWAND - 60" - \$66.00 each	AC60HWAND - 60" - \$60.50 each	
	AC72HWAND - 72" - \$66.00 each	

Modern Holdback Medallions fit modern holdback stems only.

QSHAHB	QSPAHB	
Hadley	Parker	
3 ½" DIA, 1" TH Metal	3 ¼" square, 1" TH Metal	
\$66.00 pair*	\$66.00 pair*	

Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.

-	—	<u> </u>
QSMHBSTEM2	QSMHBSTEM4	QSMHBSTEM6
2" PROJ	4" PROJ	6" PROJ
Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³/16" DIA Stem: ½" DIA Metal	Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal
\$44.00 pair*	\$49.50 pair*	\$55.00 pair*

« Don't forget to order yourHoldback Stems separately

1 3/8" Today's Traditional Finial Collection fits the 1 3/8" wood poles and heavy duty traverse.


QSI38AUEC	QS138BRFI	QS138EVFI	QS138JUFI	QS138LEFI
Aubrie End Cap	Bradford	Everette	June	Leo
³ ⁄4" L x 2 ¹ ⁄4" W Resin	3 ¼" L x 2 ¼" W Resin	2 %" L x 3 ¼" W [2 ½" square] Resin	2 ¾" L x 2 ⅛" W Resin	3 ½" L x 2 ¾" W Resin
\$44.00 pair*	\$77.00 pair*	\$77.00 pair*	\$77.00 pair*	\$77.00 pair*

QS138LIFI	QS138LIFIGL	QS138LYFI	QS138ROFI
Lillian	Lillian - Mercury Glass	Lyla	Rose - Crystal
4" L x 3 ⅔" W Resin	4" L x 3 ¾" W Resin / Glass	2 5⁄8" L x 2 3⁄4" W Resin	2 ½" L x 2 ¾" W Resin / Crystal
\$77.00 pair*	\$148.50 pair*	\$77.00 pair*	\$203.50 pair*

1 3/8" Heritage Classics Finial Collection fits the 1 3/8" wood poles and heavy duty traverse.

QS138HAFI	QS138LAFI	QS138LOEC
Harper	Lane	Lowell End Cap
3" L x 2 ¾" W Resin	3 5⁄8" L x 3 1⁄2" W Resin	1" L x 2" W Resin
\$77.00 pair*	\$77.00 pair*	\$44.00 pair*

1 3/8" Mix & Match create an even more *customized* design!



• Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)



1 3/8" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 3/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff/ Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff / Finial Adapter QS138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73

How To Add Your Transitional Cuff / Finial Adapter » Place Cuff onto metal traverse and tighten set screw with Allen Wrench. Select your Cuff style and finish - Mix & Install finials by screwing into Match for the ultimate customization. the Cuff / Finial Adapter.

98

1 3/8" Wood & Resin Brackets fit the 1 3/8" wood poles.

Note: Return indicates distance from wall to center of pole.



*Sold in pairs only.

1³/₈" Wood Poles

1 3/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

QS138SM02	QS138SM04	QS138SM06	QS138SM08	QS138SM10	QS138SM12
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'
\$55.00 each	\$110.00 each	\$165.00 each	\$220.00 each	\$275.00 each	\$330.00 each
QS138GR02	QS138GR04	QS138GR06	QS138GR08	QS138GR10	QS138GR12
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'
\$55.00 each	\$110.00 each	\$165.00 each	\$220.00 each	\$275.00 each	\$330.00 each
QS138RE02	QS138RE04	QS138RE06	QS138RE08	QS138RE10	QS138RE12
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'
\$55.00 each	\$110.00 each	\$165.00 each	\$220.00 each	\$275.00 each	\$330.00 each

Wood





Smooth Wood Pole QS138SM Wood




Reeded Wood Pole QS138RE Wood

13/8" Wood & Metal Rings fit the 13/8" wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**






EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.





AC46HWAND - 48 - \$55.00 each

AC72HWAND - 72" - \$66.00 each



QS138REL Hinged Elbow

1 5%" DIA, 3 7%" OL, 2" L each side when bent Resin

\$44.00 each

Transitional Holdback Medallions fit transitional holdback stems.

fit transitional holdback stems.			
QSBRHB	QSMIHB	QSTRHB	
Brooks	Miranda	Trudy	
4" DIA, 1 ¼" TH Resin	5" DIA, 1 ½" TH Resin	4 ¾" DIA, ¾" TH Resin	
\$77.00 pair*	\$82.50 pair*	\$82.50 pair*	
-	1	r	
QSBKHB	QSHAHB	QSPAHB	
Blake - Mercury Glass	Hadley	Parker	
3" DIA, 2 ¾" TH Metal / Glass	3 ½" DIA, 1" TH Metal	3 ¼" DIA, 1" TH Metal	
\$132.00 pair*	\$66.00 pair*	\$66.00 pair*	

Don't forget to order your Holdback Stems separately ≽

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.

6-		
QSTHBSTEM2	QSTHBSTEM4	QSTHBSTEM6
2" PROJ	4" PROJ	6" PROJ
Base: 3" DIA Stem: 5%" DIA Metal	Base: 3" DIA Stem: 5⁄8" DIA Metal	Base: 3" DIA Stem: 5⁄8" DIA Metal
\$55.00 pair*	\$60.50 pair*	\$66.00 pair*

21/4" Today's Traditional Finial Collection fits the 21/4" wood poles and heavy duty traverse.

QS214AMFI	QS214APFI	QS214EDFI	QS214HZFI
Amelie	Aspen	Edward	Hazel - Crystal
2" L x 3 ¼" W Resin	4 ¼2" L x 4 ½" W Resin	4 ¼" L x 3 ¼" W Resin	2 5⁄8" L x 3 3⁄8" W Resin / Crystal
\$99.00 pair*	\$104.50 pair*	\$99.00 pair*	\$236.50 pair*

QS214SIFI	QS214STFI	
Sidney	Stella	
3 ¼8" L x 4 ¼8" W [3" square] Resin	2 ½" L x 3 ¼" W Resin	
\$99.00 pair*	\$99.00 pair*	


2¹/₄" Heritage Classics Finial Collection fits the 2¹/₄" wood poles and heavy duty traverse.

QS214ADFI	QS214ADFIGL	QS214FAFI	QS214FIFI
Adelaide	Adelaide - Mercury Glass	Farrin - Mercury Glass	Fiona
5" L x 3 ½" W Resin	5" L x 3 ½" W Resin / Glass	4 ½" L x 4 %" W Metal / Glass	4" L x 5" W Resin
\$104.50 pair*	\$170.50 pair*	\$170.50 pair*	\$137.50 pair*

QS214MAEC	QS214OLFI	
Margot End Cap	Oliver	
¾" L x 3" W Resin	3 5⁄8" L x 3 7⁄8" W Resin	
\$55.00 pair*	\$104.50 pair*	


$2\,\ensuremath{\ensuremath{\mathcal{K}}}$ "Wood & Resin Brackets fit the 2 $\ensuremath{\ensuremath{\mathcal{K}}}$ wood poles.

Note: Return indicates distance from wall to center of pole.



21/4" Metal Brackets fit the 21/4" wood poles.

Note: Return indicates distance from wall to center of pole.



*Sold in pairs only.

2 ¼" Wood Poles

2 ¼" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

· · ·						
QS214SM02	QS214SM04	QS214SM06	QS214SM08	QS214SM10	QS214SM12	
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	
\$77.00 each	\$154.00 each	\$231.00 each	\$308.00 each	\$385.00 each	\$462.00 each	
QS214GR02	QS214GR04	QS214GR06	QS214GR08	QS214GR10	QS214GR12	
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	
\$77.00 each	\$154.00 each	\$231.00 each	\$308.00 each	\$385.00 each	\$462.00 each	
	1					
QS214RE02	QS214RE04	QS214RE06	QS214RE08	QS214RE10	QS214RE12	
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	
\$77.00 each	\$154.00 each	\$231.00 each	\$308.00 each	\$385.00 each	\$462.00 each	







Grooved / Fluted Wood Pole QS214GR Wood

Smooth Wood Pole QS214SM Wood




Reeded Wood Pole QS214RE Wood

2¹/4" Rings fit the 2¹/4" wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**






EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.









QS214REL Hinged Elbow

2 3/8" DIA, 5 1/8" OL, 2 %16" L each side when bent Resin

\$60.50 each

Transitional Holdback Medallions nsitional holdback stem

fit transitional holdback stems.					
QSBRHB	QSMIHB	QSTRHB			
Brooks	Miranda	Trudy			
4" DIA, 1 ¼" TH Resin	5" DIA, 1 ½" TH Resin	4 ¾" DIA, ¾" TH Resin			
\$77.00 pair*	\$82.50 pair*	\$82.50 pair*			
· · · · · · · · · · · · · · · · · · ·					
QSBKHB	QSHAHB	QSPAHB			
Blake - Mercury Glass	Hadley	Parker			
3" DIA, 2 ¾" TH Metal / Glass	3 ½" DIA, 1" TH Metal	3 ¼" DIA, 1" TH Metal			
\$132.00 pair*	\$66.00 pair*	\$66.00 pair*			

Don't forget to order your **Holdback Stems** separately \geq

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.






Sales Tools

Sales Tools

Inspire your clients with professional sales tools designed to showcase Paris Texas Hardware™ and drive revenue for your business. Select from Wall Displays and Table Top Displays with the newest finial designs and finishes.







TH

PARIS TEXAS HARDWARE™

ParisTexasHardware.com

